


### Optimal cleaning results on large surfaces

Designed for scrubbing and drying in tough and dirty environments such as construction sites or industrial areas.

The Viper Fang Series of scrubber dryers are value for money and easy to use.





Variable pad pressure makes it possible to adjust to your cleaning needs. For more dirty areas just add more pad pressure. A big tank capacity and a longer battery run time makes it possible to clean for a longer time. You will find it ideally suitable for scrubbing and drying in tough and dirty environments such as building contractors and industrial environments.

- Easy to use: User friendly control panel and highly manoeuvrable design
- Simple and user-friendly: Adjustable brush pressure for different cleaning needs
- Great value for money: High quality product at a value-for-money price point
- Pad holder and brushes are included
- One year commercial warranty



Picture shown may not represent model quoted

• Standard equipment

Included accessories		Ref. no.	Min. required	FANG26T-AU 26INCH AUTO	FANG26T-AU 26INCH AUTO
<b>Pad Holder</b>					
	PAD DRIVER 12 INCH	VF83128	2		•
<b>Squeegee, Blade, Skirt and Splash Guard</b>					
	SQUEEGEE BLADES	VF81237	1		
	SQUEEGEE BLADES	VF81205	1	•	
	SQUEEGEE BLADES	VF81236	1		
	SQUEEGEE BLADES	VF81206	1	•	
	SQUEEGEE BLADES NEOPRENE	VF81235	1		
<b>Other</b>					
	KEY SWITCH KIT FANG SERIE	VF82153	1	•	



Optimal cleaning results on large surfaces

Model	FANG26T-AU 26INCH AUTO	FANG26T-AU 26INCH AUTO
Ref. no.	50000326	50000326PA

PRODUCT FEATURES

Adjustable brush pressure	•	•
Adjustable handle	•	•
Forward & backward pedel	•	•
Variable speed control	•	•







Technical specifications	FANG26T-AU 26INCH AUTO	FANG26T-AU 26INCH AUTO
Vacuum motor type	3-stage	3-stage
Drive system	transaxle	transaxle
Voltage (V)	24	24
IP protection class	IPX4	IPX4
Brush motor (W)	560x2	560x2
Vacuum motor power (W)	560	560
Vacuum (mbar/kPa)	170/17	170/17
Sound power level (dB(A) IEC 704)	68	68
Productivity rate (m <sup>2</sup> /h)	2600	2600
Cleaning path/width (mm)	66	66
Solution/recovery tank (L)	66/75	66/75
Squeegee width (mm)	810	810
Brush speed/pressure (rpm/kg)	200/91	200/68
Length x width x height (cm)	141x66x100	141x66x100
Weight (kg)	130	130
Operating weight (kg)	266	266

• Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	FANG26T-AU 26INCH AUTO	FANG26T-AU 26INCH AUTO
<b>Pad Holder</b>					
	PAD DRIVER 12 INCH	VF83128	2		•
<b>Other</b>					
	KEY SWITCH KIT FANG SERIE	VF82153	1	•	
<b>Squeegee, Blade, Skirt and Splash Guard</b>					
	SQUEEGEE BLADES	VF81237	1		



## Optimal cleaning results on large surfaces

Accessories		Ref. no.	Min. required	FANG26T-AU 26INCH AUTO	FANG26T-AU 26INCH AUTO
	SQUEEGEE BLADES	VF81205	1	•	
	SQUEEGEE BLADES	VF81236	1		
	SQUEEGEE BLADES	VF81206	1	•	
	SQUEEGEE BLADES NEOPRENE	VF81235	1		
	SQUEEGEE BLADES NEOPRENE	VF81234	1		
	SQUEEGEE BLADES NEOPRENE	VF81215	1	○	
	SQUEEGEE BLADES NEOPRENE	VF81216	1	○	
<b>Battery and Charger</b>					
	CHARGER 24V 20A EU/UK	50001000	1		○
<b>Disc Brush 330 mm</b>					
	POLY SCRUB BRUSH 13 INCH	VF83127	2		○

