

POWERBLAST
PREMIUM PRODUCTS

2019

Machines, Accessories
& Parts Price List

POWERBLAST
PREMIUM PRODUCTS



February 2019

Prices are recommended list price only, valid from
1st February 2019 and subject to change without notice.



CUSTOMER SERVICE

Contact Customer Service for assistance with the following:

- Sales assistance including features and benefits
- Current price & availability of machines, accessories & parts.
- Instant emailing of specification sheets on all machines.
- Place an order or for freight tracking of orders in transit.
- Machine parts breakdowns or part numbers for all items.
- Technical service or advice on machine repairs.
- Application for warranty service case number.

Contact Details:

Free Call.....1800 812 223
Office.....(08) 8724 4200
Fax.....(08) 8125 6641
Email.....sales@powerblast.com.au
Websites.....www.powerblast.com.au
.....or www.kranzle.com.au

(Go to the website to view or download point of sale specification sheets and owners manuals for all machines.)

Paul Reilly - Customer Service/Technical Support Manager

Free Call.....1800 812 223 extn. 722
Email.....p.reilly@euroquip.co.nz

SALES

Andrew Lee

Free Call..... 1800 812 223 extn. 602
(transfers to mobile)
Email..... andrew.lee@powerblast.com.au

ADMIN/ACCOUNTS

Priscilla Cox - Admin / Accounts

Office Phone..... (08) 8724 4200 extn. 601
Fax..... (08) 8125 6641
Email..... priscilla.cox@powerblast.com.au

WAREHOUSE - INWARDS/OUTWARDS GOODS

Free Call 1800 213 223

To return a product to our warehouse you first need to obtain a 'Return Authority Number' (RA Number) from the customer service team to enable us to receive the goods and process a credit.

HEAD OFFICE

11 Venice Place, Stoke, Nelson, NZ.

Phone +64 3 5478409. Fax +64 3 5478407

Why deal with Powerblast?

Need your order urgently? We specialise in providing fast over-night deliveries Australia-wide!

We carry a huge range in stock - you know you can get it when you need it! You will receive friendly, courteous, personal service!

Do you need extra help? Our knowledgeable sales staff with over 80 years combined experience in the pressure cleaner supply industry are waiting to assist with your enquiry!

Do you want peace of mind? Every high pressure cleaner we sell is covered by at least 12 month warranty, with most products featuring a 2 year unlimited hours warranty!



Quality doesn't cost - it pays!

Quality is an investment that pays off. This has never been more true for Kranzle, Powershot and Powerwash high pressure cleaners. As the importer of these brands, Powerblast have shown many companies just how beneficial buying a quality product really is. With the wide variety of electric and petrol powered high pressure cleaners available, how will you decide which is best for you?

Here are a few tips to help you choose the best high pressure cleaner for your needs. When choosing a unit, more is not necessarily better. If you buy a high pressure cleaner that is too powerful, you may end up damaging what it is you need to clean. You also need to be careful not to choose a unit that is under-powered for the task, as it will reduce productivity and efficiency in your cleaning task.

What you first need to decide is how you want the pressure cleaner to be powered. We offer both electric and engine driven options. If you are planning to use your unit in a closed area, or an area where noise is an issue, then electric is a good option. If the area where you are cleaning does not have access to electricity, then an engine driven unit is the obvious choice. Read on to find out the reasons why.

Features of the Powerblast range

First-class

Powerblast high-pressure cleaners are first-class. They are distinguished by their extraordinarily high quality, extremely modern design, high grade materials, long service life and economic efficiency.

User friendly



Powerblast high-pressure cleaners not only require low maintenance, they are also simple and user friendly. Numerous accessories are specially designed and available to help with a wide range of cleaning tasks.

Environmentally conscious

Powerblast high-pressure cleaners set standards in the field of environmental protection. They save water and energy - and yet achieve a maximum cleaning effect.

Easy

The comprehensive Powerblast range is based on just a few pump and motor types only. That means that the dealer only has to carry a small range of spare parts and the customer benefits from fast service and delivery.



Functionally reliable

Each product is put through an extensive and exhaustive function test prior to leaving the factory.

Hot or Cold Water?

A decision you need to make is whether you require hot or cold water. In many applications, cold water, with or without detergent can be very productive. However, if your cleaning application includes cleaning a lot of grease, oil or heavy encrusted dirt, the best alternative is to select a hot water unit. Consider trying to wash a greasy plate in cold dishwater - the grease will shift eventually after lots of scrubbing. When you switch to hot water, the grease will be dissolved and the plate will be clean a lot quicker and with less water!

In addition, the use of hot water over 80°C will provide sanitisation in food and pharmaceutical cleaning applications.

Long Term Investment - What is best for me?

The Powerblast Premium range of high pressure cleaners have been designed and built with the serious high pressure cleaning user in mind. Without question, this range represents the best long term value. Examples of this is the Kranzle forged brass pump head, top quality electric motor components and stainless steel boiler coils on selected models.

Choosing a pressure cleaner - understanding our language

Pressure - PSI (pounds per square inch)

Water pressure is measured in PSI. The PSI is necessary to break the chemical bond between the surface and the stain. The stronger the chemical bond, the more pressure you will need to remove it! (Note: 1 psi = 14.5 bar)

Flow Rate - L/min (Litres per minute)

Water flow is measured in litres per minute. The greater the litre per minute, the more surface area a pressure cleaner can cover. Imagine two streams of water under the same amount of pressure. The first stream contains twice the water as the second. As a result, it will clean twice as fast.

See Helpful Charts and Conversions on page 64 for common conversion rates.





Solid brass pump head

The pump head is manufactured by Kranzle in Germany from forged special brass and guarantees an extremely long corrosion free life. 10 Year Guarantee



Slow runner

The machines - (except for 1152TST) - are equipped with slow running, silent and durable quadripolar industrial quality electric motors (1400 rpm.).



Stainless steel plungers with ceramic coating

All units are equipped with ceramic coated stainless steel plungers. This excellent feature of stainless steel plungers include, excellent thermal conductivity, hard ceramic coating (extremely low-wear) This serves to considerably increase the service life of our systems - No cracked ceramic plungers!



Dry-run safety

All pumps are equipped with a fabric sleeve and a Teflon graphite back ring. The superior gliding properties of Teflon graphite serve to reduce both the friction resistance and temperatures in the pump. As a result, the systems can be operated undamaged without water for a certain period = dry-run safety.



Non-corrosiveness and durability

Breakdowns due to corrosion are impossible. All parts of pump and safety devices that are in contact with water are made of stainless steel or special brass.



Bypass operation

All machines switch over to a low pressure bypass operation as soon as the gun is closed. The water is circulated with a residual pressure of approx. 10 bar. Machines with the additional option of total-stop switch off completely at this point. Pump and motor are shut down resulting in a significantly prolonged service life, as well as energy savings.



Continuously adjustable pressure and water control

For all machines, the operating pressure and thus the amount of water can be exactly adjusted to suit the cleaning task.



Quality pressure gauge

All machines are equipped with a large conveniently located glycerine filled stainless steel pressure gauge. Kranzle quality in every detail.



Leakage return system

A unique water cushion between the sealing systems of the plungers prevents any intrained air from reaching the pump gaskets. Thus the service life of plungers and pump is considerably increased.

2-3-10 Warranties

All machines are covered by our 2 year warranty and 10 years on the forged brass pump head. Kranzle Therm machines are covered by our 2-3-10 Warranty - 2 years on the complete machine, 2 years on the mild steel coil and 3 years on the stainless steel burner coil.

kranzle®

Adjustable Burner Performance


The diesel heated Kranzle Therm cleaners (except for Therm CA) are equipped with a digital thermostat which now allows for 2 modes of operation.

Operation mode 1: Thermostat regulation °C

The target temperature in °C can be adjusted by pressing the buttons (+ -). The thermostat measures the water temperature at the heating coil

Operation mode 2: Burner output %

Press buttons (+ -) to adjust the amount of time the burner will operate as a percentage. The burner will be switched on and off in accordance with this value.



Optical Flame Monitoring

The diesel heated Kranzle Therm cleaners (except for Therm CA) are equipped with an optical flame monitoring device. A photocell is located right above the combustion chamber and connected to the central control electronics. If the photocell does not detect a flame, the fuel supply is cut off. This prevents a dangerous build up of unburnt fuel inside the burner. An error message appears in the thermostat display.

The actual water temperature is measured at the heating coil outlet and displayed in °C. The temperature can be raised by increasing the percentage of time that the burner is operating, or lowered by reducing the percentage.

Operating Hours Meter

In the digital thermostats of the Kranzle Therm hot water HP cleaners, (except for Therm CA) an operating hours counter is integrated. When either the °C button or the % button are actuated for more than 2 seconds, the respective number of operating hours of the pump and of the burner will be displayed one after the other for approx. 5 seconds which, for example, helps to facilitate determining service intervals.

Safety Devices

- A pressure control valve for continuously variable adjustment of water quantity and pressure. This valve also allows for pressureless bypass operation.
- A safety valve protecting the machine against excessive overpressure.
- An integrated flow monitor device switches the burner off if the water flow is too low, thus preventing the combustion chamber from overheating.
- A pressure monitoring device only allows the burner to operate if there is sufficient pressure
- An additional differential pressure switch automatically switches the machine to stand-by 30 seconds after the trigger gun is released
- A thermal overload switches off the machine in case of excessive power consumption.




Made in Germany



2 YEAR COMMERCIAL WARRANTY

The Kranzle Pump

- 1. Low Speed 1450rpm Pump**
1450rpm Kranzle pumps have minimal wear and tear compared to other 2800rpm - 13000rpm pumps and run 'whisper' quiet.
- 2. Superior Overdimensional Drive**
The heavy duty construction ensures your pump will last for years, even with heavy duty use.
- 3. Stainless Steel Pressure Gauge**
This high quality gauge enables you to precisely monitor and adjust your cleaning pressure to suit your application.
- 4. Continuously Adjustable Pressure Control**
Pressure easily adjusted to suit every job from delicate cleaning of show animals, to blasting dirt and grease from earthmoving equipment.



- 5. Forged Brass Pump Head**
For long service life. Guaranteed for 10 years.
- 6. Dry Run and Bypass Safety**
Means that you will not inadvertently damage the pump if it runs dry or if you leave the pump running in by-pass.
- 7. Precision Valve Seats Made of Stainless Steel**
For long life & durability, even when using poorer quality water.
- 8. Wear resistant ceramic-coated pump plungers**
The high tech ceramic coating on the pump plungers is as smooth as glass and will not score like stainless steel or crack like ceramic sleeves. This ensures long life out of your pump seals and extended maintenance intervals.

Powerblast / Euroquip Key Contacts.....	2
About Powerblast.....	3
About Kranzle.....	6
The Kranzle Pump.....	8

KRANZLE

Cold Water Semi-Industrial Models

KHD7/122.....	10
KHD7/122TS.....	10
K1152TST-10A.....	10

Cold Water Industrial Models

K2160TST-10A.....	10
KQ599TST.....	10
KQ1000TST.....	11
KQ1200TST.....	11

Cold Water Industrial Models - Wall Mounted

WS599TS.....	11
WS1000TS.....	11

Hot Water Industrial Models - Therm Series

CA11/130.....	12
KTH635-1.....	12
KTH895-1.....	12
KTH895-INOX.....	12
KTH1165-1.....	13
KTH1165-INOX.....	13

Hot Water Industrial Models - Therm Series - Electrically Heated

602 E-M36.....	13
872 E-M48.....	13

Hot Water Industrial Models - Therm Stationary Series

ELECTRA 24.....	14
ELECTRA36.....	14
ELECTRA48.....	14
ELECTRA72.....	14

Sweepers

K2+2SWEEP.....	14
----------------	----

POWERSHOT HOTWASH

Hot Water Industrial Models

Hotwash HW1408.....	15
Hotwash HW1310.....	15
Hotwash HW1211.....	15
Hotwash HW2015.....	15
Hotwash HW2021.....	15

POWERSHOT

Cold Water Industrial Petrol Powered Models

PS3395.....	16
PS3000HD.....	16
PS4200HD.....	16

POWERSHOT

Hot Water Industrial Petrol/Diesel Powered Models

HP4012.....	16
HD4012.....	16
HP7012.....	17
HD7012.....	17

ACCESSORIES

Guns and Lances.....	18
Nozzles and Rotary Jets.....	23
Regulation Pistons, Float Valves, Injectors & Gauges.....	28
Hoses, Hose Reels, Couplings & Fittings.....	32
High Pressure Cleaner Accessories.....	40
Specialised Foaming Equipment.....	44
Replacement Pumps.....	47
Heating Coils and Other Parts.....	51
More Accessories.....	61
Machine Accessories.....	63

Helpful Charts and Conversions.....	64
Warranty.....	65
Why Powerblast?.....	66
Notes.....	68

Mission Statement:

















“To maximise our client’s profits,
through constantly providing leading
value, innovation and premium
product support in the portable
power equipment market.”

Whilst every effort is made to ensure that the information and specifications contained in this brochure is accurate at the time of printing, Powerblast accept no responsibility whatsoever either expressed or as otherwise arising out of the information supplied, or under any circumstances be liable in a manner whatsoever for any damages, including but not limited to direct, incidental, secondary, special or punitive damages, losses or expenses or loss of profits relating to the information contained herein or related to any error or omission. Powerblast reserve the right to make changes or modifications to specifications, or discontinue any items at any time, as described in this literature without notice or obligation.

MODEL:	DESCRIPTION:	MACHINE SPECIFICATIONS:	STANDARD ACCESSORIES:	DIMENSIONS: (LxWxH) + WEIGHT	LIST PRICE: (ex. GST)
--------	--------------	-------------------------	-----------------------	------------------------------	-----------------------













COLD WATER Semi-Industrial Models



 #KHD7-122	Kranzle HD7-122 Most professional machine of its class due to a super quiet, soft start, slow running motor (1400rpm). Can withstand voltage fluctuations of up to approx.10%. Extremely handy and compact design. This unit features a stainless steel frame and handle for durability and long-life.	 120 bar, 1740 psi  7L/min  240V, 7.5A  Dirtkiller Lance	10m HP Hose Trigger Gun S/S Lance with Fan Jet Nozzle 028 S/S Lance with Dirtkiller Nozzle 028	440 x 200 x 330mm 22kg	\$1150.00
 #KHD7-122TS	Kranzle HD7-122TS Most professional machine of its class due to a super quiet, soft start, slow running motor (1400rpm) with total stop. Can withstand voltage fluctuations of up to approx.10%. Extremely handy and compact design. This unit features a stainless steel frame and handle for durability and long-life.	 120 bar, 1740 psi  7L/min  240V, 7.5A  Dirtkiller Lance	10m HP Hose Trigger Gun S/S Lance with Fan Jet Nozzle 028 S/S Lance with Dirtkiller Nozzle 028	440 x 200 x 330mm 22kg	\$1300.00
 #K1152TST-10A	Kranzle 1152TST - 10A Robust cold water high pressure cleaner, 10A (2800rpm) with single part roto-molded chassis. Built in accessory storage, integrated hose reel & 15m HP hose, total-stop auto switch off function and low pressure detergent application.	 115 bar, 1667 psi  10L/min  240V, 10A  Dirtkiller Lance  Hose Reel	15m HP Hose HP Hose Reel Trigger Gun S/S Lance with Fan Jet Nozzle 042 S/S Lance with Dirtkiller Nozzle 042	870 x 365 x 320m 32kg	\$1595.00

COLD WATER Industrial Models















 #K2160TST-10A	Kranzle 2160TST - 10A Robust cold water high pressure cleaner with single-part roto-molded chassis. Extremely stable & robust. 10A (1400rpm) low revving motor for extra long life. Built in accessory storage, integrated hose reel with 15m HP hose, Total-Stop auto switch off function and low pressure detergent application. Ideal for commercial/industrial use when only 10A 240V power is available.	 120 bar, 1740 psi  11L/min  240V, 10A  Dirtkiller Lance  Hose Reel	15m HP Hose HP Hose Reel Trigger Gun S/S Lance with Fan Jet Nozzle 042 S/S Lance with Dirtkiller Nozzle 042	900 x 375 x 360mm 39.5kg	\$2215.00
 #KQ599TST	Kranzle Quadro 599TST Integrated trolley + 4 large rubber tyred wheels. Handles rough ground with ease. Single phase with storage for accessories plus a hose reel with 20m HP hose. Features Total-Stop auto switch off function, shock absorbing buffers front and rear plus an integral water tank. The most powerful 240V machine available!	 150 bar, 2175 psi  10L/min  240V, 14A  Dirtkiller Lance  Hose Reel	20m HP Hose HP Hose Reel Trigger Gun S/S Lance with Fan Jet Nozzle 035 S/S Lance with Dirtkiller Nozzle 035	780 x 395 x 870mm 62kg	\$2750.00

MODEL:	DESCRIPTION:	MACHINE SPECIFICATIONS:	STANDARD ACCESSORIES:	DIMENSIONS: (LxWxH) + WEIGHT	LIST PRICE: (ex. GST)
--------	--------------	-------------------------	-----------------------	------------------------------	-----------------------

COLD WATER Industrial Models













Made in Germany

 #KQ1000TST	Kranzle Quadro 1000TST <p>Integrated trolley and 4 large rubber tyred wheels enable the KQ1000TST to handle rough ground with ease. Built for industrial/commercial applications, this three phase machine has accessory storage plus a hose reel with 20m HP hose. Features Total-Stop automatic switch off function, shock absorbing buffers front and rear plus an integral water tank.</p>	 220 bar, 3190 psi  16L/min  415V, 20A  Turbokiller Lance  Hose Reel	20m HP Hose HP Hose Reel Trigger Gun S/S Lance with Fan Jet Nozzle 05 S/S Lance with TurboKiller Lance 05	770 x 570 x 990mm 89kg	\$4380.00
 #KQ1200TST	Kranzle Quadro 1200TST <p>Integrated trolley and 4 large rubber tyred wheels enable the KQ1200TST to handle rough ground with ease. Built for industrial/commercial applications, this three phase machine has accessory storage plus a hose reel with 20m HP hose. Features Total-Stop automatic switch off function, shock absorbing buffers front and rear plus an integral water tank.</p>	 180 bar, 2610 psi  19L/min  415V, 20A  Turbokiller Lance  Hose Reel	20m HP Hose HP Hose Reel Trigger Gun S/S Lance with Fan Jet Nozzle 07 S/S Lance with TurboKiller Lance 07	770 x 570 x 990mm 89kg	\$4425.00

COLD WATER Industrial Wall Models































Made in Germany

 #WS599TS	Kranzle WS599TS <p>A streamlined wall-mounted high pressure cleaner. Features auto stop/start control system controlled by a flow switch. Ideal for in-plant installations such as food processing areas, and vehicle washing bays.</p>	 150 bar, 2175 psi  10L/min  240V, 14A  Optional Dirtkiller Lance	10m HP Hose Trigger Gun S/S Lance with Fan Jet Nozzle 035	680 x 440 x 520mm 55kg	\$2775.00
 #WS1000TS	Kranzle WS1000TS <p>A streamlined wall-mounted high pressure cleaner. Features auto stop/start control system controlled by a flow switch. Ideal for in-plant installations such as food processing areas, and vehicle washing bays.</p>	 220 bar, 3190 psi  16L/min  415V, 20A  Optional Turbokiller Lance	10m HP Hose Trigger Gun S/S Lance with Fan Jet Nozzle 05	680 x 440 x 520mm 62kg	\$4299.00

MODEL:	DESCRIPTION:	MACHINE SPECIFICATIONS:	STANDARD ACCESSORIES:	DIMENSIONS: (LxWxH) + WEIGHT	LIST PRICE: (ex. GST)
--------	--------------	-------------------------	-----------------------	------------------------------	-----------------------

HOT WATER Industrial Models - Therm Series












 #CA11-130	<p>Kranzle CA11-130</p> <p>Precision built, compact hot water high pressure cleaner incorporating technical innovations to ensure the highest levels of safety and minimised cost of operation. Featuring Total-Stop automatic switch off system, burner safety cut-off, water flow monitoring, and built in park brake. Ideal for automotive workshops and cleaning farm machinery.</p>	 130 bar, 1885 psi  11L/min  240V, 15A  Max. 150°C  Optional Dirtkiller Lance  Optional Hose Reel w/15m hose	10m HP Hose Trigger Gun S/S Lance with Fan-Jet Nozzle 045	790 x 590 x 980mm 171kg	\$5595.00
 #KTH635-1	<p>Kranzle Therm 635-1</p> <p>230V, top of the range for safety, performance, reliability and low operating cost. Designed & built to outlast/ out perform others. Std. features incl. Total-Stop auto control system w/delayed motor cut-out, optical flame monitoring, low fuel cut-out, hour meter, adj. burner performance, thermal overload switch, thermostat regulation °C, 4-way safety system and built in park brake. Ideal for regular use in applications like heavy machinery, transport and manufacturing plants.</p>	 130 bar, 1885 psi  10.6L/min  240V, 15A  Hose Reel  Max. 150°C  Optional Dirtkiller Lance	20m HP Hose HP Hose Reel Trigger Gun S/S Lance with Fan Jet Nozzle 045	1050 x 800 x 1000mm 223kg	\$7299.00
 #KTH895-1	<p>Kranzle Therm 895-1</p> <p>400V, Top of the range for safety, performance, reliability and low operating cost. Designed & built to outlast/ out perform others. Std. features incl. Total-Stop auto control system w/delayed motor cut-out, optical flame monitoring, low fuel cut-out, hour meter, adj. burner performance, thermal overload switch, thermostat regulation °C, 4-way safety system and built in park brake. Ideal for regular use in applications like heavy machinery, transport and manufacturing plants.</p>	 195 bar, 2830 psi  15L/min  415V, 20A  Hose Reel  Max. 150°C  Optional Turbokiller Lance	20m HP Hose HP Hose Reel Trigger Gun S/S Lance with Fan Jet Nozzle 045	1050 x 800 x 1000mm 223kg	\$8235.00
 #KTH895-INOX	<p>Kranzle Therm 895-INOX</p> <p>The stainless steel coil makes this the perfect solution for regular use in food processing plants or applications with harsh water. 400V, top of the range for safety, performance, reliability and low operating cost. Designed & built to outlast/ out perform others. Std. features incl. Total-Stop auto control system w/delayed motor cut-out, optical flame monitoring, low fuel cut-out, hour meter, adj. burner performance, thermal overload switch, thermostat regulation °C, 4-way safety system and built in park brake.</p>	 195 bar, 2830 psi  15L/min  415V, 20A  Hose Reel  Max. 150°C  Optional Turbokiller Lance	20m HP Hose HP Hose Reel Trigger Gun S/S Lance with Fan Jet Nozzle 045	1050 x 800 x 1000mm 223kg	\$9265.00

MODEL:	DESCRIPTION:	MACHINE SPECIFICATIONS:	STANDARD ACCESSORIES:	DIMENSIONS: (LxWxH) + WEIGHT	LIST PRICE: (ex. GST)
--------	--------------	-------------------------	-----------------------	------------------------------	-----------------------















HOT WATER Industrial Models - Therm Series



 #KTH1165-1	Kranzle Therm 1165-1 400V, Top of the range for safety, performance, reliability and low operating cost. Designed & built to outlast/ outperform. Standard features incl. total-stop auto control system w/delayed motor cut-out, optical flame monitoring, low fuel cut-out, hour meter, adj. burner performance, thermal overload switch, thermostat regulation °C, 4-way safety system and built in park brake. Ideal for heavy duty cleaning applications in the earth moving, transport and food processing industries.	 165 bar, 2400 psi  19.4L/min  415V, 20A  Hose Reel  Max. 150°C  Optional Turbokiller Lance	20m HP Hose HP Hose Reel Trigger Gun S/S Lance with Fan Jet Nozzle 07	1050 x 800 x 1000mm 223kg	\$8545.00
 #KTH1165-INOX	Kranzle Therm 1165-INOX The stainless steel coil makes this the perfect solution for regular use in food processing plants or applications with harsh water. 400V, top of the range for safety, performance, reliability and low operating cost. Designed & built to outlast/ outperform others. Std. features incl. Total-stop auto control system w/ delayed motor cut-out, optical flame monitoring, low fuel cut-out, hour meter, adj. burner performance, thermal overload switch, thermostat regulation °C, 4-way safety system and built in park brake.	 165 bar, 2400 psi  19.4L/min  415V, 20A  Hose Reel  Max. 150°C  Optional Turbokiller Lance	20m HP Hose HP Hose Reel Trigger Gun S/S Lance with Fan Jet Nozzle 07	1050 x 800 x 1000mm 223kg	\$9575.00

HOT WATER Industrial Models - Therm Series - Electrically Heated























 #KTH602 E-M36	Kranzle Therm 602 E-M36 400V, Top of the range for safety, performance, reliability and low operating cost. Designed & built to outlast/ out perform others. Standard features incl. total-stop auto control system w/ delayed motor cut-out, electrical flow heater, additional electrical overcurrent protection, hour meter, 4-way safety system and built in park brake. Instant hot water use with no pre-heating required. Ideal for regular use in applications like heavy machinery, mining and manufacturing plants. 36kW heating.	 100 bar, 1450 psi  10L/min  415V, 58.6A  Hose Reel  Max. 64°C  Optional Turbokiller Lance	20m HP Hose HP Hose Reel Trigger Gun S/S Lance with Fan Jet Nozzle 045	1050 x 800 x 1000mm 178kg	POA Indent orders only
 #KTH602 E-M48	Kranzle Therm 872 E-M48 00V, Top of the range for safety, performance, reliability and low operating cost. Designed & built to outlast/ out perform others. Standard features incl. total-stop auto control system w/ delayed motor cut-out, electrical flow heater, additional electrical overcurrent protection, hour meter, 4-way safety system and built in park brake. Instant hot water use with no pre-heating required. Ideal for regular use in applications like heavy machinery, mining and manufacturing plants. 48kW heating.	 170 bar, 2465 psi  14.5L/min  415V, 80A  Hose Reel  Max. 60°C  Optional Turbokiller Lance	20m HP Hose HP Hose Reel Trigger Gun S/S Lance with Fan Jet Nozzle 045	1050 x 800 x 1000mm 178kg	POA Indent orders only

MODEL:	DESCRIPTION:	MACHINE SPECIFICATIONS:	STANDARD ACCESSORIES:	DIMENSIONS: (LxWxH) + WEIGHT	LIST PRICE: (ex. GST)
--------	--------------	-------------------------	-----------------------	------------------------------	-----------------------


HOT WATER Industrial Models - The Therm Stationary Series



 #ELECTRA24	Kranzle Electra 24 Electrically heated hot water pressure washer, mounted in stainless steel cabinets and supplied as stationary wall mount or mobile. Designed for applications where diesel fumes or burner flames are not permitted. 24kW heating.	 2600 psi  10L/min  415V, 40A  Max. 60°C	10m HP Hose Trigger Gun S/S Lance with Fan Jet Nozzle 035	1250 x 400 x 600mm	\$7205.00
 #ELECTRA36	Kranzle Electra 36 Electrically heated hot water pressure washer, mounted in stainless steel cabinets and supplied as stationary wall mount or mobile. Designed for applications where diesel fumes or burner flames are not permitted. 36kW heating.	 2600 psi  10L/min  415V, 60A  Max. 60°C	10m HP Hose Trigger Gun S/S Lance with Fan Jet Nozzle 035	1250 x 400 x 600mm	\$9265.00
 #ELECTRA48	Kranzle Electra 48 Electrically heated hot water pressure washer, mounted in stainless steel cabinets and supplied as stationary wall mount or mobile. Designed for applications where diesel fumes or burner flames are not permitted. 48kW heating.	 2900 psi  13L/min  415V, 80A  Max. 60°C	10m HP Hose Trigger Gun S/S Lance with Fan Jet Nozzle 04	1250 x 400 x 600mm	\$9575.00
 #ELECTRA72	Kranzle Electra 72 Electrically heated hot water pressure washer, mounted in stainless steel cabinets and supplied as stationary wall mount or mobile. Designed for applications where diesel fumes or burner flames are not permitted. 72kW heating.	 2900 psi  16L/min  415V, 120A  Max. 90°C	10m HP Hose Trigger Gun S/S Lance with Fan Jet Nozzle 04	1250 x 400 x 600mm	\$13299.00

Sweepers



 #K2+2SWEEP	Kranzle 2+2 SWEEPER Clean driveways, forecourts, carwash bays, warehouses, car parks, tennis courts...and many more! Unique 'double rollover principle' brush system picks up all size items - even drink cans! Dual side brushes enable sweeping along a wall from either direction! Large capacity 40L waste bin.	3500 m2/hr cleaning width 800mm	40L Storage Bin Dual Side Brushes Double Rollover Brush	800 x 600 x 350mm (Folded) 16kg	\$850.00
---	---	------------------------------------	---	------------------------------------	----------

POWERSHOT High Pressure Cleaners
































POWERBLAST
PREMIUM PRODUCTS

MODEL:	DESCRIPTION:	MACHINE SPECIFICATIONS:	STANDARD ACCESSORIES:	DIMENSIONS: (LxWxH) + WEIGHT	LIST PRICE: (ex. GST)
--------	--------------	-------------------------	-----------------------	------------------------------	-----------------------

HOT WATER Industrial Models



 #HW1408	<p>Hotwash HW1408-10A</p> <p>For applications across the transportation, agricultural and construction industries. At 2800rpm with a 4L fuel tank and 82dBA sound level, this machines features include a total-stop system, an alloy pump with stainless steel pistons, ATC temperature system and boiler ignition delay.</p>	 140 bar, 2030 psi  8L/min  240V, 10A  60°C	<p>M22 Handgun 8m HP Hose Plated Steel Lance with 15° HP Nozzle 03</p>	<p>640 x 480 x 750mm 50kg</p>	<p>\$2080.00</p>
 #HW1310	<p>Hotwash HW1310</p> <p>With adjustable pressure and pressure gauge, this model features a brass pump head with ceramic pistons, delayed total-stop system and ATC temperature system plus water leakage & nozzle blockage shutdown protection. Also includes an anti-corrosion coated boiler coil with boiler ignition delay.</p>	 135 bar, 2000 psi  10L/min  240V, 12A, 15A Plug  Hose Reel - Optional  130°C	<p>M22 Professional Handgun w/ Swivel 8m HP Hose Double Lance with 15° LP Nozzle 04</p>	<p>820 x 630 x 870mm 75kg</p>	<p>\$3550.00</p>
 #HW1211	<p>Hotwash HW1211</p> <p>Top quality and really reliable with lots of features including stainless steel boiler coil, a brass pump head with ceramic pistons and separate burner motor, delayed total-stop system and ATC temperature system. Its intelligent shutdown protection which senses water leakage, nozzle blockage and dry running, protects the machine. At 1400rpm with 25L fuel tank, this model also boasts an anti scale system, adjustable pressure with pressure gauge and an hour-meter.</p>	 120 bar, 1740 psi  11L/min  240V, 14A, 15A Plug  Hose Reel - Optional  140°C	<p>M22 Professional Handgun w/ Swivel 10m HP Hose S/S Lance with 15° HP Nozzle 045</p>	<p>1100 x 750 x 900mm 109kg</p>	<p>\$5150.00</p>
 #HW2015	<p>Hotwash HW2015</p> <p>Top quality and really reliable with lots of features including stainless steel boiler coil, a brass pump head with ceramic pistons and separate burner motor, delayed total-stop system and ATC temperature system. Its intelligent shutdown protection which senses water leakage, nozzle blockage and dry running, protects the machine. At 1400rpm with 25L fuel tank, this model also boasts an anti scale system, adjustable pressure with pressure gauge and an hour-meter.</p>	 207 bar, 3000 psi  15L/min  415V, 7A, 20A Plug  Hose Reel - Optional  140°C	<p>M22 Professional Handgun w/ Swivel 10m HP Hose S/S Lance with 15° HP Nozzle 045</p>	<p>1100 x 750 x 900mm 109kg</p>	<p>\$5999.00</p>
 #HW2021	<p>Hotwash HW2021</p> <p>Designed with the latest technology available for the professional cleaning industry. Features include stainless steel boiler coil, a brass pump head with ceramic pistons and separate burner motor, delayed total-stop system and ATC temperature system. It also includes intelligent shutdown protection which senses water leakage, nozzle blockage and dry running, protecting the machine. At 1400rpm with 25L fuel tank, this model also boasts an anti scale system, adjustable pressure with pressure gauge and an hour-meter.</p>	 200 bar, 3000 psi  21L/min  415V, 15-7A, 20A Plug  Hose Reel - Optional  140°C	<p>M22 Professional Handgun w/ Swivel 10m HP Hose S/S Lance with 15° HP Nozzle 07</p>	<p>1100 x 750 x 900mm 181kg</p>	<p>\$7140.00</p>

POWERSHOT High Pressure Cleaners


















POWERBLAST
PREMIUM PRODUCTS

MODEL:	DESCRIPTION:	MACHINE SPECIFICATIONS:	STANDARD ACCESSORIES:	DIMENSIONS: (LxWxH) + WEIGHT	LIST PRICE: (ex. GST)
--------	--------------	-------------------------	-----------------------	------------------------------	-----------------------











COLD WATER Industrial Petrol Powered Models



 #PS3395	Powershot PS3395 Built tough for the serious home user or tradesman, featuring a 6.5HP Kohler engine and AAA Cougar Series Triplex brass head pump on a aircraft grade aluminium frame. 9.5 L/min at an impressive 3300psi. Ideal for a wide range of cleaning jobs.	 3300 psi  9.5L/min  6.5HP Kohler Engine  Optional Turbo Nozzle	8m HP Hose Trigger Gun S/S Lance with 5 Different Fan-Jet Nozzles	1200 x 720 x 590mm 38kg	\$899.00
 #PS3000HD	Powershot PS3000HD Genuine Honda GX200 OHV industrial engine combined with a Heavy Duty CAT® pump makes this compact and portable machine popular with smaller contractors or serious home users. With large pneumatic tyres, an aluminium frame, industrial quality 'Monster' hose, HD hand gun and lance with quick release connections plus the Dial-'N'-Wash adjustable pressure complete the package.	 3000 psi  11L/min  6.5HP GX200 Honda Engine  Optional Turbo Nozzle	15m HP Hose Trigger Gun with Dial 'N'Wash S/S Lance with 5 Different Fan-Jet Nozzles	1200 x 720 x 890mm 40kg	\$1815.00
 #PS4200HD	Powershot PS4200HD Professional machine producing an impressive 4200psi at 16 L/m - the ultimate in portable cleaning power. Super tough machine with 13HP GX390 Honda engine and Heavy Duty CAT® pump. Light weight alloy frame and large pneumatic wheels make it extremely portable and the premium grade hose, gun and lance will more than last the distance.	 4200 psi  16L/min  13HP GX390 Honda Engine  Optional Turbo Nozzle	15m HP Hose Trigger Gun with Dial 'N'Wash S/S Lance with 5 Different Fan-Jet Nozzles	1200 x 720 x 890mm 55kg	\$2950.00

HOT WATER Industrial Petrol/Diesel Powered Models



 #HP4012	Powershot HP4012 Industrial hot water unit totally independent of electrical supply with 6L fuel tank, low voltage 12V electrical system and 30L diesel tank & burner to heat the water. Includes a General Pumps industrial pump with over pressure relief & temperature protection and robust boiler with stainless steel wrap. The heavy duty 4 wheel base and full surround powder coated steel frame and hook makes this an ideal choice for industrial contractors.	 4000 psi  15L/min  13HP GX390 Honda Engine  Optional Turbo Nozzle	10m HP Hose Trigger Gun Lance	1200 x 770 x 1200mm 220kg	\$9499.00
 #HD4012	Powershot HD4012 Industrial hot water unit totally independent of electrical supply with 6L fuel tank, a low voltage 12V electrical system, Kohler Diesel engine and 30L diesel tank & burner to heat the water. Includes a General Pumps industrial pump with over pressure relief & temperature protection with robust boiler compete with stainless steel wrap.. The heavy duty 4 wheel base and full surround powder coated steel frame and hook makes this another great choice for industrial contractors.	 3200 psi  15L/min  9.1HP KD420ES Kohler Engine  Optional Turbo Nozzle	10m HP Hose Trigger Gun Lance	1200 x 770 x 1200mm 225kg	\$14499.00

POWERSHOT High Pressure Cleaners













POWERBLAST
PREMIUM PRODUCTS

MODEL:	DESCRIPTION:	MACHINE SPECIFICATIONS:	STANDARD ACCESSORIES:	DIMENSIONS: (LxWxH) + WEIGHT	LIST PRICE: (ex. GST)
--------	--------------	-------------------------	-----------------------	------------------------------	-----------------------

HOT WATER Industrial Petrol/Diesel Powered Models



 #HP7012	Powershot HP7012 Industrial hot water unit totally independent of electrical supply with 113L tank, low voltage 12V electrical system for safety and a diesel fired burner to heat the water. Includes a General Pumps industrial pump and horizontal boiler with stainless steel wrap. The heavy duty skid base with forklift slots and super rugged low profile frame makes this a great choice for serious commercial cleaning.	 4000 psi  15L/min  13HP GX390 Honda Engine  Optional Turbo Nozzle	10m HP Hose Trigger Gun Lance	TBA	\$17999.00
 #HD7012	Powershot HD7012 The "Big Boy" of the family for really serious grime mud, sludge, grease and grime. Industrial hot water unit that can be operated totally independent of electrical supply. A diesel fired burner heats the water. This model is mounted on a heavy duty skid base with forklift skids for portability. Featuring a low voltage 12V electrical system for increased safety and an industrial diesel 17HP Kohler engine.	 4000 psi  21L/min  17HP Kohler Engine  Optional Turbo Nozzle	10m HP Hose Trigger Gun Lance	TBA	\$22999.00

Don't see what you need?

POWERBLAST have a dedicated and market leading professional team.
Give us a call today on 1800 812 223 with your requirements.
We can promise you will be amazed at the solutions we can provide to increase your margins and fulfill your clients needs.

Guns and Lances



(All pricing excludes gst)



Powerblast Gun

Max. Pressure:	5000psi	Outlet:	1/4" F
Max. Temp:	150°C	Part No:	21198
Max. Flow Rate:	40L/min	List Price:	\$61.00
Inlet:	3/8" F		



Suttner 202600557 Gun with Swivel

Max. Pressure:	4500psi	Outlet:	1/4" F
Max. Temp:	150°C	Part No:	202600557
Max. Flow Rate:	40L/min	List Price:	\$149.00
Inlet:	3/8" F		



M2000 Gun with Extension

Max. Pressure:	3045psi	Outlet:	M22
Max. Temp:	150°C	Part No:	12480
Max. Flow Rate:	30L/min	List Price:	\$211.00
Inlet:	M22	Repair Kit #12454:	\$76.00



Starlett II Gun with Extension

Max. Pressure:	3625psi	Outlet:	M22
Max. Temp:	150°C	Part No:	123202
Max. Flow Rate:	40L/min	List Price:	\$232.00
Inlet:	M22	Repair Kit (#12299):	\$53.00



Starlett II Gun with Plug in Coupling

Max. Pressure:	3625psi	Outlet:	Quick Release Coupling
Max. Temp:	150°C	Part No:	12328
Max. Flow Rate:	40L/min	List Price:	\$308.00
Inlet:	M22		



H2200-A11 Hand Gun with Extension

Max. Pressure:	3000psi	Outlet:	M22
Max. Temp:	60°C	Part No:	H2200-A11
Max. Flow Rate:	26L/min	List Price:	\$35.00
Inlet:	M22		



H2500-A8 Hand Gun with Extension

Max. Pressure:	4000psi	Outlet:	M22
Max. Temp:	100°C	Part No:	H2500-A8
Max. Flow Rate:	40L/min	List Price:	\$61.00
Inlet:	3/8" QC		

(All pricing excludes gst)



HW1408 Hand Gun with Extension

Max. Pressure:	4000psi	Outlet:	M22 F
Max. Temp:	100°C	Part No:	IPPR40017
Max. Flow Rate:	30L/min	List Price:	\$125.00
Inlet:	M22 M		



Powershot Hotwash Hand Gun with Extension and Inlet Swivel

Max. Pressure:	5075psi	Outlet:	M22 F
Max. Temp:	160°C	Part No:	IPPR40025
Max. Flow Rate:	45L/min	List Price:	\$279.00
Inlet:	M22 M		



Powershot Hand Gun with Extension

Max. Pressure:	4500psi	Outlet:	M22
Max. Temp:	60°C	Part No:	F7108124
Max. Flow Rate:	25L/min	List Price:	\$196.00
Inlet:	M22		




Powershot QC Hand Gun with Extension

Max. Pressure:	4500psi	Outlet:	M22
Max. Temp:	60°C	Part No:	F7106280
Max. Flow Rate:	25L/min	List Price:	\$149.00
Inlet:	3/8" M QC		




Powershot Dial-N-Wash Hand Gun with Extension

Max. Pressure:	4200psi	Outlet:	M22
Max. Temp:	60°C	Part No:	F7108166
Max. Flow Rate:	25L/min	List Price:	\$195.00
Inlet:	3/8" M QC		



Double Lance - Short

Max. Pressure:	3600psi	c/w Std. low pressure nozzle D3035. Order HP nozzle separately.	
Max. Temp:	150°C	Part No:	121315
Max. Flow Rate:	40L/min	List Price:	\$83.00
Inlet:	M22		



Telescopic Wand - 5m

Max. Pressure:	4000psi	Length:	5m
Max. Temp:	100 °C	Part No:	PS18TSW
Max. Flow Rate:	30L/min	List Price:	\$277.00
Inlet:	M22 / 3/8" QC		

(All pricing excludes gst)



Double Lance - 660mm with ISO Handle

Max. Pressure:	3600psi	<i>c/w Std. low pressure nozzle D3035. Order HP nozzle separately.</i>	
Max. Temp:	150°C	Length:	660mm
Max. Flow Rate:	40L/min	Part No:	121311
Inlet:	M22	List Price:	\$192.00



Double Lance - 1000mm with ISO Handle

Max. Pressure:	3600psi	<i>c/w Std. low pressure nozzle D3035. Order HP nozzle separately.</i>	
Max. Temp:	150°C	Length:	1000mm
Max. Flow Rate:	40L/min	Part No:	12131
Inlet:	M22	List Price:	\$205.00



HW1310 Double Lance - 550mm with ISO Handle

Max. Pressure:	3600psi	<i>Nozzle not included - Order separately.</i>	
Max. Temp:	150°C	Length:	550mm
Max. Flow Rate:	40L/min	Part No:	LCPR89116
Inlet/Outlet:	M22 M / 1/4" F	List Price:	\$215.00



Underfloor Lance with Extension

Max. Pressure:	3625psi	Outlet:	D25055
Max. Temp:	150°C	Length:	400mm
Max. Flow Rate:	40L/min	Part No:	41075
Inlet:	M22	List Price:	\$151.00




Toilet Cleaning Lance

Max. Pressure:	3625psi	Outlet:	D25055
Max. Temp:	150°C	Length:	400mm
Max. Flow Rate:	40L/min	Part No:	41076
Inlet:	M22	List Price:	\$124.00



Lance - 400mm / 600mm with QC Nozzle

Max. Pressure:	3200psi 4200psi	Outlet:	1/4" QC
Max. Temp:	60°C	Length:	400mm 600mm
Max. Flow Rate:	40L/min	Part No:	H2500-A12 H2500-A9
Inlet:	M22	List Price:	\$28.00 \$36.00



Lance - 900mm with QC Nozzle

Max. Pressure:	4200psi	Outlet:	1/4" QC
Max. Temp:	60°C	Length:	900mm
Max. Flow Rate:	40L/min	Part No:	PS4200-LA
Inlet:	M22	List Price:	\$57.00

(All pricing excludes gst)



Lance - 700mm / 900mm - Stainless Steel Pipe

Max. Pressure:	3600psi	Outlet:	1/4" F	
Max. Temp:	150°C	Length:	700mm	900mm
Max. Flow Rate:	40L/min	Part No:	BJLA30-70	BJLA30-90
Inlet:	1/4" M	List Price:	\$53.00	\$63.00



Insulated Lance

Max. Pressure:	3625psi	Outlet:	1/4" M	
Max. Temp:	150°C	Length:	342mm	
Max. Flow Rate:	40L/min	Part No:	150045	
Inlet:	1/4" M	List Price:	\$51.00	




Stainless Steel Lance

Max. Pressure:	3625psi	Outlet:	1/4" M	
Max. Temp:	150°C	Length:	342mm	500mm 600mm
Max. Flow Rate:	40L/min	Part No:	150043	123851 123852
Inlet:	1/4" M	List Price:	\$27.00	\$33.00 \$41.00



Extension Lance - 500mm / 1000mm

Max. Pressure:	3625psi	Outlet:	M22	
Max. Temp:	150°C	Length:	500mm	1000mm
Max. Flow Rate:	40L/min	Part No:	150048	41154
Inlet:	M22	List Price:	\$57.00	\$81.00



HW1408 Extension Lance

Max. Pressure:	4000psi	Outlet:	1/4" F	
Max. Temp:	100°C	Length:	550mm	
Max. Flow Rate:	40L/min	Part No:	LCPR40037	
Inlet:	M22 M	List Price:	\$66.00	


Nozzle not included - Order separately.



HW1211 + HW2015 Extension Lance

Max. Pressure:	5075psi	Outlet:	1/4" F	
Max. Temp:	150°C	Length:	760mm	
Max. Flow Rate:	40L/min	Part No:	LCPR40087	
Inlet:	M22 M	List Price:	\$99.00	

Nozzle not included - Order separately.




HW2021 Extension Lance

Max. Pressure:	5076psi	Outlet:	1/4" F	
Max. Temp:	150°C	Length:	745mm	
Max. Flow Rate:	40L/min	Part No:	LCPR40159	
Inlet:	M22 M	List Price:	\$75.00	

Nozzle not included - Order separately.

Nozzles and Rotary Jets



(All pricing excludes gst)



Fan Jet Quick Connect Nozzles

Max. Pressure: 3000psi
Max. Flow Rate: 9L/min
Inlet: QC

Outlet:	025/0°	025/15°	025/25°	025/40°	Soap
Part No:	H3200-R	H3200-Y	H3200-G	H3200-W	H2500-B

List Price: **\$10.00** Pack of 5 (#77500): **\$45.00** **\$19.00**



Fan Jet Quick Connect Nozzles

Max. Pressure: 3000psi
Max. Flow Rate: 11L/min
Inlet: QC

Outlet:	03/0°	03/15°	03/25°	03/40°	Soap
Part No:	H2500-R	H2500-Y	H2500-G	H2500-W	H2500-B

List Price: **\$19.00** Pack of 5 (#77501): **\$45.00**




Fan Jet Quick Connect Nozzles

Max. Pressure: 4200psi
Max. Flow Rate: 16L/min
Inlet: QC

Outlet:	04/0°	04/15°	04/25°	04/40°	Soap
Part No:	PS4200-R	PS4200-Y	PS4200-G	PS4200-W	H2500-B

List Price: **\$19.00** Pack of 5 (#77502): **\$45.00**



Fan Jet 15° Stainless Steel Nozzles


Max. Pressure: See table pg 64
Max. Flow Rate: See table pg 64

Inlet: 1/4" MEG
Degree: 15°

Outlet:	02	03	04	045	05	055	06	065	07	075
Part No:	D1502	D1503	D1504	D15045	D1505	D15055	D1506	D15065	D1507	D15075

Outlet:	08	09	10	15
Part No:	D1508	D1509	D1510	D1515

List Price: **\$22.00**



Fan Jet 25° Stainless Steel Nozzles


Max. Pressure: See table pg 64
Max. Flow Rate: See table pg 64

Inlet: 1/4" MEG
Degree: 25°

Outlet:	02	03	035	04	045	05	055	06	065	07
Part No:	D2502	D2503	D25035	D2504	D25045	D2505	D25055	D2506	D25065	D2507

Outlet:	075	08	09	10
Part No:	D25075	D2508	D2509	D2510

List Price: **\$22.00**



Fan Jet 40° Stainless Steel Nozzles

Max. Pressure: See table pg 64
Max. Flow Rate: See table pg 64

Inlet: 1/4" MEG
Degree: 40°

Outlet:	02	03	04	045	05	055	06	08	09
Part No:	D4002	D4003	D4004	D40045	D4005	D40055	D4006	D4008	D4009

List Price: **\$22.00**




Comparing Nozzles

Left: The normal Fan-Jet Nozzle.
Right: The NEW Knife-Jet Nozzle - with clearly thinner fan-jet.

The area where this new high pressure jet hits the ground is approx. 75% smaller compared to a conventional fan-jet. The same pressure is applied to only 25% of the area hit by the fan-jet so that the pressure taking effect on the ground is four times bigger leading to an enormously increased cleaning performance.

(All pricing excludes gst)

65°



Fan Jet 65° - Stainless Steel Nozzles

Max. Pressure: See table pg 64

Max. Flow Rate: See table pg 64


Inlet: 1/4" MEG

Degree: 65°

Outlet:	010	015
Part No:	D6510	D6515

List Price: **\$22.00**

20°



Knife Jet 20° - Brass Nozzles

Max. Pressure: See table pg 64

Max. Flow Rate: See table pg 64


Inlet: 1/4" MEG

Degree: 20°

Outlet:	028	035	045	05
Part No:	M20028	M20035	M20045	M2005

List Price: **\$22.00**

0°



Point Jet 0° - Stainless Steel Nozzles

Max. Pressure: See table pg 64

Max. Flow Rate: See table pg 64

Outlet:	02	03	045	05	055	06	065	07	075
Part No:	D0002	D0003	D00045	D0005	D00055	D0006	D00065	D0007	D00075

Outlet: 08 09


Part No: D0008 D0009

Inlet: 1/4" MEG

Degree: 0°

List Price: **\$22.00**

15°



Fan Jet 15° - Stainless Steel Nozzles - with Ceramic Insert

Max. Pressure: See table pg 64

Max. Flow Rate: See table pg 64

Inlet: 1/4" MEG

Degree: 15°

Outlet:	045	055
Part No:	PPPFN15045C	PPPFN15055C

List Price: **\$28.00**

Razorjet Fan Jet 15° - Stainless Steel Nozzles

Max. Pressure: See table pg 64

Max. Flow Rate: See table pg 64

Inlet: 1/4" MEG

Degree: 15°

Outlet:	045	055
Part No:	BJFN30045P10	BJFN30055P10

List Price: **\$134.00 / 10Pk**



(All pricing excludes gst)



Low Pressure Detergent Nozzle

Inlet:	1/4" M	Part No:	UGLN05174
Size:	5040	List Price:	\$26.00



Flat Jet Nozzle w/ 500/600mm Lance

Max. Pressure:	3625psi	Lance:	600mm	500mm	500mm	500mm
Max. Flow Rate:	40L	Outlet:	M20035	M20028	M20042	M20045
Max. Temp:	150°C	Part No:	123922-M20035	12393-M20028	12393-M20042	12393-M20045
Inlet:	M22	List Price:	\$102.00			



Fan Nozzle w/ 600mm Lance

Max. Pressure:	3625psi				
Max. Flow Rate:	40L	Outlet:	045	05	07
Max. Temp:	150°C	Part No:	123922-D25045	123922-D2505	123922-D2507
Inlet:	M22	List Price: \$102.00			



Vario Jet Nozzle w/ 500mm Lance

Max. Pressure:	3625psi				
Max. Flow Rate:	40L	Outlet:	03	042	055
Max. Temp:	150°C	Part No:	411568-03	411568-042	411568-055
Inlet:	M22	List Price: \$143.00			



Nozzle Protector

Inlet:	1/4" F	Part No:	26002
Outlet:	1/4" F	List Price:	\$14.00



Vario Jet Nozzles


Max. Pressure:	See table pg 64				
Max. Flow Rate:	See table pg 64	Outlet:	03	045	055
Max. Temp:	60°C	Part No:	411558	41155	411555
Inlet:	1/4" F	List Price: \$112.00			



Turbo Nozzles


Max. Pressure:	5000psi	Outlet:	030	035	040	045	050
Max. Flow Rate:	See table pg 64	Part No:	AB9926	AB9927	AB9928	AB7445	AB7450
Max. Temp:	70°C	List Price:	\$92.00	\$92.00	\$97.00	\$92.00	\$92.00
Inlet:	1/4" M QC						

(All pricing excludes gst)



Dirt Killer Rotary Jet Nozzles - w/out Lance

Max. Pressure:	3190psi	Outlet:	03	035	045	055	07
Max. Flow Rate:	14L/min	Part No:	410730	410734	410713	410714	410736
Max. Temp:	70° C						
Inlet:	1/4" F	List Price:	\$190.00				




Dirt Killer Rotary Jet Nozzle w/ 500/600mm Lance

Max. Pressure:	3190psi	Lance:	500mm	600mm	500mm	500mm	500mm
Max. Flow Rate:	14L/min	Outlet:	03	035	042	045	055
Max. Temp:	70° C	Part No:	41570-03	46150	41570-042	41570-045	41570-055
Inlet:	M22	List Price:	\$267.00	\$277.00	\$267.00	\$267.00	\$267.00




Dirt Killer Rotary Jet Nozzle Repair Kit

Outlet:	03	035	045	055	07
Part No:	410961	410970	410965	410978	410979
List Price:	\$134.00				




Turbo Killer Rotary Jet Nozzles - w/out Lance

Max. Pressure:		4640psi				Max. Temp:		80° C	
Max. Flow Rate:		See table pg 64				Inlet:		1/4" F	
Outlet:	035	04	045	055	07	08	09	10	
Part No:	410710	410719	410718	410712	410715	410711	410716	410717	
						List Price:		\$299.00	



Turbo Killer Rotary Jet Nozzles w/ 600mm Lance

Max. Pressure:		4640psi				Max. Temp:		80° C	
Max. Flow Rate:		See table pg 64				Inlet:		M22	
Outlet:		035	04	045	055	07	08	10	
Part No:		410739	41072	410723	410724	410727	410728	41580-10	
						List Price:		\$376.00	



Turbo Killer Rotary Jet Nozzles Repair Kit

Outlet:	035	04	045	055	07	08	09	10
Part No:	410977	410969	410976	410971	410972	410973	410974	410975
List Price:	\$177.00							



Dial n Wash Adjustable Pressure Regulator

Inlet:	M22 M	Part No:	18927
Outlet:	M22 F	List Price:	\$92.00

Regulation Pistons, Float Valves, Injectors and Gauges



(All pricing excludes gst)



Regulation Piston - Complete

Maximum Pressure: 2175psi

For KTH635-1, CA11/130, KQ599TST, K2160TST

Part No: 40490

List Price: **\$198.00**



Regulation Piston - Complete

Maximum Pressure: 1740psi

For K1152TST, KHD7/122

Part No: 445321

List Price: **\$129.00**



Regulation Piston - Complete

Maximum Pressure: 3190psi

For KTH895-1 + INOX, KTH1165-1 + INOX, KQ1000TST

Part No: 44209

List Price: **\$128.00**



Float Valves

Inlet: 3/4"

For KQ599TST, KQ1000TST

Part No: 46250

List Price: **\$97.00**



Float Valves

Inlet: 3/4"

For KTH895-1 + INOX, KTH1165 + INOX, KTH635-1

Part No: 462505

List Price: **\$76.00**



Float Valves

Inlet: 3/4"

For HW2021

Part No: RCGR89343

List Price: **\$94.00**



3/4" Water Filter

Max. Flow Rate: 40L

Inlet: 3/4" M

Filter

Filter Bowl
with O-Ring

Sieve

Part No: 133003

13302

13304

List Price: **\$107.00**

\$27.00

\$14.00

(All pricing excludes gst)



3/4" Water Filter

Max. Flow Rate:	40L	Part No:	L31020011
Inlet:	3/4"	List Price:	\$40.00



Safety Valve for Therm C

Max. Pressure:	3750psi	Outlet:	3/8"
Max. Temp:	90°C	Part No:	44888
Max. Flow Rate:	35L/min		
Inlet:	3/8"	List Price:	\$236.00



Injector - w/out Regulator

Max. Pressure:	3625psi	Nozzle Size:	2.0
Max. Temp:	90°C	Hose Barb:	7mm
Max. Flow Rate:	20L/min	Part No:	13221
Inlet:	3/8" M	List Price:	\$66.00



Stainless Steel Pressure Gauge

Max. Pressure:	3625psi	Part No:	15039
Inlet:	1/4" M Back Side	List Price:	\$114.00
Gauge Diameter:	63mm		



Stainless Steel Pressure Gauge

Max. Pressure:	5800psi	Part No:	150394
Inlet:	1/4" M Back Side	List Price:	\$132.00
Gauge Diameter:	63mm		



Plastic Pressure Gauge

Max. Pressure:	3625psi	Part No:	43051
Inlet:	1/8" M Back Side	List Price:	\$69.00
Gauge Diameter:	40mm		



Stainless Steel Pressure Gauge

Max. Pressure:	5800psi	Part No:	PPPPG150
Inlet:	1/4" M Back Side	List Price:	\$65.00
Gauge Diameter:	63mm		



Stainless Steel Pressure Gauge w/ Quick Connects

Max. Pressure: 5800psi
Inlet / Outlet: 3/8" QC
Gauge Diameter: 63mm

Part No: BJPGG001
List Price: **\$82.00**



Pressure Gauge

Max. Pressure: 4400psi
Inlet: 1/4" M Back Side
Gauge Diameter: 40mm

Part No: MNMN18650
List Price: **\$137.00**

For HW2021



Pressure Gauge

Max. Pressure: 4200psi
Inlet: 1/8" M Back Side
Gauge Diameter: 40mm

Part No: MNMN93800
List Price: **\$70.00**

*For HW1310, HW1311
and HW2015*

Don't see what you need?

POWERBLAST have a dedicated and market leading professional team.

Give us a call today on 1800 812 223 with your requirements.

**We can promise you will be amazed at the solutions we can provide to
increase your margins and fulfill your clients needs.**

Hoses, Hose Reels, Couplings & Fittings



(All pricing excludes gst)



High Pressure Hose - 10 & 20m

Max. Pressure:	3045psi	Outlet:	ST30 M22
Max. Temp:	100°C	Length:	10m 20m
Inlet:	ST30 M22	Part No:	43416 434161
List Price:	\$210.00	\$335.00	



High Pressure Hose - 10 & 20m

Max. Pressure:	4568psi	Length:	10m 20m
Max. Temp:	150°C	Part No:	41081 41083
Inlet :	ST30 M22	List Price:	\$345.00 \$599.00
Outlet:	ST30 Screw Revolving		



Non-Marking High Pressure Hose - Blue

Max. Pressure:	5800psi	Inlet:	3/8" BSP F
Max. Temp:	160° C	Outlet:	3/8" BSP F
Length:	10m 15m 20m 30m 40m 50m 60m		
Part No:	BJHF10TB-10 BJHF10TB-15 BJHF10TB-20 BJHF10TB-30 BJHF10TB-40 BJHF10TB-50 BJHF10TB-60		

Optional: To make Hose M22 use #13371 on both ends - See pg 37.

List Price:	\$185.00	\$265.00	\$355.00	\$495.00	\$595.00	\$765.00	\$915.00
-------------	----------	----------	----------	----------	----------	----------	----------



High Pressure Hose - 15m

Max. Pressure:	4200psi	Part No:	F7108730
Inlet:	3/8" F QC	List Price:	\$256.00
Outlet:	3/8" M QC		
Length:	15m		



High Pressure Hose - 10m

Max. Pressure:	3200psi	Part No:	PJ2500-10
Inlet:	3/8" M QC	List Price:	\$127.00
Outlet:	3/8" F QC		
Length:	10m		



Drain Cleaning Hose - 10-30m

Max. Pressure:	3045psi	Outlet:	055
Max. Temp:	80°C	Length:	10m 15m 30m
Max. Flow Rate:	15L/min	Part No:	410581 41058 410584
Inlet:	ST30 M22	List Price:	\$261.00 \$315.00 \$550.00

Nozzle 3 Jets backwards

(All pricing excludes gst)



HW1211 / HW2015 High Pressure Hose - 10m

Max. Pressure:	4565psi	Type:	DN8 R1
Max. Temp:	150°C	Length:	5/16" x 10m
Inlet:	M22 F	Part No:	TBAP25324
Outlet:	M22 F	List Price:	\$224.00



HW1408 / HW1310 High Pressure Hose - 8m

Max. Pressure:	3045psi	Type:	DN6
Max. Temp:	150°C	Size:	1/4" x 8m
Inlet:	M22 F	Part No:	TBAP28305
Outlet:	M22 F	List Price:	\$206.00



HW2021 High Pressure Hose - 10m

Max. Pressure:	5800psi	Type:	DN8 R2
Max. Temp:	150°C	Size:	5/16" x 10m
Inlet:	M22 F	Part No:	TBAP40009
Outlet:	M22 F	List Price:	\$345.00

Don't see what you need?

POWERBLAST have a dedicated and market leading professional team.

Give us a call today on **1800 812 223** with your requirements.

We can promise you will be amazed at the solutions we can provide to increase your margins and fulfill your clients needs.

(All pricing excludes gst)



Hose Reel - Complete with 20m Hose

Max. Pressure: 5800psi

Part No: 44152

Inlet: M22

List Price: **\$995.00**



Hose Reel - Complete with 15m Hose

Max. Pressure: 5800psi

Part No: 441521

Inlet: M22

List Price: **\$819.00**



Hose Reel - Without Hose to suit Powershot HW Units

Max. Pressure: 5800psi

Part No: 19854-HW1310 19853-HW1211 + HW2015 19852-HW2021

Max. Capacity: 20m x 3/8" Hose

List Price: **\$617.00** **\$678.00** **\$721.00**

Inlet/Outlet: M22



AR7 Rotating Quick Coupling

Max. Pressure: 3600psi

Part No: BJSC1038M

Max. Temp: 150°C

List Price: **\$39.00**

Max. Flow Rate: 40L/min

Inlet: 3/8" M



AR7 Rotating Nipple - 3/8"

Max. Pressure: 3600psi

Part No: BJRN1538F

Max. Temp: 150°C

List Price: **\$21.00**

Max. Flow Rate: 40L/min

O-Ring Inside Nipple

Inlet: 3/8" F



ARS Ball Quick Coupling - 3/8"

Max. Pressure: 5650psi

Max. Temp: 90°C

Max. Flow Rate: 50L/min


Inlet: 3/8" F

Outlet: (A) 1/2" Coupler (B) 1/2" Plug

Part No: BJQC60 BJQC65

List Price: **\$33.00** **\$20.00**

(All pricing excludes gst)



ARS250 Ball Quick Coupling - 3/8"


Max. Pressure: 4500psi

Inlet: 3/8" F BSP

Outlet: (A) 3/8" Coupler (B) 3/8" Plug

Part No: BJQC30 BJQC35

List Price: \$17.00 \$7.00



Quick Coupling - 3/8"


Max. Pressure: 4500psi

Inlet: 3/8" NPT

Outlet: (A) 3/8" Coupler (B) 3/8" Plug

Part No: H2500-14 AD2104

List Price: \$13.00 \$3.00



Quick Connect Coupling - 1/4"


Max. Pressure: 4500psi

Inlet: 1/4" F BSP

Outlet: (A) 1/4" Coupler (B) 1/4" Plug

Part No: H2500-A10 AD2109

List Price: \$8.00 \$7.00



Adaptor Plug-in Nipple with ST30 Screw Connection

Max. Temp: 150°C

Part No: 12441

Max. Flow Rate: 20L/min

List Price: \$63.00

Inlet: M22



Nipple for Plug-in Coupling

Max. Temp: 150°C

Part No: 13470

Max. Flow Rate: 20L/min

List Price: \$48.00

Inlet: DN12 x R 1/4" F



Quick Release Female Coupling

Max. Temp: 150°C

Part No: 13450

Max. Flow Rate: 20L/min

List Price: \$97.00

Inlet: 1/4" F

(All pricing excludes gst)



Screw Connections - Male

Max. Pressure: 3625psi

Max. Temp: 150°C

Max. Flow Rate: 20L/min

Outlet: M22

Inlet: 1/4" M

3/8" M

Part No: 13360

13371

List Price: \$23.00



Screw Connections - Female

Max. Pressure: 3625psi

Max. Temp: 150°C

Max. Flow Rate: 20L/min

Outlet: M22

Inlet: 1/4" F

3/8" F

Part No: 13372

13373

List Price: \$23.00



Screw Connection

Max. Pressure: 3625psi

Max. Temp: 150°C

Max. Flow Rate: 20L/min

Inlet: 1/4" F

Outlet: M22

Part No: 13374

List Price: \$30.00



Revolving Screw Connection

Max. Pressure: 7250psi

Max. Temp: 150°C

Max. Flow Rate: 20L/min

Inlet: 1/4" M

Outlet: M22 F

Part No: 133601

List Price: \$65.00



Revolving Screw Connection

Max. Pressure: 7250psi

Max. Temp: 150°C


Max. Flow Rate: 20L/min

Inlet: M22

Outlet: M22

Part No: 133602

List Price: \$66.00



Nipple

Max. Pressure: 3625psi

Max. Temp: 150°C

Max. Flow Rate: 20L/min


Inlet: 1/4" M

Outlet: M22

Part No: 13365

List Price: \$15.00

(All pricing excludes gst)



Deep Bore Nipple

Max. Pressure: 3625psi

Part No: 13366

Max. Temp: 150°C

List Price: **\$14.00**

Max. Flow Rate: 20L/min

Inlet: 1/4" M

Outlet: M22



Nipple

Max. Pressure: 3625psi

Part No: 133652


Max. Temp: 150°C

List Price: **\$11.00**

Max. Flow Rate: 20L/min

Inlet: 3/8" M

Outlet: M22



Nipple

Max. Pressure: 3625psi

Part No: 13368

Max. Temp: 150°C

List Price: **\$11.00**

Max. Flow Rate: 20L/min

Inlet: 1/4" F

Outlet: M22



Hose Joiner

Max. Pressure: 3625psi

Part No: AD1166

Max. Temp: 150°C

List Price: **\$17.00**

Max. Flow Rate: 20L/min

Inlet: M22

Outlet: M22



Nipple

Max. Pressure: 3625psi

Part No: 133651


Max. Temp: 150°C

List Price: **\$18.00**

Max. Flow Rate: 20L/min

Inlet: 1/4" F

Outlet: M22



Nipple

Max. Pressure: 3625psi

Part No: 13369

Max. Temp: 150°C

List Price: **\$11.00**

Max. Flow Rate: 20L/min

Inlet: 3/8" F

Outlet: M22

(All pricing excludes gst)



Nipple

Max. Pressure: 3625psi

Part No: 13370

Max. Temp: 150°C

List Price: **\$14.00**

Max. Flow Rate: 20L/min

Inlet: 1/4" F

Outlet: M22



Brass Swivel

Max. Pressure: 3650psi

Part No: BJSWM38MF

Max. Temp: 160°C

List Price: **\$50.00**

Max. Flow Rate: 40L/min

Inlet: 3/8" M

Outlet: 3/8" F



Stainless Steel Swivel

Max. Pressure: 5100psi

Part No: BJSWH-3/8MFSS

Max. Temp: 160°

Price: **\$92.00**

Max. Flow Rate: 40L/min

Inlet: 3/8" M

Outlet: 3/8" F



Brass Water Inlet Connector

Inlet: 3/4" GHT M

Part No: AD1837

Price: **\$8.00**



Water Inlet Connector

Inlet: 3/4" GHT F

Part No: DP9016

Price: **\$8.00**

High Pressure Cleaner Accessories



High Pressure Cleaner Accessories

(All pricing excludes gst)



UFO Round Floor Cleaner - 300mm

Max. Pressure:	2610psi
Max. Temp:	60°C
Flow Rate:	10 - 12L/min
Inlet:	M22
Outlet:	045 Nozzle

Part No: 41850UFO

List Price: **\$311.00**



Stainless Steel Round Floor Cleaner - 350mm

Max. Pressure:	3045psi
Max. Temp:	60°C
Flow Rate:	10 - 15L/min
Working Width:	350mm
Inlet:	M22
Outlet:	055 Nozzle

Part No: 41860

List Price: **\$803.00**



Stainless Steel Round Floor Cleaner - 300mm

Max. Pressure:	3625psi
Max. Temp:	60°C
Flow Rate:	10 - 15L/min
Working Width:	300mm
Inlet:	M22
Outlet:	055 Nozzle

Part No: 41105

List Price: **\$917.00**



Powershot Poly Cover Surface Cleaner - 450mm (18")

Max. Pressure:	3000psi
Max. Temp:	60°C
Min. Flow Rate:	10L/min
Working Width:	18"
Inlet:	1/4" QC

Part No: PS18SSFC

List Price: **\$913.00**



Powershot Stainless Steel Surface Cleaner - 530mm (21")

Max. Pressure:	4200psi
Max. Temp:	60°C
Min. Flow Rate:	15L/min
Working Width:	21"
Inlet:	1/4" QC

Part No: PS21SSFC

List Price: **\$1044.00**

Triple arm.

High Pressure Cleaner Accessories

(All pricing excludes gst)



Rotary Scrubbing Brush

Max. Flow Rate: 14L/min

Part No: 410501

Length: 400mm with joint

List Price: **\$237.00**

Inlet: M22

Optional 1m Lance Available (#41154)

Outlet: HP Nozzle



Sludge Pump - without hose

Max. Pressure: 3625psi

Part No: 41800

Max. Flow Rate: 20L/min

List Price: **\$351.00**

Inlet: M22

Outlet: M20055



Sludge Pump - w/ 3m Hose 1.5"

Max. Pressure: 3625psi

Part No: 41104

Flow Rate: 10-20L/min

List Price: **\$366.00**

Inlet: M22

Outlet: M20055



Splash Guard

Part No: 41052

List Price: **\$106.00**



Screw-In Detergent Injector

Inlet: M22

Part No: 133761

List Price: **\$98.00**



Suction Filter - without hose

Part No: 150384

List Price: **\$67.00**

High Pressure Cleaner Accessories

(All pricing excludes gst)



Suction Filter - w/ 3m Hose

Part No: 150383

List Price: **\$191.00**



Foaming Lance - 1L

Max. Pressure: 2300psi

Part No: 18958

19732 Replacement Bottle


Max. Temp: 60°C

List Price: **\$102.00**

\$7.00

Max. Flow Rate: 20L/min

Inlet: M22



Sandblast Head - Industrial

Max. Pressure: 3625psi

Part No: 41068

Max. Flow Rate: 19L/min

List Price: **\$399.00**

Inlet: M22

Outlet: D00055 Nozzle



Universal Wall Holder - for Accessories

Part No: 41262

List Price: **\$143.00**

Accessories pictured not included.



Foam Attachment

Inlet: M22

Part No: LCPR40038

List Price: **\$42.00**

For HW1408



Specialised Foaming Equipment



(All pricing excludes gst)




Includes: Easywash365 + Gun Std. Foam Lance with ST-75 Foam Head, ST-160 Injector, ST-161 Metering Valve, 1000mm ST-32 Suction Hose and Filter.

Easy Wash 365 + Foam Set

Max. Pressure:	4500psi	Part No:	200160720
Max. Temperature:	90°C	List Price:	\$765.00

The new EasyWash 365 + Foam Set is suitable for all common high pressure cleaning units for up to 310 bar and a maximum temperature of 90°C. It features a stainless steel injector with high pressure foam lance installed via a T-piece between the outlet of the high pressure unit and the original spraying unit - especially designed for professional cleaning of trucks in the shipping and food industries. The injector unit and high pressure foam lance are connected by a high pressure hose and are ideal for cleaning and rinsing. Enormous savings of both cleaning agent and time can be achieved as the foam lance has cleaning agent immediately available without switching the unit or changing equipment. Where necessary, two hose reels can be integrated together to simplify handling and boost efficiency.



Easy Wash 365 Foam Gun Lance ST-75

Max. Pressure:	4500psi	Inlet:	3/8" F Swivel
Max. Temperature:	150°C	Part No:	202600918
Max. Flow Rate:	25L/min	List Price:	\$285.00



Includes: ST-9 Twin Foam Lance with vented handle, ST-58 Change-Over Valve, ST-10 Nozzle Protector and ST-75 Foam Head with Nozzle. (Foam Injector required.)

Foam & Clean Lance ST-175

Max. Pressure:	4500psi	Length:	650mm
Max. Temperature:	100°C	Nozzle:	1.9 2.1
Max. Flow Rate:	45L/min	Part No:	200175430 200175431
Inlet:	M22F	List Price:	\$455.00

The ST-175 Foam and Clean accessory allows direct changing from foaming to rinsing right at the lance. Direct full flow is enabled by turning the hand wheel at the inlet. One position directs flow through the ST-75 Foam Head, the other directs flow through regular spray nozzle for rinsing. Changeable injector nozzles enable lance to be used on all pressure washers with flow rates from 5-25L/min.



Long Cast Foam Head ST-75.2

Max. Pressure:	2175psi	Diameter:	1.55mm	1.60mm	1.190mm	2.10mm
Max. Temp:	90°C	Flow Rate:	11L/min	12-14L/min	14-17L/min	18-20L/min
Inlet:	1/4" F	Part No:	200075800-001	200075800-002	200075800-003	200075800-004
			2.30mm	2.30mm	2.65mm	2.65mm
			21-22L/min	23-27L/min	28-30L/min	31-40L/min
			200075800-005	200075800-006	200075800-007	200075810-001
		List Price:	\$399.00			

With adjustable air intake.

(All pricing excludes gst)



Foamblaster ST-76

Max. Pressure:	3625psi			Max Flow Rate:	20 - 60L/min		
Max. Temp:	100°C			Inlet:	1/2" F		
Nozzle:	2.3	2.6	2.8	2.8	3.0	3.3	3.5
Part No:	200076615	200076618	200076621	200076600	200076624	200076630	200076633
List Price:	\$689.00						

The ST-76 Foamblaster is designed for applications in agriculture, industry, municipal cleaning and fire fighting technology. Injector nozzles are available with diameters up to 2.8mm for high flow rates. Made from stainless steel and plastic.



Stainless Steel Foam Head ST-75

Max. Pressure:	4500psi	Diameter:	1.6mm	1.9mm
Max. Temp:	100°C	Part No:	200075514	200175515
Inlet:	1/4"	List Price:	\$289.00	

Adaptable air injector nozzle enables various foam applications from vertical to horizontal flat spray with constant foam quality guaranteed. Maximum flow is dependent on chosen nozzle size.



Brass Foam Head ST-75

Max. Pressure:	4500psi		Inlet:	1/4" F		
Max. Temp:	100°C					
Diameter:	1.20mm	1.35mm	1.45mm	1.60mm	1.75mm	1.90mm
Part No:	200075574	200075576	200075577	200075572	200075575	200075573
List Price:	\$115.00					



Air Injector Nozzle

Nozzle:	03	035	04	05	055	06	07	075
Diameter:	1.05"	1.10"	1.20"	1.35"	1.40"	1.45"	1.55"	1.60"
Part No:	200075401	200075402	200075403	200075405	200075425	200075406	200075427	200075407
List Price:	\$29.00							
				08	010	013	015	020
				1.70"	1.90"	2.10"	2.30"	2.65"
				200075408	200075410	200075413	200075415	200075420
				\$29.00				



Brass Nozzle Holder

Size:	1/4" F x M18M	Part No:	010000043
List Price:	\$10.00		

(All pricing excludes gst)



Stainless Steel Nozzle Holder

Size: 1/4" F x M18M

Part No: 040000041

List Price: **\$29.00**



Viton O-Ring

Size: 10 x 2mm | 10 x 2mm

Quantity: 1 | 100pk

Part No: 79020 | 79020100

List Price: **\$6.00** | **\$98.00**



Foam Pad

Part No: 54050009

List Price: **\$15.00**

Don't see what you need?

POWERBLAST have a dedicated and market leading professional team.

Give us a call today on 1800 812 223 with your requirements.

We can promise you will be amazed at the solutions we can provide to increase your margins and fulfill your clients needs.

Replacement Pumps



(All pricing excludes gst)



Axial Pump Assembly - To suit 4HP

Max. Pressure:	2200psi
Shaft:	16mm
Horsepower:	4HP
Litres per min:	6.4L/min

Part No: H2200-PA

List Price: **\$160.00**

Aluminium housing



Axial Pump Assembly - To suit 5.5-6.5HP

Max. Pressure:	3000psi
Shaft:	19mm
Horsepower:	5.5 - 6.5HP
Litres per min:	8.8L/min
Outlet:	3/8" QC

Part No: H3000-PA

List Price: **\$272.00**

Aluminium body with brass pump head



Triplex Pump Assembly - To suit 4-7HP

Max. Pressure:	2600psi
Shaft:	19mm
Horsepower:	4 - 7HP
Litres per min:	9.5L/min

Part No: F530017

List Price: **\$775.00**

CY Series



Axial Pump Assembly - To suit 5.5HP

Max. Pressure:	3200psi
Shaft:	3/4"
Horsepower:	5.5HP
Litres per min:	9L/min

Part No: F7106161

List Price: **\$521.00**



Pump Assembly - To suit 9-15HP

Max. Pressure:	3600psi
Shaft:	1"
Horsepower:	9 - 15HP
Litres per min:	16L/min

Part No: H3600-PA

List Price: **\$613.00**

Integrated unloader

Replacement Pumps

(All pricing excludes gst)



Cat Pump Assembly - To suit 6.5HP

Max. Pressure: 3000psi

Part No: F7106274

Shaft: 19mm

List Price: **\$1395.00**

Horsepower: 6.5HP

Direct Drive on PS2600HD and PS3000HD

Litres per min: 11L/min



Cat Pump Assembly - To suit 13HP

Max. Pressure: 4200psi

Part No: F7105982

Shaft: 1"

List Price: **\$1495.00**

Horsepower: 13HP

Direct Drive on PS4200HD

Litres per min: 16L/min



AQ Pump Head - Complete

Includes internal valves, seals, pressure switch mechanics, unloader & pressure gauge.

For KQ1000TST, KTH895 and KTH1165-1.

Part No: 405033

List Price: **\$1291.00**



Valve Head - Complete

For KQ599TST.

Part No: 46084

List Price: **\$929.00**



Valve Head - Complete

For CA11/130

Part No: 44320

List Price: **\$1231.00**

Replacement Pumps

(All pricing excludes gst)



Powershot Hot Wash Pump Assembly

Part No: PPAP40083

List Price: **\$901.00**

For HW1310



Powershot Hot Wash Pump Assembly

Part No: PPAP40055

List Price: **\$931.00**

For HW1211



Powershot Hot Wash Pump Assembly

Part No: PPAP40039

List Price: **\$985.00**

For HW2015



Powershot Hot Wash Pump Assembly

Part No: PPAP40063

List Price: **\$1765.00**

For HW2021

Heating Coils & Other Parts



(All pricing excludes gst)



Heating Coil

To suit Therm CA11/130, Therm 635
and Therm 895.

Part No: 44900

List Price: \$1298.00



Heating Coil

To suit Therm 635-1 and Therm 895-1.

Part No: 44374

List Price: \$1245.00



Heating Coil - Stainless Steel

To suit Therm 635-1 and Therm 895-1.

Part No: 443741

List Price: \$2495.00



Double Coils

Cleaner:	HW1211	HW2015	HW1310	HW1408	HW2021
Steel:	Stainless	Stainless	Mild	Mild	Stainless
Part No:	LAFN40891	LAFN47175	LAFN40995	LAGR89128	LAFN46850
List Price:	\$2249.00	\$2649.00	\$949.00	\$871.00	\$2795.00




Exhaust Adapter

Size: 20mm Diameter

To suit Kranzle Therms.

Part No: 44192

List Price: \$299.00



Electrode

Size: 25 x 140mm

To suit Kranzle Therms.

Part No: 44080

List Price: \$99.00

(All pricing excludes gst)



Burner Nozzle

Size:	60° B 1.5	60° B 1.25	60° B 1.35	60° B 1.65
No:	44077	440771	440772	440773
List Price:	\$68.00			



Switch - 8.5A

To suit KHD7/122

Part No: 43329

List Price: \$90.00



Switch - 12A

To suit K1152TST

Part No: 43033

List Price: \$109.00



Switch - 14.5A

To suit K2160TST, KQ599TST, KQ1000TST and KTH635-1.

Part No: 411116

List Price: \$89.00



Switch - 14.5A

To suit KQ599TST (new style).

Part No: 46046

List Price: \$71.00



Switch - 16A

To suit CA11/130 and KTH895-1

Part No: 44835

List Price: \$53.00


(All pricing excludes gst)



Switch Cover & Frame

Part No: 43453

List Price: \$13.00



Micro Switch - 16A

For all Kranzle models.

Part No: 15018

List Price: \$23.00



Repair Kit Unloader - with Shuttle, Ball & Spring

Comes with installation diagram.

For all Kranzle models with older style pump (shuttle, ball and spring).

Part No: 14129

List Price: \$61.00



Repair Kit Unloader - with Ball & Spring

Comes with installation diagram.

For new Kranzle models with new style pump (ball and spring).

Part No: 141291

List Price: \$80.00



Repair Kit Water Seals for AQ Pump

Comes with installation diagram.

For KQ1000TST, WS1000TS, KQ1200TST, KTH895-1 + INOX, KTH1165-1 + INOX.

Part No: 40517

List Price: \$201.00



Repair Kit Water Seals for AQ Pump w/ Brass Parts

Comes with installation diagram.

For KQ1000TST, WS1000TS, KQ1200TST, KTH895-1 + INOX, KTH1165-1 + INOX.

Part No: 400651

List Price: \$295.00

(All pricing excludes gst)



Repair Kit Valves for AQ Pump

Comes with installation diagram.

For KQ1000TST, WS1000TS, KQ1200TST,
KTH895-1 + INOX, KTH1165-1 + INOX.

Part No: 400621

List Price: \$200.00



Repair Kit Water Seals for AP-APG Pump

Comes with installation diagram.

For K2160TST, KQ599TST, KTH635-1
and CA11/130.

Part No: 410491

List Price: \$205.00



Repair Kit Valves for AP-APG Pump

Comes with installation diagram.

For K2160TST, KQ599TST, KTH635-1
and CA11/130.

Part No: 417481

List Price: \$184.00



Repair Kit Water Seals for AZ-L Pump

Comes with installation diagram.

For KHD7/122 and K1152TST-10A.

Part No: 49053

List Price: \$190.00



Repair Kit Valves for AZ Pump

Comes with installation diagram.

For KHD7/122 and K1152TST-10A.

Part No: 41648

List Price: \$94.00



Repair Kit Water Seals for AZ Pump

Comes with installation diagram.

For K2160TST, KQ599TST, KQ1000TST
and KTH635-1.

Part No: 43060

List Price: \$126.00

(All pricing excludes gst)



Pressure Switch - Complete

For KQ599TST and KQ100TST

Part No: 413005

List Price: \$177.00



Pressure Switch

For K2160TST-10A
(requires 150093 for brass part)

Part No: 413006

List Price: \$102.00



Pressure Switch Repair Kit

For KQ1000TST, KTH895-1 + INOX.

Part No: 150093

List Price: \$113.00



Therm Pressure Switch - with Cable

For Therm 895-1 + INOX and KTH1165 + INOX.
(BLACK - requires 150112 for brass part)
(RED - requires 150093 for brass part)

Colour:	Black	Red
Part No:	44389	443891
List Price:	\$97.00	\$78.00



CA11/130 Pressure Switch - with Cable

For CA11/130
(BLACK - requires 150093 for brass part)
(RED - requires 150111 for brass part)

Colour:	Black	Red
Part No:	44895	448951
List Price:	\$97.00	\$97.00



Pressure Switch Repair Kit

For Therm 895-1 + INOX and KTH1165 + INOX.

Part No:	150112	150111
List Price:	\$99.00	\$87.00



200-240V Fan Motor - 180W

For CA11/130.
Direction of rotation RH

Part No: 448506

List Price: \$382.00



Oil Sight Glass

18 x 1.5mm

Part No: 420181

List Price: \$15.00



Capacitor

40MF - For K1152TST and KHD7/122
60UF - For KQ599TST
70MF - For K2160TST

UF/MF:	40MF	60UF	70MF
Part No:	43035	41148	43322
List Price:	\$106.00	\$148.00	\$154.00




Electrodes

For HW1310, HW1408

Part No: MECA18232

List Price: \$73.00



Electrodes

For HW1211, HW2021 and
HW2015

Part No: MECA12525

List Price: \$127.00



Burner Nozzles

Cleaner:	HW1211	HW2015	HW1310	HW1408	HW2021
Size:	1.10	1.35	0.75	0.50	1.75
Part No:	UGBR31754	UGBR22576	UGBR18630	UGBR28863	UGBR31344
List Price:	\$101.00	\$101.00	\$89.00	\$101.00	\$101.00



Valve Kits

Cleaner:	HW1211	HW2015	HW1310	HW1408	HW2021
Part No:	KTRI40207	KTRI40207	KTRI40207	KTRI40079	KTRI40142
Price:	\$84.00	\$84.00	\$84.00	\$45.00	\$133.00



Oil Seal Kits

Cleaner:	HW1211	HW2015	HW1310	HW1408
Part No:	KTRI40096	KTRI40096	KTRI40096	KTRI40081
List Price:	\$40.00	\$40.00	\$40.00	\$31.00



Water Seal Kits

Cleaner:	HW1211	HW2015	HW1310	HW1408	HW2021
Part No:	KTRI40094	KTRI40094	KTRI40140	KTRI40082	KTRI40168
List Price:	\$135.00	\$135.00	\$86.00	\$31.00	\$205.00



Seal Kits

Cleaner:	HW1211	HW2015	HW1310	HW2021
Part No:	KTRI40095	KTRI40095	KTRI40141	KTRI40167
List Price:	\$12.00	\$12.00	\$12.00	\$159.00



Pressure Switch

Switch:	PR5 1/8" M	Part No:	MEPF40014
Pressure:	25 Bar - 2.5MPA	List Price:	\$99.00
For HW1211			



Pressure Switch

Switch:	PR5 1/8" M	Part No:	MEPF40037
Pressure:	15 Bar - 1.5MPA	List Price:	\$112.00
For HW1310			



Pressure Switch

Switch: PR5 1/8" M

Part No: MEPF40035

Pressure: 40 Bar - 4MPA

List Price: **\$111.00**

For HW2015



Pressure Switch

Switch: AR 1/8" M

Part No: MEPF40026

For HW1408

List Price: **\$151.00**



Pressure Switch

Switch: AR TSS

Part No: MEPF40005

For HW1408

List Price: **\$176.00**



Pressure Switch

Switch: PR5 1/4" M

Part No: MEPF76254

Pressure: 25 Bar - 2.5MPA

List Price: **\$168.00**

For HW2021



Burner Motors

Power: 230V

Part No: MOMB34119

Wattage: 150W

List Price: **\$688.00**

For HW1211 + HW2015



Burner Motors

Power: 240V

Part No: MOMB40012

Wattage: 180W

List Price: **\$751.00**

For HW2021



Condensor

Power: 40 mf 240V

Cleaner:	HW1211	HW1310
Part No:	MEC035681	MEC035681
List Price:	\$204.00	\$204.00



Capacitors

Type: 70mf

Part No: MEC088053

Voltage: 550V

List Price: \$169.00

For HW1211 + HW2015



Capacitors

Type: 55mf

Part No: MEC040011

Voltage: 450V

List Price: \$55.00

For HW1310



Capacitors

Type: 45mf

Part No: MEC040017

Voltage: 450V

List Price: \$97.00

For HW1408

Don't see what you need?

POWERBLAST have a dedicated and market leading professional team.

Give us a call today on **1800 812 223** with your requirements.

We can promise you will be amazed at the solutions we can provide to increase your margins and fulfill your clients needs.



MODEL:	DESCRIPTION:	LIST PRICE: (ex. GST)
--------	--------------	--------------------------

Common Accessories & Spare Parts

12122	Stainless steel ball - 10mm. Suits all models.	\$6.00
121362	Parbaks - 4mm. Suits all models.	\$8.00
12245	Stainless steel ball - 8.5mm. Suits all models. (Replaces Part #13148)	\$12.00
12256	O-Ring - 11 x 1.5. Suits all models.	\$6.00
12299	Repair kit for Starlet II.	\$53.00
12454	Repair kit for MIDI M2000.	\$76.00
13146	Stainless steel seat - 8.2mm. Suits all models.	\$13.00
13147	Locking ring for stainless steel seat. Suits all models.	\$3.00
13159	Parbaks - 16mm, 2 x flat, 1 x o-ring. For hose drum & unloader - suits all models.	\$16.00
13273P	O-Ring 9.3 x 2.4mm. Suits all models hose & gun. (10pk)	\$45.00
14118	Stainless steel seat. Suits all models.	\$9.00
14122	Return body (big) - for AP. Suits all models.	\$19.00
14123	Parbaks - 8mm, 2 x flat, 1 x o-ring. Suits all models.	\$11.00
141231	Parbaks - 14mm, 1 x flat, 1 x o-ring. Suits all models.	\$14.00
14129	Unloader repair kit. Suits old models with older style pump (shuttle & ball, spring).	\$61.00
141291	Unloader repair kit. Suits new models with new style pump (ball & spring).	\$80.00
150093	Pressure Switch repair kit. Suits K1000TST, Therm 895-1.	\$113.00
15018	Micro Switch - 16A. Suits all models.	\$23.00
400441	Oil Seal - 20 x 28 x 7. Suits K1000TST, Therm 895-1.	\$28.00
400621	Valve kit. Suits K1000TST, Therm 895-1.	\$200.00
40170	Hose - 15m Steel braided HP Hose for hose drum. NW6 210bar. Suits K1150T, K1151T.	\$359.00
40517	Seal repair kit w/o brass parts. Suits K1000TST, Therm 895-1.	\$201.00
41031	Oil seal - 18 x 28 x 7. Suits K2160TST, K599TST, Therm 635-1, CA11/130, C13/180.	\$19.00
410491	Seal repair kit - 18mm. Suits K2160TST, K599TST, Therm 635-1, CA11/130, C13/180.	\$205.00
41081	Hose - 10m HP, 4568psi. Suits all Therm models.	\$345.00
41083	Hose - 20m, HP, 4568psi. For Therm hosedrum (old style) Suits K1000TST.	\$599.00
411116	Switch - 14.5A. Suits Therm K2160TST, K599TST, K1000TST, Therm 635-1.	\$89.00
41631	Oil Seal - 14 x 24 x 7/6 for plunger. Suits HD7/120, HD7/122, Silent 120, Silent 122, K1150T, K1151T, K1152TST.	\$24.00
41648	Valve repair kit for AZ pump. Suits HD7/120, HD7/122, Silent 120, Silent 122, K1150T, K1151T, K1152TST.	\$94.00
417481	Valve repair kit for APG pumps. Suits K2160TST, K599TST, Therm 635-1, CA11/130, C13/180.	\$184.00
420181	Oil sight glass - 18 x 1.5mm. Suits all models.	\$15.00
43033	Switch - 12A. Suits K1151T, K1152T.	\$109.00
43060	Water seal repair kit for AZ Pump. Suits HD7/120, Silent 120, K1150T, K1151T.	\$126.00
43329	Switch - 8.5A. Suits HD7/120, HD7/122, Silent 120, Silent 122.	\$90.00
43416	High Pressure Hose - 10m, 3045psi. Suits HD7/120, HD7/122, Silent 120, Silent 122.	\$210.00
434161	High Pressure Hose - 20m, 3045psi. Suits K599TST.	\$335.00
43453	Clamping Frame - with switch sealing. Suits most models.	\$13.00

MODEL:	DESCRIPTION:	LIST PRICE: (ex. GST)
443812	Hose - 20m. Suits new style Therm hosedrum.	\$551.00
44835	Switch - Suits CA11/130, C13/180, Therm 895-1.	\$53.00
44879	Hose - 15m with 1 x ST30 screw joint (swivel). Suits Therm C and CA.	\$411.00
46046	Switch - Suits new style K599TST.	\$71.00
46250	Float Valve - Suits K599TST, K1000TST, CA11/130, C13/180.	\$97.00
462505	Float Valve - Suits Therm 635-1, Therm 895-1.	\$76.00
48015	Hose - 15m. Suits K1152TST, K2160TST.	\$335.00
49053	Seal Repair Kit - Suits HD7/122, Silent 122, K1152TST.	\$190.00

Machine manuals with full part breakdowns
are available for download from the website:

www.powerblast.com.au

or contact us by email:

sales@powerblast.com.au

for any service information required.

Machine Accessories

MACHINE MODEL:	HANDGUN:	LANCE:	NOZZLE:	HOSE (M):	VALVE KIT:	SEAL KIT:	UNLOADER KIT	BURNER NOZZLES	ELECTRODES
POWERSHOT									
PS3395	F7108124	H2500-A9	025	F7108730 (15m)	F7104223	F7105742	F7108745	N/A	N/A
PS3000HD	F7108166	PS4200-LA	03	F7108730 (15m)	F7106434	F7106433	F7106435	N/A	N/A
PS4200HD	F7108166	PS4200-LA	04	F7108730 (15m)	F7103421	F7103420	F7103433	N/A	N/A
POWERSHOT HOTWASH									
HW1408	IPPR 40017	LCPR 40037	03	TBAP28305	KTRI40079	KTRI40082	KTRI40233	UGBR28863	MECA18232
HW1310	IPPR 40025	LCPR 89116	04	TBAP28305	KTRI40207	KTRI40140	KTRI40237	UGBR18630	MECA18232
HW1211	IPPR 40025	LCPR 40087	045	TBAP25324	KTRI40207	KTRI40094	KTRI40237	UGBR31754	MECA12525
HW2015	IPPR40025	LCPR40087	045	TBAP25324	KTRI40207	KTRI40094	KTRI40237	UGBR22576	MECA12525
HW2021	IPPR 40025	LCPR 40159	07	TBAP4009	KTRI40142	KTRI40168	KTRI40237	UGBR31344	MECA12525
KRANZLE									
KHD7/122	12480	12393-M20028	M20028	43416 (10m)	416481	49053	Refer Manual	N/A	N/A
KHD7/122TS	12480	12393-M20028	M20028	43416 (10m)	416481	49053	Refer Manual	N/A	N/A
K1152TST	12480	411568-042	M20045	48015 (15m)	41648	49053	Refer Manual	N/A	N/A
K2160TST	12480	411568-042	M20045	48015 (15m)	417481	410491	Refer Manual	N/A	N/A
K0599TST	12480	12392-M20035	M20035	434161 (20m)	417481	410491	Refer Manual	N/A	N/A
KQ1000TST	123202	123922-D2505	D2505	41083 (20m)	400621	40517	Refer Manual	N/A	N/A
KQ1200TST	123202	123922-D2507	D2507	41083 (20m)	400621	40517	Refer Manual	N/A	N/A
WS599TS	123727	12420-D25035	M20035	41081 (10m)	417481	410491	Refer Manual	N/A	N/A
WS1000TS	123727	12420-D2505	D2505	41081 (10m)	400621	40517	Refer Manual	N/A	N/A
CA11/130	12480	123922-D25045	D25045	41081 (10m)	417481	410491	Refer Manual	440772	44080
KT1635-1	123202	123922-D25045	D25045	44879 (15m w/reel)	417481	410491	141291	440771	44080
KT1635-1	123202	123922-D25045	D25045	443812 (20m w/reel)	41081 (10m)	40517	141291	44077	44080
KT1165-1	123202	123922-D2507	D2507	41081 (10m)	400621	40517	141291	440773	44080

Nozzle Size Chart

Nozzling your high pressure cleaner correctly is crucial to ensure you are getting top performance out of your unit! A nozzle that is too big will result in a drop in pressure, and a nozzle that is too small will force some water to bypass in the pump continuously - eventually causing damage to the pump internals. If you know the pressure in PSI or BAR of your high pressure cleaner, and you know the flow rate - simply use the chart below to check the optimum nozzle size!

Pressure (bar)

Nozzle Size	Ø	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180	190	200	210	220	230	240	250	260	270	280	290	300
02	.91	2	2.5	2.8	3.2	3.5	3.7	4	4.2	4.5	4.7	4.9	5.1	5.3	5.5	5.7	5.9	6	6.2	6.4	6.6	6.7	6.8	6.9	7	7.1	7.13	7.4	7.5	7.6
03	1.09	3.1	3.7	4.3	4.8	5.3	5.7	6.1	6.3	6.8	7.1	7.4	7.7	8	8.3	8.6	8.9	9.1	9.3	9.5	9.7	9.9	10.1	10.3	10.5	10.6	11.2	11.4	11.6	11.8
04	1.19	4.2	5.2	5.9	6.6	7.3	7.8	8.4	8.9	9.4	9.8	10.3	10.7	11	11.5	11.9	12.2	12.6	12.9	13.3	13.6	13.9	14.2	14.5	14.8	15.1	15.4	15.7	16	16.3
045	1.27	4.5	5.5	6.4	7.1	7.8	8.4	9	9.6	10.2	10.6	11	11.4	11.8	12.2	12.6	13	13.4	13.8	14.2	14.6	15	15.3	15.6	15.9	16.2	16.7	17.1	17.4	17.7
05	1.35	5	6.2	7.1	8	8.7	9.4	10	10.7	11.3	11.9	12.4	12.9	13.4	13.9	14.3	14.7	15.1	15.5	15.9	16.3	16.7	17.1	17.5	17.9	18.2	18.6	18.9	19.2	19.6
055	1.4	5.6	6.7	7.8	8.7	9.6	10.3	11.1	11.8	12.4	13	13.6	14.2	14.8	15.3	15.8	16.3	16.7	17.1	17.5	17.9	18.3	18.7	19.1	19.5	19.9	20.4	20.7	21.1	21.5
06	1.47	6	7.6	8.6	9.6	10.4	11.3	12.1	12.8	13.6	14.2	14.8	15.4	16	16.6	17.1	17.6	18.1	18.6	19.1	19.6	20.1	20.5	20.9	21.3	21.7	22.3	22.7	23.1	23.5
065	1.52	6.6	8	9.3	10.4	11.3	12.3	13.2	14	14.7	15.4	16.1	16.8	17.4	18	18.7	19.4	19.9	20.4	20.9	21.4	21.9	22.4	22.9	23.4	23.8	24.1	24.6	25	25.5
070	1.6	7.1	8.6	10	11.2	12.2	13.2	14.1	15	15.3	16.6	17.3	18	18.7	19.4	20	20.6	21.2	21.8	22.4	22.9	23.4	23.9	24.4	24.9	25.4	25.9	26.4	26.8	27.3
075	1.65	7.6	9.3	10.7	12	13.1	14.2	15.2	16.1	16.9	17.8	18.6	19.3	20.1	20.8	21.5	22.2	22.8	23.4	24	24.6	25.2	25.8	26.3	26.8	27.3	27.9	28.4	28.9	29.4
08	1.7	8	9.8	11.3	12.7	14	15.1	16.1	17.1	18	18.8	19.6	20.4	21.2	22	22.8	23.5	24.2	24.8	25.4	26	26.6	27.2	27.8	28.4	29	29.5	30.1	30.6	31.1
085	1.75	8.5	10.4	12.1	13.5	14.8	16	17.1	18.1	19.1	20	20.9	21.8	22.6	23.4	24.1	24.9	25.6	26.3	27	27.7	28.3	28.9	29.5	30.1	30.7	31.4	31.9	32.5	33.1
09	1.8	9.1	11.1	12.8	14.3	15.7	17	18	19.2	20.2	21.2	22.1	23	23.9	24.7	25.5	26.3	27.1	27.8	28.5	29.2	29.9	30.6	31.3	31.9	32.5	33.2	33.8	34.4	35
10	1.9	10	12.3	14.2	16	17.4	18.9	20.1	21.4	22.5	23.6	24.6	25.6	26.6	27.6	28.5	29.4	30.2	31	31.8	32.6	33.4	34.1	34.9	35.6	36.3	36.9	37.6	38.3	38.9

Flow Rate (L/min)

Hose Pressure Loss Chart

Pressure Drop (Theoretical) calculated for 10m lengths


Example 1: A pressure cleaner operating at 15L/min, with a 20m 3/8" hose, will experience 20psi pressure loss per 10m of hose, = 40psi pressure loss total.

Flow Rate (L/min)	HOSE INTERNAL DIAMETER (I.D.)							
	1/4" (6.4mm)		5/16" (7.9mm)		3/8" (9.5mm)		1/2" (12.7mm)	
	bar	psi	bar	psi	bar	psi	bar	psi
10	5	73	1.5	22	-	-	-	-
12	7	102	2.2	32	-	-	-	-
15	10	145	3.	48	1.4	20	-	-
16	12	174	4	58	1.7	25	-	-
18	14	203	4.6	67	2	29	-	-
20	17	247	5.5	80	2.5	36	-	-
21	18	261	6	87	2.6	38	-	-
25	25	363	8.5	124	3.6	52	-	-
30	35	508	12	174	5	73	1.1	16
35	44	640	15	218	6.6	96	1.5	22
40	60	870	19	275	8	116	2	29
50	90	1300	30	435	13	188	2.7	40

Common Conversions

PRESSURE		
psi (psi)	x 0.0689	= bar
bar (bar)	x 14.504	= psi
FLOW RATE		
Litres per minute (L/min)	x 0.26417	= US gpm
Gallons per minute (gpm)	x 3.785	= L/min
LENGTH		
Millimetres (mm)	x 0.03937	= in
Metres (m)	x 3.28083	= ft
POWER		
kilowatts (kW)	x 1.341	= hp
horsepower (hp)	x 0.7457	= kw

Powerblast Warranty Process 2.0 Flowchart



Powerblast Product Warranty Terms & Conditions

As part of an on-going commitment to excellence in product service and support, PowerBlast offers a comprehensive warranty program for products supplied. Following is a summary of PowerBlast policy regarding the scope and conditions of warranty support offered.

Scope Of Warranty Coverage

Warranty covers failure of a product caused by defective materials and/or manufacturing for the period given and the usage specified, by PowerBlast, for that particular product. The warranty period begins when the product is purchased by the end user. The warranty is not transferable and is only claimable by the original purchaser. Proof of purchase must be supplied, no warranty will be considered without relevant proof of purchase.

Products are covered by warranty for domestic or commercial usage periods. Any product that is covered for commercial usage is also covered for domestic usage for the given period. Commercial usage is defined as when a product is purchased to be used, directly or indirectly, for financial gain or to generate revenue. This includes products purchased by businesses and private purchasers. It is the responsibility of the purchaser to deliver a product under warranty to the nearest relevant service agent or product reseller. Warranty does not cover call outs, mileage and freight costs.

If a product is found to be faulty and falls within warranty conditions, PowerBlast (or one of its Approved Service Agents) will either repair or replace the faulty product. The decision to repair or replace the product is made solely at the discretion of PowerBlast.

If a product is replaced, a new warranty is not issued, the warranty period continues from the date of purchase of the original product. At the discretion of PowerBlast, replacement of a product may be with a new item or a reconditioned item of same or better condition than the product replaced.

If a product is repaired under warranty, parts and labour required for the repair will be supplied at no charge. Warranty assessment and repair will be scheduled and executed according to the normal work flow at the service location and depending on the availability of suitable replacement parts.

An Approved Service Agent has the sole jurisdiction to make the decision that an issue with a product qualifies under these warranty conditions. No costs incurred will be considered under warranty if repairs are carried out by a party other than a PowerBlast Approved Service Agent, unless with the prior consent of PowerBlast Technical Service Department.

Due to special supply contracts and sales agreements, some products supplied by PowerBlast may not be subject to these PowerBlast Warranty Terms & Conditions. Any exemptions should be specified on the invoice for the product. If unsure that a product is exempt from standard warranty conditions, please contact your PowerBlast sales representative or PowerBlast Technical Support.

Warranty Failure Definitions

Warranty covers failure caused by manufacturing and material defects in the product; it does not cover parts that are subject to wear and tear from usage. The only exception to this is if a wearing part fails within a period that would be considered less than a reasonable life span for that part and there are no other external circumstances that may have caused premature failure of the wearing part. Some examples of parts that would be considered wearing parts are listed below:

- Pressure Washers- Water Seals, Spray Nozzles, Pump Valves, Fuel & Water Filters, Safety Valves, HP Hoses, Lances, Hand Guns, O-Rings.
- Small Engines & OPE- Spark Plugs, Fuel Related Issues, Air & Fuel Filters, Recoil Starters.
- Vacuum Cleaners- Hoses, Vacuum Accessories, Filters, Vacuum Bags, Wheels.

Warranty also does not cover failure caused by the untimely replacement or service of the above wearing parts. For products designed for commercial usage and with commercial warranties, evidence must be provided that the product has been maintained and serviced suitably for a repair to be considered under warranty.

Failure caused by poor/ incorrect operation of the product, lack of proper care and maintenance of the product, external damage, external circumstances such as contaminated fuel or poor water supply, modifications to the product, attempted repair/ service by a party other than an Approved Service Agent, is not covered under warranty. Warranty does not cover pre delivery service and adjustment, or failure that may occur as a result of lack of/ incorrect pre delivery service and adjustment.

Warranty does not cover any incidental, indirect or consequential loss, damage or expense that may result from any defect, failure or malfunction of a product. Should any issue be found to be a combination of a warranty failure and a non-warranty issue, the repair cost component to rectify and repair the non-warranty failure is the customers' full responsibility.

This warranty policy is an additional benefit and does not affect the legal rights of any end user, reseller or service agent.

6 good reasons why you should deal with PowerBlast

Specialist Suppliers

We are specialised suppliers to the High Pressure Waterblasting industry – with models ranging from 1500 psi (100 bar) to 7250 psi (500 bar)!

Industry Best Warranty

The quality of our product range is accentuated by our exclusive Kranzle 2/3/10 year Warranty Programme. Specifically, this warranty means that your Kranzle High Pressure Cleaner is covered by a full 2 year unlimited hours warranty on faulty parts and workmanship².

Furthermore, if your machine is one of our Hot Water Models, the mild steel heating coil is covered for 2 years and the stainless steel heating coil is covered for 3 years. In our Kranzle Series - the cold-forged brass pump head is warranted against stress failure for 10 years – absolutely unique in the High Pressure Cleaner industry!

Customised Solutions

Every application has its own unique requirements and challenges. Our experienced team will assist you by providing customised solutions to your specific needs. We will advise you on the best model to enable you to get your job done faster, and which accessories you should use to make your job easier!

¹ Conditions apply.

² Excludes wear and tear items.

POWERBLAST
PREMIUM PRODUCTS

Quality is our Priority

Our high quality hand-made equipment will save you time and stress! By recommending the best machine for your task we know that you will also save money through reduced maintenance costs.

We Care About You

Whether you have a simple technical question or a unique application problem – our friendly courteous staff will personally respond to your needs as though your needs were theirs! You will not be ‘forgotten’ after you place your order. Call us now to experience our second-to-none customer care!

Please Contact Your Dealer

Your friendly PowerBlast dealer will be pleased to assist with additional details on the range of cleaning equipment.

To locate a dealer near you, please telephone 1800 812 223.

Satisfied users of PowerBlast's Products include:

- Heavy-duty cleaning contractors
- Industrial painters
- Farming industries
- Brick cleaners
- Councils
- Hire companies
- Ship cleaners
- Boat owners
- Handymen
- Households

Here's what people have to say about PowerBlast's High Pressure Cleaners:

"We need real tough machines for our Hire Dept. We used others but nothing matches our PowerBlast Machines ... Back up service and performance unbeatable ... Best value for our money."

Building and Hire Company

"Contract Roof Maintenance and Tile Cleaning is a very competitive business. We need fast, reliable, easy to maintain cleaners ... We are very pleased with our PowerBlast machines, here and interstate."

Roof Cleaning Contractor

"We have a budget to replace our current units - Quadro 1000TST's but it is impossible to kill them! They just keep on going!"

Crane Company - WA

[illegible]



Freecall 1800 812 223

Phone (08) 8724 4200

Fax (08) 8125 6641

Email sales@powerblast.com.au

Website www.powerblast.com.au

POWERBLAST
PREMIUM PRODUCTS

Dealer Stamp: