

Aussie Pumps

BLASTER BLITZ

2019-2020




FASTER | SMARTER | SAFER
aussiepumps.com.au

5




- ♦ Australia's leading manufacturer
- ♦ Production for over 20 years
- ♦ 2 1/2 acre works & HQ
- ♦ Proudly Australian
- ♦ ISO 9001 quality accredited
- ♦ Exporting worldwide



Scan & see the passion
that drives our team



Members of Ausjet
association



AUSSIE PRO-OPERATOR ... PUTTING YOU FIRST!

- **FREE education program** about the implications for operators under the new AU/NZS 4233.01 Safety Standards
- **NEW advanced design blasters** to 5,000 psi that are **Class A compliant** to give maximum operator efficiency while maintaining the highest safety standards
- **Machines clearly identify** by their safety classification so operators make an informed choice
- **Safety training programs** for distributors, owners & operators on the machine selection, their safe use & maintenance
- **WORK SAFE** operator manuals that lead the industry
- **Comprehensive safety decals** on all machines to protect operators
- **Aussie Safety Protection kits** fitted to all Aussie blasters to protect against pressure spikes
- **A range of PPE** to protect operators of Class B machines to 500 bar (page 80-83)

AUSTRALIAN MANDATORY SAFETY CLASSIFICATIONS

AS/NZS4233.1:2013 ... recommended reading for all professional operators

Summarised below

CLASS A ... under 5,600 bar lpm

(multiply pressure in bar by flow)

Operators must be trained and assessed as competent in the following

- Danger awareness
- Site safety
- Machinery stop controls
- Hose & equipment inspection
- Personal protection equipment



CLASS B ... over 5,600 bar lpm

(multiply pressure in bar by flow)

Operators must be RTO trained and certified as competent in the following

- System operation and safety procedures.
- Pressurised water jets and hazards
- Controls and safe operation
- Component compatibility
- Hose inspection, application and fittings
- Nozzle selection and operation
- Personal protection equipment
- Equipment maintenance
- Body positioning during cleaning processes.



AUSSIE PUMPS PUTS SAFETY FIRST TO ELIMINATE INJURIES & SAVE LIVES

COLD WATER BLASTERS

Selection guide ... page 5

 3,000 psi - 4,000 psi Commercial ... P6-7	 2,000 psi - 7,300 psi Industrial Petrol... P8-11	 2,000 psi - 7,300 psi Industrial/Mine Diesel P12-15	 4,300 psi - 7,300 psi Mine Spec ... P16-18	 Mobi-blasters... P19
 Hire ready blasters Hire Spec P20-21	 PM groups ... P22	 Hydraulic drive... P23	 Jetters... P24-31	 2,000 psi - 7,300 psi Electric ... P32-36

HOT WATER & STEAM CLEANERS

Selection guide ... page 37

 Electric... P38-39	 Engine drive... P41-46	 Skid & trailer... P47-48	 Mine Spec... P49-50	 Clean' n Capture P51-54
---	---	---	--	--

HIGH PRESSURE ACCESSORIES

from page 55

 Guns, lances & turbos ... P56-59	 Nozzles ... P60-61	 Engines & motors ... P62-63	 Unloaders ... P64	 Thermal Dumps, Safety Valves ... P65
 Couplings ... P66-67	 Swivels, Injectors, Gauges, solenoids fuel pumps ... P68	 Coils, filters ... P69	 Hose ... P70-71	 Hose Reels ... P72-73
 Flat surface Cleaners ... P74-75	 Telewands & grit blast Kits ... P76	 Foamers, wheels, carts, tanks ... P77	 500 bar ... P78-79	 Safe Operator PPE ... P80

BERTOILINI & UDOR HIGH PRESSURE PUMPS

from page 83

 Direct drive ... P84-85	 Heavy duty ... P86-87	 350-500 bar ... P88	 Ultra high Pressure ... P89	 High flow/ Pressure ... P90
 SS process Pumps ... P91	 Motor Pumps ... P92	 System Requirements .. P93	 Udor diaphragm pumps ... P94	

HYDROSTATIC TESTERS

from page 95

WET/DRY VACS

from page 99

 High Pressure ... P96-97	 High flow ... P98	 Industrial wet/dry Vacs ... P99	 Drum Vacs ... P102	 Pressure Cleaner Trouble Shooting Guide ... P105
---	--	--	---	---

AUSSIE SCUD ... EVOLUTION THROUGH INNOVATION

A 25 YEAR JOURNEY DRIVEN BY OUR PASSION
TO GIVE CUSTOMERS THE BEST SOLUTIONS



The Aussie revolutionary NEW stainless steel frames
Ergonomic, OH & S friendly, perfectly balanced.

Our mission is to produce products for the cleaning industry that excel in terms of performance and efficiency.

The result is the **world's best machines**, proudly built in Australia, for the toughest applications on **construction sites, shipyards** and **mines**.

Our range extends from compact, portable machines for **'Executive**

Tradies' through to the **Aussie Mine Boss** extreme series.

We understand that professionals want **reliability, quality** without compromise, at a price that is **real value**.

Time is your most valuable commodity. Selecting the right size machine for the job will increase cleaning efficiency, saving time, water & labour.

Choose an Aussie ... it's an machine **you'll love** to use!



The past

NOBODY
wants to take
5 hours when
the job can
be done in 1½
hours ...
Buy the right
machine for
the job!



COMMERCIAL PETROL DRIVE

P6-7

3,000 psi - 4,000 psi Honda direct drive

Tradies, cleaning contractors, schools, farm use, property maintenance, landscapers

INDUSTRIAL PETROL DRIVE

P8-9

3,000 psi - 5,000 psi Class A Scud & Ultra, gearbox drive

Cleaning contractors, construction, concrete & paint prep machinery wash-down, graffiti removal, councils

HYDRO-BLASTERS PETROL DRIVE

P10-11

5,000 psi—7,200 psi Class B

Contract cleaning, shipyards, large machinery wash-down, rust removal, surface prep, concrete scoring & hydro-demolition

INDUSTRIAL/MINE DIESEL DRIVE

P12-14

3,000 psi - 7,300 psi trolley Class A & B

Cleaning contractors, construction, large machinery wash-down, mine sites, council workshops

MINE BOSS EXTREME SERIES

P15-18

4,300 psi—7,300 psi, flows to 31 lpm, Skids & trailer mounts Class B

Contract cleaning, shipyards, large machinery wash-down, mine sites

MOBI-BLASTERS

P19

Skid mounted blasters to 5,000 psi with tanks

HIRE SPEC BLASTERS

P20-21

1,400 psi—5,000 psi Class A

Hire ready machines

PUMP MOTOR GROUPS

P22

'Big Berty' pumps with top quality engines & motors

HYDRAULIC DRIVE BLASTERS

P23

2,175 psi - 5,000 psi Class A

Mobile, flexible installations, machinery wash-down, vac trucks, drill rigs, concrete pumps

DRAIN JETTERS & ACCESSORIES

P24-31

4,000 psi - 5,000 psi Class A & B

Aussie Cobra series ... world's best drain cleaners
Trolley, cube & trailer mounted

ELECTRIC DRIVE

P32-36

**2,000 psi - 5,000 psi Class A
7,300 psi Class B**

Cleaning contractors, construction, shipyards, large machinery wash-down, mine sites, council workshops



3,000 PSI SUPER SCUD TRADIE SPECIAL



Aussie Pocket Scud AB30
Contractor version with lifting bar

SCUD AB30

- ♦ **Genuine Honda** with 3 year Honda GX engine warranty
- ♦ **"Big Bertie"** Bertolini pump with 4 year warranty
- ♦ **NEW Compact**, robust stainless steel frame with steel wheels & **FLAT FREE** tyres (10")
- ♦ **Pro accessories**, gun, Vario lance & double wire braid high pressure hose
- ♦ **Detergent** injection ... faster cleaning (not for use with 15m hose)
- ♦ **FREE ASP (Aussie Safety Protection) kit** ... protects against pressure spikes & extended by-pass running


AB30 CONTRACTOR VERSION

- ♦ Includes lifting bar for easy loading
- ♦ **Heavy duty pro gun** with 700mm single lance (more suited to heavier work loads)

AB30 15M HOSE REEL VERSION

- ♦ **Fitted Hose reel** with 15m high pressure hose
- ♦ **FREE PRO-FOAMER** kit valued at \$137

Scan to see it in action



	Pressure	EWP with turbo	Flow	Honda Engine	HP	Version	Stock code	List price
Scud AB30	3,000 psi (210 bar)	4,785 psi	10 lpm	GX200	6.5	Standard	ABSS30/GX200	\$1,980
						Contractor	ABSS30H/GX200	\$2,179
						Hose Reel	ABSS30/GX200HR	\$2,450

Pump details, weights & dimensions

	Bertolini Pump	Nozzle size	Version	Weight	Boxed dims mm
AB30	WBXG3025	030	Standard	45 kg	620 x 540 x 580
			Contractor	50 kg	620 x 540 x 580
			Hose Reel	55 kg	630 x 560 x 825

ABSS30/GX200HR hose reel



Accessories supplied with machine

AB30 & HR version

Hose	AHW06M22X2X8	8m R2 3/8" with M22 couplings (NB not supplied with hose reel version)
Gun	M4021108007	AL13 gun
Lance	C4723.45.115	Vario Lance

Pump service kits ... p84-85

AB30 Contractor version

Hose	AHW06M22X2X8	8m R2 3/8" with M22 couplings
Gun	M4022209003	AL55 pro gun
Lance	C3905.14	700mm lance

Optional accessories FASTER, SMARTER, SAFER

Turbo Lance ... 60% MORE BITE

p 59

Increase the effective working pressure (EWP) of your blaster without loading the pump!



M4042100004

\$145

Tele-wand ... REACH FURTHER

p 76

Ideal for reaching eaves & washing windows, extends to 5.5m, includes FREE harness. Quik Tip nozzle sold separately.



AGPDLTG18

\$399

AGPDCLTG18A Heavy duty

\$464

QT nozzle C915035Q

\$18

15" FLAT SURFACE CLEANER

p 74

Clean flat surfaces three times faster, leaving a streak free finish. Steel deck.



FNA80166 (15") \$208

700mm lance to suit

FNA7103261 \$68

GUTTER CLEANER

p 77


DITCH THE LADDER

Unique design attaches

To a lance & enables gutter cleaning.

Can also be used with a turbo head.

Inlet: 1/4 QC plug Outlet: 1/4" QC



AGPD20011

\$37

Quick Tip nozzle

C915035Q

\$18

NEW Foamer ... SPRAY FOAM FAST

p 77

LS3 foamer ...

Spray detergents, degreasers, disinfectants without chemicals going through the pump. Recommended for hoses in excess of 10m.



FREE with ABSS30/GX200HR

Hose reel version of AB30

MPA25152612

\$137

Requires coupling to fit to gun

C1500.06

\$9

4,000 psi Hose Reel Kit .. EASY FIT

p 72

Safer & smarter working, includes reel, 15m double wire braid hose, whip hose & mounting plate (not to be used in conjunction with lifting bar)



AD30001 (hose reel kit)

\$523

Lifting bar .. EASY LOADING

Optional lift bar

ASS30LIFTBAR

\$157



NEW 4,000 PSI HONDA DIRECT DRIVE



NOW fitted with 13" wheels with flat free tyres

SCUD AB40 GT

- ♦ **Genuine Honda 13HP** with 3 year Honda GX engine warranty
- ♦ **"Big Bert" Bertolini TMG series pump** with 4 year warranty
- ♦ **NEW Compact**, robust stainless steel frame with integrated hose reel mounting bar
- ♦ Steel wheels & **NEW FLAT FREE** tyres (13")
- ♦ **Pro accessories**, gun, dual lance & double wire braid high pressure hose
- ♦ **Detergent injection** ... faster cleaning (not for use with 30m hose)
- ♦ **FREE ASP (Aussie Safety Protection) kit** ... protects against pressure spikes & extended by-pass running
- ♦ **Reel mounting plate** for easy fit up
- ♦ **Optional lift bar** ABSS40LIFTBAR \$230



	Pressure	EWP with turbo	Flow	Honda Engine	HP	Stock code	List price
Scud AB40 GT	4,000 psi (275 bar)	6,485 psi	13 lpm	GX390	13	ABSS40/GX390	\$3,090

Pump details, weights & dimensions

	Bertolini Pump	Nozzle size	Weight	Dimensions with skid (Lxwxh) mm
Scud AB40 GT	TMG4035	030	75 kg	1100 x 800 x 950

Accessories supplied with machine

Hose	AHW06M22X2X10	10m R2 3/8" Aussie Blue-Pro non marking hose with M22 couplings
Gun	M4022209003	AL55 4,500 psi Pro Gun with melted handle
Lance	C3924.01	700mm Stainless Steel Dual Lance
Nozzle	C915030M C915500MSS	2 x Laser Cut (15° & detergent)

Pump service kits ... p84-85

Optional accessories FASTER, SMARTER, SAFER

Turbo Lance ... 60% MORE BITE

p 59

Increase the effective working pressure (EWP) of your blaster without loading the pump!



CTN310-030 (Scud AB40) \$242

Tele-wand ... REACH FURTHER

p 76

Ideal for reaching eaves & washing windows, extends to 5.5m, includes FREE harness. Quik Tip nozzle sold separately.



AGPDLTG18 \$399
AGPDCLTG18A Heavy duty \$464
QT nozzle C915030 \$18

CLEAN FLAT SURFACES FAST

p 74

SLASH CLEANING TIMES BY 75%

Clean flat surfaces four times faster, leaving a streak free finish. Standard nozzles included.

AGPDFSC20 20" Spinner \$1,154
AGPDFSCS22Z 22" Cyclone \$1,449



Extra length hose ... CONVENIENT

p 70

Cleaning large plant?... reach further with these extra length **Aussie Blue-Pro** hoses, 5,800 psi rated, R2 wire braid hose, 3/8 female ends (M22 couplings sold separately)
Note detergent injection will not work with longer hose, foamer required.



AHW06FB6FB6X20 (20m) \$305
AHW06FB6FB6X30 (30m) \$462
AHW06FB6FB6X50 (50m) \$714

Foam Jet ... SPRAY UP TO 3 STORIES

p 77

Use with extra long hose to apply detergents, degreasers, disinfectants without chemicals going through the pump.



MTM140289 \$215
Requires coupling to fit to gun
C1500.06 \$9

4,000 psi Hose Reel Kit .. EASY FIT

p 72

Safer & smarter working, includes reel, 30m double wire braid hose, whip hose & mounting plate.



ADHR40100D (hose reel kit) \$782



2,000 - 4,000 PSI HONDA SCUD SLOW SPEED ... LONG LIFE



NEW SUPER SCUD SERIES

- ♦ 'Big Bertie' Bertolini slow speed triplex pump with 4 year warranty
- ♦ **NEW** Scud stainless steel frame & anti vib mounts, steel wheels with flat free tyres (13")
- ♦ Detergent injection ... faster cleaning
- ♦ Gearbox drive ... longer life, OH&S, dust free drive, 2:1 reduction
- ♦ **FREE ASP (Aussie Safety Protection) kit ...** protects operator & machine from pressure spikes & extended by-pass running
- ♦ **Pro accessories** including 10m hose, 4,500 psi pro gun & dual lance
- ♦ **Easy fit** 30m hose reel kit option
- ♦ Optional lift bar as shown on page 4 (ASS400LIFTBAR \$145)



Stock codes & prices

SCUD	Pressure	EWP with turbo	Flow	Honda Engine	HP	Version	Stock code	List price
350	3,000 psi (210 bar)	4,785 psi	15 lpm	GX390	13	Recoil	ABBSS350/GX390	\$3,490
						Electric start	ABBSS350/GX390E	\$4,150
351	2,600 psi (180 bar)	4,000 psi	21 lpm	GX390	13	Recoil	ABBSS351/GX390	\$3,473
						Electric start	ABBSS351/GX390E	\$4,439
400	4,000 psi (275 bar)	6,485 psi	15 lpm	GX390	13	Recoil	ABBSS400/GX390	\$3,540
						Electric start	ABBSS400/GX390E	\$4,490

Pump details, weights & dimensions

SCUD	Bertolini Pump	Nozzle size	Weight	Dimensions with skid (Lxwxh)
350	TTL1520	045	110kg	1100 x 800 x 950 mm
351	TTL2120	060	110kg	1100 x 800 x 950 mm
400	TTL1330	035	110kg	1100 x 800 x 950 mm

Accessories supplied with machine

Hose	AHW06M22X2X10	10m R2 3/8" hose, M22 couplers
Gun	M4022209003	AL55 4,500 psi gun
Lance	C3924.01	700mm Dual Lance
Nozzle	C915__M	2 x Laser Cut (15° & detergent)
Nozzle	C915500MSS	

Pump service kits ... p86-87



Optional accessories FASTER, SMARTER, SAFER

Turbo Lance ... 60% MORE BITE

p 59

Increase the effective working pressure (EWP) of your blaster without loading the pump!



M4042100004	(Scud 100)	\$145
CTN255-045	(Scud 350)	\$198
CTN255-060	(Scud 351)	\$198
CTN310-035	(Scud 400)	\$242

Tele-wand ... REACH further

p 76

Ideal for reaching eaves & washing windows, extends to 5.5m, includes FREE harness. Quik Tip nozzle sold separately.



AGPDLTG18	\$399
AGPDCLTG18A Heavy duty	\$464
QT nozzle C915__Q	\$18

(insert nozzle size)

CLEAN FLAT SURFACES FAST

p 74

SLASH CLEANING TIMES BY 75%

Clean flat surfaces four times faster, leaving a streak free finish. Standard nozzles included.



AGPDFSC20	20" Spinner	\$1,154
AGPDFSCS22Z	22" Cyclone	\$1,449

Foam Jet ... SPRAY UP TO 3 STORIES

p 77

Use with extra long hose to apply detergents, degreasers, disinfectants with chemicals going through the pump.



MTM140289	\$215
Requires coupling to fit to gun	
C1500.06	\$9

Extra length hose ... CONVENIENT

p 70

Cleaning large plant?...

reach further with these extra length Aussie Blue-Pro hoses, 5,800 psi rated, R2 wire braid hose, 3/8 female ends



AHW06FB6FB6X20 (20m)	\$305
AHW06FB6FB6X30 (30m)	\$462
AHW06FB6FB6X50 (50m)	\$714

4,000 psi Hose Reel Kit .. EASY FIT

p 72

Safer & smarter working, includes reel, 30m double wire braid hose, whip hose & mounting plate



For Scud 100 ... call Aussie

ADHR40100D	(hose reel kit)	\$782
AHRBARSSUNI	(SS mounting bar)	\$145

Drain Cleaning Kit, SAFE & SIMPLE

p 73

Includes Aussie Viper Mini Reel with 60 metres of 3/16" sewer hose. Full Aussie Jetters Tool Box, including quick coupler to fit to end of blaster high pressure hose.



FREE safety plate.

ADRAINKIT	\$3,090
-----------	---------

4,000 PSI HONDA ... CLASS A SLOW SPEED | HUGE FLOW | REAL WHACK



NEW ULTRA A

- ◆ **NEW Premium 'Big Bertie' heavy duty, slow speed triplex pump** with 4 year warranty
- ◆ **Stainless steel frame & anti vib mounts**, steel wheels with flat free tyres (13")
- ◆ **FREE ASP (Aussie Safety Protection) kit**
- ◆ **18 litre fuel tank**
- ◆ **Heavy duty gearbox drive** provides OH&S safety benefits, minimal maintenance
- ◆ **FREE ASP (Aussie Safety Protection) kit ...** protects operator & machine from pressure spikes & extended by-pass running
- ◆ **Pro accessories** including 10m R2 wire braid hose, pro gun & dual stainless steel lance
- ◆ **Detergent injection ...** faster cleaning



	Pressure	EWP with turbo	Flow	Honda Engine	HP	Stock code	List price
Ultra A	4,000 psi (275 bar)	6,485 psi	20 lpm	GX630	23	ABBSSULTA/GX630	\$6,672

Pump details, weight & dimensions

	Bertolini Pump	Nozzle size	Weight	Dimensions with skid (Lxwxh) mm
Ultra A	TTL 2028	050	135 kg	1100 x 800 x 1100

Accessories supplied with machine

Hose	AHW06M22X2X10	10m R2 3/8" Aussie Blue-Pro non marking hose with M22 couplings
Gun	M4022209003	AL55 4,500 psi Pro Gun with melted handle
Lance	C3924.01	700mm Stainless Steel Dual Lance
Nozzle	C915050M C915500MSS	2 x Laser Cut (15° & detergent)

Pump service kits ... p86-87

Aussie Hot Link converts this machine into a hot water blaster ... p42



Optional accessories FASTER, SMARTER, SAFER

TURBO LANCE ... 60% MORE BITE p 59

Increase the effective working pressure (EWP) of your blaster without loading the pump!



CTN310-050 \$242

Tele-wand ... REACH FURTHER p 76

Ideal for reaching eaves & washing windows, extends to 5.5m, includes FREE harness. Quik Tip nozzle sold separately.



AGPDLTG18 \$399
AGPDCLTG18A Heavy duty \$464
QT nozzle C915__Q \$18
(insert nozzle size)

CLEAN FLAT SURFACES FAST p 74

SLASH CLEANING TIMES BY 75%

Clean flat surfaces four times faster, leaving a streak free finish. Standard nozzles included.

AGPDFSC20 20" Spinner \$1,154
AGPDFSCS22Z 22" Cyclone \$1,449



Grit Blast Kit ... SURFACE PREP p 76

Remove paint & rust fast

MTM160172 \$332
(head, probe & hose, NB nozzle & lance required)



Extra length hose ... CONVENIENT p 70

Cleaning large plant?... reach further with these extra length **Aussie Blue-Pro** hoses, 5,800 psi rated, R2 wire braid hose, 3/8 female ends (M22 couplings sold separately)

AHW06FB6FB6X20 (20m) \$305
AHW06FB6FB6X30 (30m) \$462
AHW06FB6FB6X50 (50m) \$714



4,000 psi Hose Reel Kit .. EASY FIT p 72

Safer & smarter working, includes reel, 30m double wire braid hose, whip hose & mounting plate.



ADHR40100D (hose reel kit) \$782

Drain Cleaning Kit, SAFE & SIMPLE p 73

Includes Aussie Viper Mini Reel with 60 metres of 3/16" sewer hose. Full **Aussie Jetters Tool Box**, including quick coupler to fit to end of blaster high pressure hose. **FREE safety plate.**

ADRAINKIT \$3,090



5,000 PSI HONDA PETROL | SLOW SPEED | CLASS A



PREDATOR A

- ♦ 'Big Berty' slow speed triplex pump designed for continuous operation
- ♦ Heavy duty stainless steel frame, anti-vibration mounts, 13" steel wheels with flat free tyres .
- ♦ Reliable, powerful Honda engine (Vanguard option) with electric start
- ♦ Gearbox drive provides OH&S safety benefits, minimal maintenance.
- ♦ FREE ASP (Aussie Safety Protection) kit ... protects operator & machine from pressure spikes & extended by-pass running
- ♦ Heavy duty pro accessories including gun, single lance & 10m hp hose
- ♦ Diesel drive option p14

Scan QR code & see Aussie Predator A demo



	Pressure	EWP with turbo	Flow	Honda Engine	HP	Stock code	List price
PREDATOR A	5,000 psi (350 bar)	8,500 psi	16 lpm	GX630	23	ABBSSPRED-A/GX630	\$7,163

Pump details, weight & dimensions

	Bertolini Pump	Nozzle size	Weight	Dimensions with skid (Lxwxh) mm
PREDATOR A	KTL1635	035	130kg	1100 x 800 x 1130

Accessories supplied with machine

Hose	AHW06FB6FB6X10	10m R2 3/8" Aussie Blue-Pro non marking hose with M22 couplings
Gun	MPA30450010	RL56 5,100 psi PA compensated spray gun
Lance	MPA40025800	800mm PA single lance
Nozzle	C915035M	Laser Cut (15°)

Pump service kits ... p86-87



PPE to 500 bar ... p 80

Optional accessories FASTER, SMARTER, SAFER

Turbo Gun Kit 60% MORE BITE p 59

Turbo lance/gun kit.... Increase the effective working pressure of your blaster!



CTN400-035GLK \$398

Grit Blast Kit ... SURFACE PREP p 76

Remove paint & rust fast (head, probe & hose, NB nozzle & lance require)



MTM160172 \$332

Extra length hose ... CONVENIENT p 70

Cleaning large plant?... reach further with these extra length Aussie Blue-Pro hoses, 5,800 psi rated R2 wire braid hose, 3/8 female ends (M24 couplings sold separately)



AHW06FB6FB6X20 (20m)	\$305
AHW06FB6FB6X30 (30m)	\$462
AHW06FB6FB6X50 (50m)	\$714
MPA26065050 (M24 coupling)	\$37

5,000 psi Stainless Steel Hose Reel p 73

5,000 psi rated, takes up to 45m hose, universal foot mount. Fits to frame on petrol versions only, otherwise wall mount.



HAR150 (ss reel only)	\$611
AHW06FB6FB6X2 (2m whip hose)	\$41
MPA13.5051.51 (3/8" nipple)	\$13
MPA26065050 (M24 QC)	\$37

Drain Clearing Kit, SAFE & SIMPLE p 73

Includes Aussie Viper Mini Reel with 60 metres of 3/16" sewer hose. Full Aussie Jetters Tool Box, including quick coupler to fit to end of blaster high pressure hose. FREE safety plate.



ADRAINKIT \$3,090




7,300 PSI (500 BAR) PETROL VANGUARD | GEARBOX DRIVE | CLASS B



RAPTOR

- ♦ 'Big Berty' heavy duty slow speed pumps designed for continuous operation
- ♦ Reliable, powerful engines (Vanguard petrol engines) with emergency stop
- ♦ Heavy duty stainless steel frame, anti-vib mounts
- ♦ 13" steel wheels with flat free tyres
- ♦ FREE ASP (Aussie Safety Protection) kit
- ♦ Double bearing gearbox drive ... OH&S safety benefits, minimal maintenance.
- ♦ 10 metres of 500 bar hose
- ♦ 500 bar accessories ... PA gun, 1050mm lance & ceramic nozzle
- ♦ 500 bar certified hose
- ♦ FREE hose restraint valued at \$120



Diesel drive option p15

	Pressure	EWP with turbo	Flow	Vanguard Engine	s/code	List price
RAPTOR 16	7,300 psi (500 bar)	12,000 psi	16 lpm	31HP	ABSSRAP/VAN16L	\$11,200
RAPTOR 18	7,300 psi (500 bar)	12,000 psi	18 lpm	35HP	ABSSRAP/VAN18L	\$11,700


Pump details, weight & dimensions

	Bertolini Pump	Nozzle size	Weight	Dims with skid (Lxwxh)
RAPTOR 16	RA1650	030	130kg	1100 x 800 x 1000 mm
RAPTOR 18	RA1850	030	135kg	1100 x 800 x 1000 mm

Accessories supplied with machine

Hose	A3641443109	10M 3/8" 500 bar
Gun/lance	MPA30540000	RL57 500 bar pro gun & 1050mm lance
Nozzle	M0124006210	Ceramic tip 500 bar nozzle 15°

Pump service kits ... p87-88



PPE to 500 bar ... p 80

Optional accessories FASTER, SMARTER, SAFER

Turbo Master 500 MORE BITE p 79

Increase the effective working pressure (EWP) of your blaster without loading the pump!

500 bar (7,300 psi) includes turbo head, gun, 800mm lance, nozzle & quick coupling nipple



CTN500-030 GLK \$2,077

Foot Valve ... MORE CONTROL p 79

Stainless steel foot valve adds a second level of operator control, in addition to gun trigger, includes 3m whip hose

AST500-M24 \$902



Grit Blast Kit ... SURFACE PREP p 79

TPS 450, 500 bar (7,300 psi) c/w probe, plastic hose, lance, gun, nozzle & quick coupling nipple

TPS450/030 GLK (insert nozzle size) \$1,443



500 bar Hose Reels & Extra Length Hose p 73

500 bar reel, (7,300 psi) rated, takes up to 30m hose, universal foot mount. Does not fit onto frame, wall mount only.

HAR700 \$1,344



3/8" R2 HP hose, 3/8M BSP ends, 150°C rated, for quick couplings refer p 65

A3641443209 (20m) \$838
A3641443309 (30m) \$1,088

Ceramic Nozzles ... LAST LONGER p 60

Aussie White Tip 500 bar 0° & 15°, nozzle material ceramic, inlet 1/4" NPT M ... \$131

Size	0° (pencil jet)	15° (fan)
030	M0124006200	M0124006210



2,000 - 4,000 PSI YANMAR

DIESEL | SLOW SPEED | LONG LIFE



SCUD YANMAR

- ♦ 'Big Berty' slow speed pumps designed for continuous operation
- ♦ Industrial Yanmar LN series diesel engines
- ♦ NEW Scud stainless steel frame & anti vib mounts, steel wheels with flat free tyres (13")
- ♦ Gearbox drive
- ♦ FREE ASP (Aussie Safety Protection) kit including unloader, safety valve & thermal dump
- ♦ Detergent injection ... faster cleaning
- ♦ Yanmar engine care kit ... see p 62

Aussie Mine Spec Features:

- ♦ Emergency stop
- ♦ Fire extinguisher
- ♦ Dry cell battery with lockable battery isolation
- ♦ Double insulated wire
- ♦ Lifting bar/hose mounting bar



Honda petrol drive ... p8



SCUD	Pressure	EWP with turbo	Flow	Yanmar Engine	HP	Version	Stock code	List price
100 YDE	2,000 psi (140 bar)	2,600 psi	11 lpm	L48 recoil	4.8	Standard	ABSS100/L48	\$4,277
350 YDE	3,000 psi (210 bar)	4,785 psi	15 lpm	L100 e/start	10	Standard	ABBSS350/L100E	\$7,105
						Mine Spec	ABBSS350/L100EM	\$8,513
400 YDE	4,000 psi (275 bar)	6,485 psi	13 lpm	L100 e/start	10	Standard	ABBSS400/L100E	\$7,491
						Mine Spec	ABBSS400/L100EM	\$8,673

Pump details, weights & dimensions

SCUD	Bertolini Pump	Nozzle size	Weight	Dimensions with skid (Lxwxh)
100 YDE	WBL1114	-	50kg	620x540x580 mm
350 YDE	TTL1520	045	160kg	1100x800x950 mm
400 YDE	TTL1330	030	160kg	1100x800x950 mm

Accessories supplied with machine

Scud 100		
Hose	AHW06M22X2X8	8m R2 3/8" hose, M22 ends
Gun	M4021108007	AL13 Pro Gun
Lance	C4723.45.115	Vario
Nozzle	-	-

Pump service kits ... p85

Scud 350, 400 YDE		
Hose	AHW06M22X2X10	8m R2 3/8" hose, M22 ends
Gun	M4022209003	AL55 4,500 psi Pro Gun
Lance	C3924.01	700mm Dual Lance
Nozzle	C915__ _M	2 x Laser Cut (15° & detergent)
	C915500MSS	

Pump service kits ... p86-87



Optional accessories FASTER, SMARTER, SAFER

Turbo Lance ... 60% MORE BITE

p 59

Increase the effective working pressure (EWP) of your blaster without loading the pump!



M4042100004	(Scud 100 YDE)	\$145
CTN255-045	(Scud 350 YDE)	\$198
CTN310-030	(Scud 400 YDE)	\$242

Tele-wand ... REACH FURTHER

p 76

Ideal for reaching eaves & washing windows, extends to 5.5m, includes FREE harness. Quik Tip nozzle sold separately.



AGPDLTG18	\$399
AGPDCLTG18A Heavy duty	\$464
QT nozzle C915__ _Q	\$18

(insert nozzle size)

CLEAN FLAT SURFACES FAST

p 74

SLASH CLEANING TIMES BY 75%

Clean flat surfaces four times faster, leaving a streak free finish. Standard nozzles included.

AGPDFSC20	20" Spinner	\$1,154
AGPDFSCS22Z	22" Cyclone	\$1,449



Grit Blast Kit ... SURFACE PREP

p 76

Remove paint & rust fast

M202903460	(to 3,000 psi)	\$215
(head, lance, nozzle, probe & hose)		
MTM160172	(4,000 psi)	\$332
(head, probe & hose, NB nozzle & lance required)		



Extra length hose ... CONVENIENT

p 70

Cleaning large plant?...

reach further with these extra length Aussie Blue-Pro hoses, 5,800 psi rated, R2 wire braid hose, 3/8 female ends (M22 & M24 couplings sold separately)

AHW06FB6FB6X20 (20m)	\$305
AHW06FB6FB6X30 (30m)	\$462
AHW06FB6FB6X50 (50m)	\$714



4,000 psi Hose Reel Kit .. EASY FIT

p 72

Safer & smarter working, includes reel, 30m double wire braid hose, whip hose & mounting plate

For Scud 100 ... call Aussie
ADHR40100D (hose reel kit) \$782



Drain Clearing Kit, SAFE & SIMPLE

p 73

Includes Aussie Viper Mini Reel with 60 metres of 3/16" sewer hose. Full Aussie Jetters Tool Box, including quick coupler to fit to end of blaster high pressure hose. FREE safety plate.

ADRAINKIT \$3,090



NEW 4,000 PSI ATLAS HATZ | SUPER HEAVY DUTY



ATLAS 400

- ♦ 'Big Bertie' slow speed pumps designed for continuous operation
- ♦ Industrial Hatz B series diesel with DSE engine control panel & 21 litre fuel tank
- ♦ NEW Scud stainless steel frame & anti vib mounts, steel wheels with pneumatic tyres
- ♦ Gearbox drive provides
- ♦ OH&S safety benefits, minimal maintenance
- ♦ 30 litre stainless steel break tank
- ♦ Stainless steel reel with 30m Aussie Blue-Pro hose
- ♦ FREE ASP (Aussie Safety Protection) kit including unloader, safety valve & thermal dump
- ♦ Detergent injection ...
- ♦ faster cleaning
- ♦ Hatz engine care kit ... see p 62

Aussie Mine Spec Features:

- ♦ Emergency stop
- ♦ Fire extinguisher
- ♦ Dry cell battery with lockable battery isolation
- ♦ Double insulated wire
- ♦ Lifting bar/hose mounting bar



Honda petrol drive ... p 9



	Pressure	EWP with turbo	Flow	Hatz Engine	HP	Stock code	List price
Atlas 400	4,000 psi (275 bar)	6,485 psi	15 lpm	1B50E e/start	11	ABBSS400/1B50EMS	\$14,870

Pump details, weight & dimensions

	Bertolini Pump	Nozzle size	Weight	Dimensions with skid (Lxwxh) mm
Atlas 400	TTL1530	035	220 kg	1150 x 800 x 1650

Accessories supplied with machine

Hose	AHW06M22X2X30	30m R2 3/8" Aussie Blue-Pro non marking hose with M22 couplings
Gun	CGPDG5010	Aussie Blue-Pro Gun
Lance	C3905.15	900mm Stainless Steel Dual Lance
Nozzle	C915040M	Laser Cut (15")

Pump service kits ... p86-87

Optional accessories FASTER, SMARTER, SAFER

Turbo Kit 60% MORE BITE

p 59

Turbo lance/gun kit.... Increase the effective working pressure of your blaster!



CTN310-035GLK \$310

Tele-wand ... REACH FURTHER

p 76

Ideal for reaching eaves & washing windows, extends to 5.5m, includes FREE harness. Quik Tip nozzle sold separately.



AGPDLTG18 \$399
AGPDLTG18A Heavy duty \$464
QT nozzle C915 __ _ Q \$18
(insert nozzle size)

CLEAN FLAT SURFACES FAST

p 74

SLASH CLEANING TIMES BY 75%

Clean flat surfaces four times faster, leaving a streak free finish. Standard nozzles included.

AGPDFSC20 20" Spinner \$1,154
AGPDFSCS22Z 22" Cyclone \$1,449



Grit Blast Kit ... SURFACE PREP

p 76

Remove paint & rust fast

M202903460 (to 3,000 psi) \$215
(head, lance, nozzle, probe & hose)
MTM160172 (4,000 psi) \$332
(head, probe & hose, NB nozzle & lance required)



Extra length hose ... CONVENIENT

p 70

Cleaning large plant?... reach further with these extra length Aussie Blue-Pro hoses, 5,800 psi rated, R2 wire braid hose, 3/8 female ends (M22 & M24 couplings sold separately)



AHW06FB6FB6X20 (20m) \$305
AHW06FB6FB6X30 (30m) \$462
AHW06FB6FB6X50 (50m) \$714

Drain Clearing Kit, SAFE & SIMPLE

p 73

Includes Aussie Viper Mini Reel with 60 metres of 3/16" sewer hose. Full Aussie Jetters Tool Box, including quick coupler to fit to end of blaster high pressure hose. FREE safety plate.



ADRAINKIT \$3,090

5,000 PSI DIESEL DIESEL | GEARBOX DRIVE | CLASS A

5,000 PSI
\$13800
NEW
STAINLESS
STEEL FRAME



PREDATOR

- ♦ **NEW Premium 'Big Berty' pump** designed for continuous operation
- ♦ **Heavy duty stainless steel frame**, anti-vibration mounts
- ♦ **16" steel wheels** with pneumatic tyres
- ♦ **Reliable, powerful Kohler air cooled diesel engine**
- ♦ **FREE ASP (Aussie Safety Protection) kit** ... protects operator & machine from pressure spikes & extended by-pass running
- ♦ **Gearbox drive** provides OH&S safety benefits, minimal maintenance
- ♦ **Heavy duty pro accessories** ... gun, single lance & 10m hp hose

Aussie Mine Spec Features:

- ♦ Emergency stop
- ♦ Fire extinguisher
- ♦ Dry cell battery with lockable battery isolation
- ♦ Double insulated wire
- ♦ Lifting bar/hose mounting bar

Honda petrol drive ... p10



**CLASS A
BLASTER**
AS/NZS 4225.1



KOHLER

	Pressure	EWP with turbo	Flow	Kohler Engine	HP	Version	Stock code	List price
PREDATOR A KDE	5,000 psi (350 bar)	8,500 psi	16 lpm	KD477	23	Standard	ABSSPRED-A/KDE	\$13,800
						Mine Boss	ABBSSPRED-A/KDMS	\$17,998

Pump details, weight & dimensions

	Bertolini Pump	Nozzle size	Weight	Dimensions with skid (Lxwxh)
PREDATOR A KDE	KTL1635	035	250kg	1250 x 800 x 1130 mm

Accessories supplied with machine

Hose	AHW06FB6FB6X10	10m R2 3/8" Aussie Blue-Pro non marking hose with M22 couplings
Gun	MPA30450010	RL56 5,100 psi PA compensated spray gun
Lance	MPA40025800	800mm PA single lance
Nozzle	C915035M	Laser Cut (15°)

Pump service kits ... p86-87



PPE to 500 bar ... p 80

Optional accessories FASTER, SMARTER, SAFER

Turbo Lance Kit 60% MORE BITE p 59

Turbo lance/gun kit... Increase the effective working pressure of your blaster!



CTN400-035GLK **\$398**

Grit Blast Kit ... SURFACE PREP p 76

Remove paint & rust fast
(head, probe & hose,
NB nozzle & lance required)



MTM160172 **\$332**

Extra length hose ... CONVENIENT p 70

Cleaning large plant?...
reach further with these extra length
Aussie Blue-Pro hoses, 5,800 psi rated,
R2 wire braid hose, 3/8 female ends
(M24 couplings sold separately)



AHW06FB6FB6X20 (20m) **\$305**
 AHW06FB6FB6X30 (30m) **\$462**
 AHW06FB6FB6X50 (50m) **\$714**
 MPA26065050 (M24 coupling) **\$37**

5,000 psi Stainless Steel Hose Reel p 73

5,000 psi rated, takes up to 45m hose,
universal foot mount. Fits to frame on
petrol versions only, otherwise wall
mount.



HAR150 (ss reel only) **\$611**
 AHW06FB6FB6X2 (2m whip hose) **\$41**
 MPA13.5051.51 (3/8" nipple) **\$12**
 MPA26065050 (M24 QC) **\$37**

Drain Clearing Kit ... SAFE & SIMPLE p 73

Includes Aussie Viper Mini Reel with
60 metres of 3/16" sewer hose. Full
Aussie Jetters Tool Box, including
quick coupler to fit to end of blaster
high pressure hose. **FREE safety
plate.**



ADRAINKIT **\$3,090**



7,300 PSI (500 BAR) DIESEL

DIESEL | BELT DRIVE | CLASS B



FREE
Aussie Safe Operator
500 bar Apron with
every Raptor



**Honda petrol
drive ... p11**

RAPTOR DIESEL

- ♦ 'Big Berty' slow speed pumps designed for continuous operation
- ♦ Kohler industrial diesel engines with **emergency stop**
- ♦ Heavy duty stainless steel frame, anti-vib mounts
- ♦ 16" steel wheels with pneumatic tyres
- ♦ FREE ASP (Aussie Safety Protection) kit ... protects operator & machine from pressure spikes & extended by-pass running
- ♦ 10 metres of 500 bar hose
- ♦ 500 bar accessories ... PA gun, 1050mm lance & ceramic nozzle
- ♦ 500 bar certified hose
- ♦ FREE hose restraint valued at \$120
- ♦ Aussie Mine spec includes
 - ♦ Emergency stop
 - ♦ Bunded frame
 - ♦ Fire extinguisher (2 Kg)
 - ♦ Dual pole battery isolator
 - ♦ High-viz class A reflective frame markings
 - ♦ Double insulated wiring

	Pressure	EWP with turbo	Flow	Kohler Engine	HP	Stock code	List price
RAPTOR 450	6,500 psi (450 bar)	10,600 psi	18 lpm	KD477	23	ABRAPK23H18/450MS	\$19,350
RAPTOR 16 KOH	7,300 psi (500 bar)	12,000 psi	16 lpm	KD477	23	ABRAPK23H16/500MS	\$19,800

Pump details, weight & dimensions

	Bertolini Pump	Nozzle size	Weight	Dimensions with skid (Lxwxh) mm
RAPTOR 450	RA1850	030	250kg	1250 x 1200 x 1500
RAPTOR 16 KOH	RA1650	030	250kg	1250 x 1200 x 1500

Accessories supplied with machine

Hose	A3641443109	10M 3/8" 500 bar
Gun/lance	MPA30540000	RL57 500 bar pro gun & 1050mm lance
Nozzle	M0124006210	Ceramic tip 500 bar nozzle 15°

Pump service kits ... p87-88

PPE to 500 bar ... p 80



Optional accessories FASTER, SMARTER, SAFER

Turbo Master 500 MORE BITE p 79

Increase the effective working pressure (EWP) of your blaster without loading the pump!

500 bar (7,300 psi) includes turbo head, gun, 800mm lance, nozzle & quick coupling nipple



CTN500-030 GLK **\$2,077**
(insert nozzle size)

Foot Valve ... MORE CONTROL p 79

Stainless steel foot valve adds a second level of operator control, in addition to gun trigger, includes 3m whip hose
AST500-M24 **\$902**



Grit Blast Kit ... SURFACE PREP p 79

TPS 450, 500 bar (7,300 psi) c/w probe, plastic hose, lance, gun, nozzle & quick coupling nipple



TPS450/030 GLK
(insert nozzle size) **\$1,443**

500 bar Hose Reels & Hose p 73

500 bar reel, (7,300 psi) rated, takes up to 30m hose, universal foot mount. Does not fit onto frame, wall mount only.

HAR700 **\$1,344**



3/8" R2 HP hose, 3/8M BSP ends, 150°C rated, for quick couplings refer p 67

A3641443209 (20m) **\$838**
A3641443309 (30m) **\$1,088**

Ceramic Nozzles ... LAST LONGER p 60

Aussie White Tip 500 bar 0° & 15°, nozzle, ceramic insert, inlet 1/4" NPT M ... **\$131**

Size	0° (pencil jet)	15° (fan)
030	M0124006200	M0124006210



4,300 - 5,000 PSI MINE SPEC EXTREME



PYTHON & PREDATOR

- ♦ **'Big Bertie'** slow speed pumps designed for continuous operation
- ♦ **Heavy duty gal** frame skid base with multiple fork lifting points & integrated bunding
- ♦ **Reliable, water cooled**, multi cylinder, **Yanmar** engine producing 20kW at 2400 rpm
- ♦ **Integrated control panel** including full engine protection & hour meter.
- ♦ **50 litre fuel tank** ... runs for approx. 8 hrs.
- ♦ **Engine governed** to 2,400 rpm max
- ♦ **60 litre stainless steel break tank** with low water shutdown
- ♦ **FREE ASP** (Aussie Safety Protection) kit
- ♦ **Stainless steel hose reel** with 30 metres of R2 double wire braid 400 bar rated hose. (Manual Recoil reel option, \$2,850 extra)
- ♦ **FREE** hose restraint worth \$120

Aussie Mine spec includes

- ♦ Emergency stop
- ♦ Bunded frame
- ♦ Fire extinguisher (2 Kg)
- ♦ Dual pole battery isolator
- ♦ High-viz class A reflective frame markings
- ♦ Flashing safety beacon
- ♦ Double insulated wiring

YANMAR



FREE ASP (Aussie Safety Protection) kit



	Pressure	EWP with turbo	Flow	Yanmar Engine	Stock code	List price
Python MS	4,300 psi (300 bar)	6,485 psi	31 lpm	3 TNV88	ABPYTHON18-3TNV	\$27,225
Predator + MS	5,000 psi (350 bar)	8,500 psi	25 lpm	3 TNV88	ABPRED+3TNV	\$27,654

Pump details, weight & dimensions

	Bertolini Pump	Nozzle size	Weight	Dims with skid (Lxwxh) mm
Python MS	Premium RAS4482	070	565kg	1400x1400x1250
Predator + MS	Premium RAL2535	045	560kg	1400x1400x1250

Accessories supplied with machine

Hose	AHW06FB6FB6X30	30m R2 3/8" Aussie Blue-Pro hose with M22 couplings
Gun	AGPDG5010	5,000 psi pro gun
Lance	C3905.15	900mm single lance
Nozzle	C915 __ _M	Laser Cut (15°)

Pump service kits ... p87-88

Optional accessories FASTER, SMARTER, SAFER

Turbo Lance Kit 60% MORE BITE p 59

Turbo lance/gun kit.... Increase the effective working pressure of your blaster!



CTN400-045GLK	\$398
CTN400-075GLK	\$398

Grit Blast Kit ... SURFACE PREP p 76

Remove paint & rust fast
(head, probe & hose, NB nozzle & lance required)



MTM160172	\$332
-----------	-------

Foot Valve ... MORE CONTROL p 30

350 BAR foot valve adds a second level of operator control, in addition to gun trigger,



AST350-2605	\$550
AHW06FB6FB6X2 (whip hose)	\$41
C1500.05 (1/4" F x M22 nipple)	\$9
C1500.24 (3/8" M x M22 nipple)	\$9
CD10030 (M22 couplings-2 required)	\$10

500 Bar Personal Protective Gear p 80



- ♦ Overalls
- ♦ Aprons
- ♦ Jackets
- ♦ Gloves
- ♦ Trousers
- ♦ Boots



Drain Clearing Kit, SAFE & SIMPLE p 73

Includes **Aussie Viper Mini Reel** with 60 metres of 3/16" sewer hose. Full **Aussie Jettors Tool Box**, including quick coupler to fit to end of blaster high pressure hose. **FREE safety plate**.

ADRAINKIT	\$3,090
-----------	---------



7,300 PSI AUSSIE MINE SPEC EXTREME RAPTOR MAXI'S CONTINUOUS DUTY



RAPTOR MAXI

- ♦ 'Big Berty' slow speed pumps designed for continuous operation ... 4 year warranty
- ♦ Heavy duty gal frame skid base with multiple fork lifting points & integrated bunding
- ♦ Reliable, water cooled, multi cylinder Yanmar engine
- ♦ Integrated control panel including full engine protection & hour meter.
- ♦ 50 litre fuel tank ... runs for approx. 8 hrs.
- ♦ Engine governed to 2,400 rpm max
- ♦ 60 litre stainless steel break tank with low water shutdown
- ♦ FREE ASP (Aussie Safety Protection) kit
- ♦ 30 metres of R2 double wire braid 500 bar rated, certified hose on stainless steel hose reel (Manual Recoil 10,000 psi rated reel option, \$3,450 extra)
- ♦ FREE hose restraint valued at \$120
- ♦ Aussie Mine spec includes
 - ♦ Emergency stop
 - ♦ Bunded frame
 - ♦ Fire extinguisher (2 Kg)
 - ♦ Dual pole battery isolator
 - ♦ High-viz class A reflective frame markings
 - ♦ Flashing safety beacon
 - ♦ Double insulated wiring

FREE
Aussie Safe Operator
500 bar Apron with
every Raptor



BERTOLINI
pumps
4 year warranty



YANMAR

RAPTOR	Pressure	EWP with turbo	Flow	Yanmar Engine	Stock code	List price
MAXI 18	7,300 psi (500 bar)	12,000 psi	18 lpm	3 TNV88	ABRAPTOR18-3TNV	\$29,897
MAXI 21	7,300 psi (500 bar)	12,000 psi	21 lpm	3 TNV84T	ABRAPTOR21-ETNV	\$32,476
MAXI 24	7,300 psi (500 bar)	12,000 psi	24 lpm	4 TNV88	ABRAPTOR24-4TNV88	\$36,271

Pump details, weight & dimensions

	Bertolini Pump	Nozzle size	Weight	Dims with skid (Lxwxh)
MAXI 18	RA1850	030	565kg	1400x1400x1250mm
MAXI 21	RA2150	035	590kg	1400x1400x1250mm
MAXI 24	RA2150	040	590kg	1400x1400x1250mm

Accessories supplied with machine

Hose	A3641443109	10M 3/8" 500 bar
Gun/lance	MPA30540000	RL57 500 bar pro gun & 1050mm lance
Nozzle	See nozzle chart	Ceramic tip 500 bar nozzle 15°

Pump service kits ... p87-88



500 BAR accessories for FASTER, SMARTER, SAFER cleaning

Turbo Master 500 MORE BITE

p 79

Increase the effective working pressure (EWP) of your blaster without loading the pump!

500 bar (7,300 psi) includes turbo head, gun, 800mm lance, nozzle & quick coupling nipple



CTN500-___ GLK \$2,077
(insert nozzle size)

Foot Valve ... MORE CONTROL

p79

Stainless steel foot valve adds a second level of operator control, in addition to gun trigger, includes 3m whip hose

AST500-M24 \$902



Grit Blast Kit ... SURFACE PREP

p 79

TPS 450, 500 bar (7,300 psi) c/w probe, plastic hose, lance, gun, nozzle & quick coupling nipple



TPS450/_ _ _ GLK
(insert nozzle size) \$1,443

Personal Protective Gear 500 bar

p 80



- ♦ Overalls
- ♦ Jackets
- ♦ Trousers
- ♦ Aprons
- ♦ Gloves
- ♦ Boots



Ceramic Nozzles ... LAST LONGER

p 60

Aussie White Tip 500 bar 0° & 15°, nozzle material ceramic, inlet 1/4" NPT M ... \$131



Size	0° (pencil jet)	15° (fan)
030	M0124006200	M0124006210
035	M0124006300	M0124006310
040	M0124006400	M0124006410





MINE BOSS TRAILER



Aussie Mine spec trailer ...

- ♦ Emergency stop
- ♦ Pump/motor lockable protective cage
- ♦ Bunded drip tray
- ♦ Fire extinguisher (2 Kg)
- ♦ Lockable battery isolator
- ♦ Dry cell battery
- ♦ Spark arrester

A trailer mounted blaster with it's own water supply that is ideal for on-site cleaning of plant and equipment!

- ♦ **'Big Berty'** slow speed triplex pump, gearbox driven
- ♦ **Top quality Yanmar** air cooled engine
- ♦ **Pump/engine protected** in lockable steel cage
- ♦ **Water tank** with float, drain valve, low level cut out sensor, lid with strainer and level indicator (various sizes available.)
- ♦ **Heavy duty galvanised** dual axle, braked trailer with lockable tool box
- ♦ **High pressure reel** and base mount with 30 metres of 3/8" R2 high pressure outlet hose and screw quick couplings.
- ♦ **Low pressure** zinc plated reel with 30m of 3/4" heavy duty reinforced inlet hose
- ♦ **FREE ASP (Aussie Safety Protection) kit** including thermal dump valve and safety valve.

TRAILER BOSS ... DIESEL POWERED

Model	BB350 MS Trailer kit	BB400 MS Trailer kit
Stock code	ABB350/L100TRMS	ABB400L100EMOBI
Pump pressure	3,000 psi (210 bar)	4,000 psi (275 bar)
EWP with turbo	4,785 psi	6,485 psi
Flow	15 lpm	13 lpm
Engine	Yanmar	Yanmar
Horsepower	10HP	10HP
Pump speed	1450 rpm	1450 rpm
Pump type	Bertolini triplex	Bertolini triplex
Pump Model	TTL1520	TTL1330
Tank size	1,000 litres	1,000 litres
Nozzle size	045	035
Accessories - Hose	30M R2 3/8"	
Gun	AL55	
Lance	Dual	
Nozzle type	2 x Laser Cut	
Weight	1,300 kg	1,300 kg
Dimensions LxWxH	4.1 x 2 x 1.4m	4.1 x 2 x 1.4m
	\$29,100	\$31,372

MINE BOSS CUBE



Aussie Mine Boss cube ...

- ♦ Emergency stop
- ♦ Pump/motor lockable protective cage
- ♦ Fire extinguisher (2 Kg)
- ♦ Lockable battery isolator
- ♦ Dry cell battery
- ♦ Spark arrester

An Aussie cube mounted blaster with fork tyne slots, suitable for a Cat loader, that is easy to move on site and can even be stacked (dry only)!

- ♦ **'Big Berty'** slow speed triplex pump, gearbox driven
- ♦ **Top quality Yanmar** air cooled engines
- ♦ **1000 litre water tank** with float, drain valve, low level cut out sensor, lid with strainer and level indicator
- ♦ **High pressure reel** and base mount with 30 metres of 3/8" R2 high pressure outlet hose and screw quick couplings.
- ♦ **Low pressure reel** and 30 metres 3/4" heavy duty reinforced inlet hose
- ♦ **FREE ASP (Aussie Safety Protection) kit** including thermal dump valve and safety valve.
- ♦ **Super heavy duty** galvanised frame



CUBE BOSS ... DIESEL POWERED

Model	BB351 MS Cube	BB400 MS Cube	BB400 Silent Cube
Stock code	ABB351YDEMOBIMS	ABB400YDEMOBIMS	ABB400YDESILMMS
Pump pressure	3,000 psi (210 bar)	4,000 psi (275 bar)	4,000 psi (275 bar)
EWP with turbo	4,785 psi	6,485 psi	6,485 psi
Flow	21 lpm	13 lpm	15 lpm
Engine	Hatz 1B50	Yanmar	Hatz 'silent pack'
Horsepower	13HP	10HP	13.5HP
Pump speed	1450 rpm	1450 rpm	1450 rpm
Pump type	Bertolini triplex	Bertolini triplex	Bertolini triplex
Pump Model	TTL2120	TTL1330	TTL1330
Tank size	1,000 litres	1,000 litres	1,000 litres
Nozzle size	065	035	035
Accessories - Hose		30M R2 3/8"	
Gun		AL55	
Lance		Dual	
Nozzle type		2 x Laser Cut	
Weight	430 kg	430 kg	tba
Dimensions LxWxH	1.8 x 1.5 x 1.32m	1.8 x 1.5 x 1.32m	1.8 x 1.5 x 1.32m
	\$17,684	\$18,234	\$21,780



BB350 Mobi Blast



ON-SITE CLEANING MOBI-BLASTERS

A skid mounted mobile blaster with it's own water supply can be forked onto a truck, ute or trailer as required.

- ♦ **'Big Berty'** slow speed triplex pump, gearbox driven
- ♦ **Top quality** diesel and petrol engines
- ♦ **600 litre water** tank with float, drain valve, low level cut out sensor, lid with strainer and level indicator.
- ♦ **Heavy duty gal** skid base with anti-vibration dampeners and lifting points (trailer & cube mounted options available)
- ♦ **High pressure reel** and base mount with 30 metres of 3/8" R2 high pressure outlet hose & screw quick couplings.
- ♦ **Low pressure reel** and 30 metres 3/4" heavy duty reinforced inlet hose
- ♦ **FREE ASP (Aussie Safety Protection) kit** including



thermal safety



Optional Accessories to suit Aussie Mobi blasters



PETROL POWERED

Model		BB350 Mobi	BB400 Mobi	Ultra A Mobi	Predator A Mobi	Python Mobi*
Stock code		ABB350HE-MOBI	ABB400H-MOBI	ABBULTRA-MOBI	ABPREDATOR-MOBI	ABPYTHON-MOBI
Pump pressure	psi	3,000 (210 bar)	4,000 (275 bar)	4,000 (275 bar)	5,000 (350 bar)	4,300 (300 bar)
EWP with turbo	psi	4,785	6,485	6,485	8,500	6,785
Flow	lpm	15	13	16	16	31
Engine	(petrol)	Honda GX390E (electric start)	Honda GX390 (recoil)	Honda GX630 (electric start)	Honda GX690 (electric start)	Vanguard (electric start)
Horsepower		13HP	13HP	23HP class 688cc	28HP class 688cc	31HP
Pump speed	rpm	1450				
Pump type		Bertolini triplex				
Pump Model		TTL1520	TTL1330	TTL32028	KTL1635	RAS4482
Tank size	Litres	600				
Nozzle size		045	035	050	035	070
Accessories - Hose		30M R2 3/8"	30M R2 3/8"	30M R2 3/8"	30M R2 3/8" 400 bar	30M R2 3/8"
Gun		AL55			DG5010	
Lance		700mm Stainless Steel Dual Lance (C3924.01)			Single lance MPA40026100	
Nozzle type		2 x Laser Cut (15° & detergent)			1 x Laser Cut (15°)	
Weight	kg	240	240	250	265	280
Unit dimensions	LxWxH	2000 x 1300 x 1400				
		\$12,530	\$12,966	\$14,990	\$16,768	\$18,593



DIESEL POWERED

Model		BB350 Mobi	BB400 Mobi	Scud 400 Silent
Stock code		ABB350L100EMOBI	ABB400L100EMOBI	ABBSC400/HDE
Pump pressure	psi	3,000 (210 bar)	4,000 (275 bar)	4,000 (275 bar)
EWP with turbo	psi	4,785	6,485	6,485
Flow	lpm	15	13	15
Engine	(diesel)	Yanmar	Yanmar	Hatz 'silent pack'
Horsepower		10HP	10HP	13.5HP
Pump speed	rpm	1450		
Pump type		Bertolini triplex		
Pump Model		TTL1520	TTL1330	TTL1330
Tank size	Litres	600	600	600
Nozzle size		045	035	035
Accessories - Hose		30M R2 3/8"		
Gun		AL55		
Lance		700mm Stainless Steel Dual Lance (C3924.01)		
Nozzle type		2 x Laser Cut (15° & detergent)		
Weight	kg	270	270	tba
Unit dimensions	LxWxH (mm)	2000 x 1300 x 1400	2000 x 1300 x 1400	
		\$14,231	\$15,357	\$22,081



BUILT TO A HIRE SPEC

Heavy duty machines specifically designed for the hire industry. Robust fittings & low maintenance components make them reliable & simple to use.

VALUE ADD EVERY HIRE

Aussie HP accessories save water, save time & save labour. Check out these ...

Trolley hose reels ...	p 72	Drain cleaning kit ...	p 73
Turbo lances ...	p 59	Telewands ...	p 76
		Flat surface cleaners ...	p 74

ELECTRIC DRIVE



BB100E

- ♦ 'Big Berty' triplex brass pump
- ♦ IP 58 4 pole electric motor (1450 rpm)
- ♦ Compact "car boot" style gal frame, solid rubber wheels
- ♦ Heavy duty on/off switch with motor protection,
- ♦ Heavy duty unloader valve
- ♦ Stainless steel 900 mm single lance
- ♦ 4,000 psi rated hand gun.
- ♦ 10 metres of HP hose with pigtail wrap
- ♦ Hydrotester option

Specifications

	Pressure	EWP with turbo	Flow	Motor	Pump	Nozzle size	Weight	Boxed dimensions (Lxwxh) mm
BB100 Electric	1,400 psi (100 bar)	1,820 psi	11 lpm	240V 2.2kW 4 pole	WBL1114	035	55kg	680 x 400 x 340

Stock codes & prices

BB100 Electric	ABB100EH/2.2KW	\$2,439
----------------	----------------	----------------

Accessories supplied with machine (with replacement price)

Gun/lance/nozzle kit	APROGUN-900-035	\$162
Hose kit	AKENNHOSKIT1	\$218

ENGINE DRIVE

- ♦ 'Big Berty' triplex brass pump
- ♦ Industrial Honda petrol or Yanmar diesel
- ♦ Gearbox drive for extra long life
- ♦ NEW stainless steel frame options
- ♦ ASP Safety Pack including safety valve, thermal dump valve & heavy duty unloader valve
- ♦ Stainless steel 900 mm single lance
- ♦ 4,000 psi rated hand gun
- ♦ Combine with an optional Aussie drain cleaning kit to enable this blaster to be used as a jetter ... p73



SCUD 400 Hire Special with Lifting bar

Specifications

	Pressure	EWP with turbo	Flow	Engine	Pump	Nozzle size	Weight	Boxed dim (Lxwxh) mm
BB100 Honda	2,000 psi (140 bar)	2,600 psi	11 lpm	Honda GX200 recoil start	WBL1114	035	45 kg	580 x 430 x 550
Scud AB30 Honda Hire Spec	3,000 psi (210 bar)	4,785 psi	10 lpm	Honda GX200 recoil start	WBXG3025	035	45 kg	620 x 540 x 580
Scud 400 Honda Hire spec	4,000 psi (275 bar)	6,485 psi	15 lpm	Honda GX390 electric start	TTL1330	035	115 kg	1100 x 800 x 950
Scud 400 Yanmar Hire spec	4,000 psi (275 bar)	6,485 psi	13 lpm	Yanmar L100 electric start	TTL1330	035	160 kg	1100 x 800 x 950

Stock codes & prices

BB100 Honda (gal frame)	ABB100K/GX200	\$2,659
Scud AB30 Honda Hire Spec (ss frame)	ABSS30H/GX200	\$2,179
Scud 400 Honda Hire spec (ss frame)	ABBSS400KGX390E	\$4,786
Scud 400 Yanmar Hire spec (ss frame)	ABBSS400H/L100E	\$7,684

Accessories supplied with machine (with replacement price)

Gun/lance/nozzle kit (BB100/AB30/Scud 400)	APROGUN-900-035	\$162
Aussie BluePro 10m hose with pigtail wrap (BB100/Scud 400)	AKENNHOSKIT1	\$218
Aussie BluePro 8m hose (AB30)	AHW06M22X2X8	\$131



BB100H (4 wheel frame option)



Scud AB30 Hire

INDUSTRIAL DIESEL

HARD WORKING AUSSIES FOR MINE SITES & SHIPYARDS

- ♦ 'Big Bertie' slow speed pumps designed for continuous operation
- ♦ Industrial Hatz B series diesel with DSE engine control panel
- ♦ NEW Scud stainless steel frame & anti vib mounts, steel wheels with pneumatic tyres
- ♦ Gearbox drive
- ♦ Stainless steel break tank
- ♦ Stainless steel reel with 30m Aussie Blue-Pro hose
- ♦ FREE ASP (Aussie Safety Protection) kit including unloader, safety valve & thermal dump

Aussie Mine Spec Features:

- ♦ Emergency stop
- ♦ Fire extinguisher
- ♦ Dry cell battery with lockable battery isolation
- ♦ Double insulated wire
- ♦ Lifting bar/hose mounting bar

	Pressure	EWP with turbo	Flow	Engine	Pump	Nozzle size	Weight	Dimensions with skid (Lxwxh) mm
Atlas 400	4,000 psi (275 bar)	6,485 psi	15 lpm	Hatz 1B50E	TTL1530	035	220 kg	1150 x 800 x 1650

Stock code & pricing

Atlas 400	Electric start	ABBSS400/1B50EMS	\$14,870
-----------	----------------	------------------	-----------------

Accessories supplied with machine

Hose	AHW06M22X2X30	30m R2 3/8" Aussie Blue-Pro hose
Gun	CGPDG5010	Aussie Blue-Pro Gun
Lance	C3905.15	900mm Stainless Steel Dual Lance
Nozzle	C915040M	Laser Cut (15°)



HIRE A JETTER ... IT'S EASY

OPERATOR CERTIFICATION NOT REQUIRED



COBRA A



- ♦ "Big Bertie" Bertolini heavy duty pump designed for continuous service
- ♦ Genuine Honda electric start industrial twin cylinder engine
- ♦ 30 litre stainless steel break tank with cut off float
- and low water cut out pump protection
- ♦ NEW stainless steel frame designed to fit through doorways
- ♦ 12 litre fuel tank
- ♦ FREE ASP (Aussie safety protection) kit
- ♦ NEW 5,000 psi rated steel hose reel
- ♦ 60 m 1/2" R8 high quality sewer hose
- ♦ FREE 7 piece Aussie Jetters Nozzle box

Specifications

	Pressure	EWP with turbo	Flow	Engine	Clears drains to	Pump	Nozzle size	Weight	Unit Dim (Lxwxh) mm
Cobra A	4,000 psi (275 bar)	6,485 psi	20 lpm	Honda E/S GX630	6" (150mm)	TTL2028	050	130 kg	900x600x1330

Stock codes & prices

Cobra A	ABSSCOBRA-A	\$8,540
---------	-------------	----------------

Replacement accessories

Hose	AHOSE RF8-60M	60M R8 1/2" sewer hose
Gun	CGPDG5010	5,000 psi pro gun
Lance	C3905.15	900mm single lance
Nozzle	AD NOZZLE BOX	Full 7 piece nozzle box

Optional accessories

Viper Mini Reel ... REMOTE CONTROL

Leave your jetter in the ute & extend your reach to 120m (60m on jetter & 60m on mini reel)

- ♦ Stainless steel stand/handle
- ♦ Integrated on/off valve that allows remote control of jetter
- ♦ 60m of Redflex 3/16" sewer hose
- ♦ Three nozzle holders
- ♦ Pressure gauge



AMINIREEL/WHOSE

\$1,888

HOT WATER ELECTRIC ... NEW AUSSIE SIZZLER



Shown with optional protective cage

- ♦ Heavy duty triplex brass pump
- ♦ Slow speed 4 pole motor with thermal cut out
- ♦ Double loop mild steel coil
- ♦ Max temp set to 80°C
- ♦ Four wheels for mobility
- ♦ 18 litre diesel fuel tank
- ♦ Delayed Total Stop for auto shut down of machine when gun not in use.
- ♦ 10 metres of HP hose
- ♦ Pro gun with stainless steel lance & laser cut nozzle
- ♦ Optional protective gal cage with lifting bars ... AFRAMES/SIZZLER ... \$595

Specifications

	Pressure	EWP with turbo	Flow	Motor	Pump	Nozzle size	Weight	Unit dimensions (Lxwxh) mm
Aussie Sizzler	1,800 psi (130 bar)	3,100 psi	10 lpm	240v, 2.7kW, 4 pole	Interpump	035	100 kg	820 x 630 x 870

Stock codes & prices

Aussie Sizzler	FS-D1310P4M	\$4,420
----------------	-------------	----------------

Accessories supplied with machine (with replacement price)

Gun/lance/nozzle kit	APROGUN-1200-045	\$174
Hose kit (10m hot water rated)	AKENNHOSKIT2	\$218

PUMP MOTOR GROUPS

Build your own truck, ute or trailer mounted high pressure water blaster or drain cleaning jetter.


- ♦ Unloader
- ♦ Safety valve
- ♦ Pressure gauge
- ♦ Heavy duty inlet filter
- ♦ High pressure gun & lance



Supplied on gal base

PETROL

Model	Stock code	Pump model	Engine	Pump Pressure (psi)	Flow (lpm)	Weight (kg)	List Price
BB100 PM	ABB100GX200NF	WBL1114	Honda GX200	2,000 (140 bar)	11	45	\$1,628
BB350 PM	ABB350/GX390NF	TTL1520	Honda GX390	3,000 (210 bar)	15	90	\$2,574
BB400 PM	ABB400/GX390PM	TTL1330	Honda GX390	4,000 (275 bar)	15	90	\$3,058
ULTRA PM*	ABBULTRA(PM)	TTK2130	Honda GX630	4,300 (300 bar)	20	110	\$5,161
PYTHON PM*	ABBPYTHON(PM)	Premium RAS4482	Vanguard 31HP	4,300 (300 bar)	31	90	\$7,502
PREDATOR A PM	ABPREDATOR+N/F	KTL1635	Honda GX630	5,000 (350 bar)	20	120	\$6,433
PREDATOR + PM*	ABPRED+VANPMG	Premium RAL2535	Vanguard 27HP	5,000 (350 bar)	25	120	\$7,123
RAPTOR 16 PM*	ABRAPTORSC16PM	RA1650	Vanguard 31HP	7,300 (500 bar)	16	123	\$9,092
RAPTOR 18 PM*	ABRAPTORSC18PM	RA1850	Vanguard 35HP	7,300 (500 bar)	18	128	\$9,873



Dimensions of gal base
540mm (W) x 550mm (L)

DIESEL

Model	Stock code	Pump model	Engine	Pump Pressure (psi)	Flow (lpm)	Weight (kg)	List Price
BB100 DPM	ABB100/L48ENF	WBL1114	Yanmar L48E	2,000 (140 bar)	11	65	\$3,894
BB350 DPM	ABB350/L100ENF	TTL1520	Yanmar L100E	3,000 (210 bar)	15	115	\$6,422
BB400 DPM	ABB400/L100ENF	TTL1330	Yanmar L100E	4,000 (275 bar)	15	115	\$6,661
PREDATOR A DPM	ABPREDKDEPMG	KTL1635	Kohler KD477 23HP	5,000 (350 bar)	20	250	\$11,693
RAPTOR 16 DPM*	ABRAPTORSC16DPM	RA1650	Kohler KD477 23HP	7,300 (500 bar)	16	250	\$13,937
RAPTOR 450 DPM*	ABRAPSC450PM	RA1850	Kohler KD477 23HP	6,500 (450 bar)	18	280	\$13,937



ELECTRIC

Model	Stock code	Pump Model	Motor	Pump Pressure (psi)	Flow (lpm)	Weight (kg)	List Price
MONSOON 200 EPM	ABMON200PM	TTL1520	5.5kW	3,000 (210 bar)	15	70	\$2,618
MONSOON 400 EPM	ABMON400PM	TTL1530	7.5kW	4,000 (275 bar)	15	82	\$3,608
MONSOON 400M EPM	ABMON400MEPM	TTL2028	11kW	4,000 (275 bar)	20	105	\$5,280
HURRICANE A EPM	AHURRICANE EPM	KTL1635	15kW	5,000 (350 bar)	16	120	\$7,568
RAPTOR 18 EPM*	ABRAPTOR18 EPM	RA 1850	18kW	7,300 (500 bar)	18	120	\$14,399
RAPTOR 21 EPM*	ABRAPTOR21 EPM	RA 2150	21kW	7,300 (500 bar)	21	TBA	\$18,687



Call for details on auto stop versions

3,000 - 5,000 PSI

mobile, flexible installations, trenchless excavation



HYDRAULIC DRIVE ... CLASS A

Hydraulic drive high pressure blasters for mobile applications, i.e. truck mounting for on-site cleaning, hydraulic concrete pumps, garbage trucks, drillers, marine applications, non destructive digging.

Non fumes, no sparks, unlimited power!

- ♦ "Big Berty" Bertolini pump ...
4 YEAR WARRANTY
- ♦ Top quality hydraulic motor

- ♦ **FREE ASP (Aussie Safety Protection) kit**, includes unloader & safety valve. Protects operator & machine against pressure spikes
- ♦ **FREE** heavy duty, brass inlet strainer
- ♦ **FREE** wash down kit including gun, lance & 10m hose
- ♦ Optional 30 metre hose reel kit (see below)

Hydraulic drive range to 7,300 psi available ... call for more options.

Specifications

	Pump Pressure	Turbo EWP	Flow	Motor	Rqd Hyd Pressure	Rqd Hyd Flow	Pump	Nozzle size	Weight
THY2715/HYD	2,175 psi (150 bar)	3,500 psi	27 lpm	Salami	1450 psi	38 lpm	THY2715	035	15 kg
WHY1520/HYD	3,000 psi (200 bar)	4,785 psi	15 lpm	Salami	1160 psi	38 lpm	WHY1520	035	12 kg
TTL1330/HYD	4,300 psi (300 bar)	7,000 psi	13 lpm	Casappa PLM 30 22	2900 psi	38 lpm	TTL1330	035	35 kg
TTL2028/HYD	4,000 psi (275 bar)	6,485 psi	20 lpm	Casappa PLM 30 34	2900 psi	60 lpm	TTL2028	050	40 kg
KTL1635/HYD	5,000 psi (350 bar)	8,500 psi	16 lpm	Casappa PLM 30 34	2900 psi	60 lpm	KTL1635	035	40 kg

Stock codes & pricing

THY2715/HYD	BTHY2715/HYDKIT	\$2,475
WHY1520/HYD	BWHY1520HYD-KIT	\$2,391
TTL1330/HYD	BTTL1330/HYDKIT	\$3,822
TTL2028/HYD	BTTL2028/HYDKIT	\$4,635
KTL1635/HYD	BKTL1635/HYDKIT	\$5,240

Note: requires installation by a qualified hydraulics engineer over speeding will cause pump damage



Accessories supplied with machine

	Up to 4,000 psi		Over 4,000 psi	
Hose	AHW06M22X2X10	10m R2 3/8"	AHW06M22X2X10	10m R2 3/8"
Gun	M4022209003	AL55 4,500 psi Pro Gun	MPA30450010	RL56 5,100 psi PA gun
Lance	C3924.01	700mm Dual Lance	MPA40025800	800mm PA single lance
Nozzle	C915035M C915500MSS	2 x Laser Cut (15" & detergent)	C915045M	Laser cut nozzle

Optional accessories FASTER, SMARTER, SAFER

Turbo Lance 60% MORE BITE p 59

Increase the effective working pressure (EWP) of your blaster without loading the pump!



M4042100004	(up to 3,000 psi)	\$145
CTN310-___	(up to 4,000 psi)	\$242
CTN400-___	(up to 5,000 psi)	\$364

Tele-wand ... REACH further p 76

Ideal for reaching eaves & washing windows, extends to 5.5m, includes FREE harness. Quik Tip nozzle sold separately.



AGPDLTG18		\$399
AGPDCLTG18A Heavy duty		\$464
QT nozzle C915-__Q		\$18

(insert nozzle size)

CLEAN FLAT SURFACES FAST p 74

SLASH CLEANING TIMES BY 75%

Clean flat surfaces four times faster, leaving a streak free finish. Standard nozzles included.

AGPDFSC20	20" Spinner	\$1,154
AGPDFSCS22Z	22" Cyclone	\$1,449



Trenchless Excavation ... TURBO HEADS TO 500 BAR p 59

Guns/lances & couplings for
No dig excavations ...
p56 onwards



Extra length hose ... CONVENIENT p 70

Cleaning large plant?...

reach further with these extra length Aussie Blue-Pro hoses, 5,800 psi rated, R2 wire braid hose, 3/8 female ends (M22 & M24 couplings sold separately)

AHW06FB6FB6X20 (20m)	\$305
AHW06FB6FB6X30 (30m)	\$462
AHW06FB6FB6X50 (50m)	\$714
MPA26065050 (M22 QC)	\$36



4,000 psi Hose Reel Kit .. EASY FIT p 72

Safer & smarter working, includes reel, 30m double wire braid hose, whip hose & mounting plate

ADHR40100D (hose reel kit)



Drain Clearing Kit, SAFE & SIMPLE p 73

Includes Aussie Viper Mini Reel with 60 metres of 3/16" sewer hose. Full Aussie Jetters Tool Box, including quick coupler to fit to end of blaster high pressure hose. **FREE** safety plate.



ADRAINKIT **\$3,090**

Aussie Pumps

AUSSIE JETTERS

drain cleaning revolution

DRAIN CLEANING JETTERS

5

Plumbers tell us jetters are more capable, faster & do a better job than mechanical drain cleaning machines.

- ☑ 60m reach
- ☑ Clear blockages with minutes
- ☑ Wash & flush as they clear

SMART PLUMBERS USE JETTERS

HONDA JETTERS ... CLASS A

OPERATOR CERTIFICATION NOT REQUIRED



- ♦ 12 litre fuel tank
- ♦ FREE ASP (Aussie safety protection) kit
- ♦ NEW 5,000 psi rated steel hose reel
- ♦ 60 m 1/4" R8 high quality sewer hose
- ♦ FREE 7 piece Aussie Jetters Nozzle box
- ♦ FREE Safety eyewear



COBRA A SERIES

- ♦ "Big Bert" Bertolini heavy duty pump designed for continuous service
- ♦ Genuine Honda electric start industrial twin cylinder engine
- ♦ 30 litre stainless steel break tank with cut off float and low water cut out pump protection
- ♦ NEW stainless steel trolley frame designed to fit through doorways
- ♦ NEW stainless steel Cube version, smaller footprint, for permanent mounting on a ute ... comes complete with Cobra Loc. (no wheels)

King Cobra A cube frame



POWERED by **HONDA**™

Optional accessories FASTER, SMARTER, SAFER

Viper Mini Reel ... REMOTE CONTROL

Leave your jetter in the ute & extend your reach to 120m (60m on jetter & 60m on mini reel)

- Stainless steel stand/handle
- Integrated on/off valve that allows remote control of jetter
- 60m of Redflex 3/16" sewer hose
- Three nozzle holders
- Pressure gauge



AMINIREEL/WHOSE

\$1,888

Aussie Super Worm Hose (15 metres)

1/2", 5,000 psi rated, super flexible sewer hose, ideal for small drains and tight bends.

Complete with compressor nozzle & quick fit tail. (1/8 BSP M ends)



AHOSER8 1/8 15M

\$372

SECURE YOUR JETTER ... COBRA LOC

Heavy duty galvanised steel
Easy bolt down to vehicle
Secures Cobra jetter in transit
Eliminates frame stress
Facilitates quick release for jetter maintenance
Pad lockable



ACRADLECOBRA

\$460



Specifications

	Pressure	EWP with turbo	Flow lpm	Engine	Clears drains to	Pump	Nozzle size	Weight
Cobra A	4,000 psi (275 bar)	6,485 psi	20	Honda E/S GX630	6" (150mm)	TTL2028	050	130 kg
King Cobra A	5,000 psi (350 bar)	8,500 psi	16 lpm	Honda E/S GX630	7" (180mm)	KTL1635	035	130 kg

Frame options

			Unit Dim (Lxwxh) mm	
Cobra A	ABSSCOBRA-A	SS trolley frame	900x600x1330	\$8,540
King Cobra A	ABSSCOBRAK-A-CUBE	SS Cube Frame	850x563x1230	\$9,592

Accessories supplied with machine

Hose	AHOSE RF8-60M	60M R8 1/4" sewer hose
Gun	CGPDG5010	5,000 psi pro gun
Lance	C3905.15	900mm single lance
Nozzle	AD NOZZLE BOX	Full 7 piece nozzle box
Pump service kits ... p86 - 87		

Click or scan QR code for Aussie Jetter handover video



HONDA JETTERS ... CLASS B

RTO CERTIFICATION REQUIRED



COBRA B SERIES

- Genuine **Honda** electric start industrial twin cylinder engine with emergency stop fitted
- **"Big Bert"** Bertolini heavy duty pump designed for continuous service
- **NEW stainless steel frame** designed to fit through doorways
- **Cube version**, smaller footprint, for permanent mounting on a ute ... comes complete with Cobra Loc. (no wheels)
- **30 litre stainless steel break tank** with cut off float and low water cut out pump protection
- **12 litre fuel tank**
- **FREE ASP** (Aussie safety protection) kit



- **FREE** hose restraint & safety plate
- **5,000 psi** rated steel hose reel
- **60 m 1/2" R8** high quality sewer hose
- **FREE** 7 piece Jetters Nozzle box
- **FREE** Safety eyewear

Emergency stop fitted standard on all Class B jetters

Specifications

	Pressure	EWP with turbo	Flow	Engine	Clears drains to	Pump	Nozzle size	Weight
King Cobra	5,000 psi (350 bar)	8,500 psi	20 lpm	Honda E/S GX690	7" (180mm)	Premium RAL2035	045	135 kg

Frame options

			Unit Dim (Lxwxh) mm	
King Cobra	ABSSCOBRAKINGMK2	Trolley frame	900x600x1330	\$10,551
	ABSSCOBRAKINGCUBE	Cube Frame	850x563x1230	\$10,551

Accessories supplied with machine

Hose	AHOSE RF8-60M	60M R8 1/2" sewer hose
Gun	CGPDG5010	5,000 psi pro gun
Lance	C3905.15	900mm single lance
Nozzle	AD NOZZLE BOX	Full 7 piece jetters nozzle box
Safety plate	AD MSP	Covers drain entrance
Hose restraint	AD HRSS8	Suits 1/4" hose

Pump service kits ... p87 - 88

Click or scan QR code for Aussie Jetter handover video



Optional accessories FASTER, SMARTER, SAFER

Viper Mini Reel ... REMOTE CONTROL

Leave your jetter in the ute & extend your reach to 120m (60m on jetter & 60m on mini reel)

- Stainless steel stand/handle
- Integrated on/off valve that allows remote control of jetter
- 60m of Redflex 3/16" sewer hose
- Three nozzle holders
- Pressure gauge



AMINIREEL/WHOSE **\$1,888**

Aussie Super Worm Hose (15 metres)

1/2", 5,000 psi rated, super flexible sewer hose, ideal for small drains and tight bends. Complete with compressor nozzle & quick fit tail. (1/8 BSP M ends)



AHOSE8 1/8 15M **\$372**

SECURE YOUR JETTER ... COBRA LOC

Heavy duty galvanised steel
Easy bolt down to vehicle
Secures Cobra jetter in transit
Eliminates frame stress
Facilitates quick release for jetter maintenance
Pad lockable



ACRADLECOBRA
\$460



FOOT VALVE ... MORE CONTROL

350 bar foot valve adds a second level of operator control, in addition to gun trigger (complies with new safety standards for Class B machines)



AST350-2605 (foot valve) **\$577**
AD MFVPH (whip hose kit) **\$174**

LOW PRESSURE REEL WITH SUPPLY HOSE

Top quality low pressure steel reel with 30m of 3/4" supply hose



A4418-LP ASSY **\$838**

VANGUARD JETTERS ... CLASS B

RTO CERTIFICATION REQUIRED



Designed by plumbers for plumbers



Emergency stop fitted

COBRA VANGUARD SERIES

- Genuine industrial twin Vanguard petrol engine with emergency stop fitted
- "Big Bert" Bertolini heavy duty triplex pump
- 30 litre stainless steel break tank with cut off float and low water cut out pump protection
- Stainless steel frame with anti-vibration mounts with 10" pneumatic wheels with sealed bearings
- 5,000 psi rated hose reel with 60m 3/4" R8 high quality sewer hose
- ASP (Aussie Safety Protection) including unloader valve & safety valve.
- FREE 7 piece Jetters Nozzle box
- FREE hose restraint & safety plate
- FREE Safety eyewear

Specifications

	Pressure	EWB with turbo	Flow	Engine	Clears drains to	Pump	Nozzle size	Weight
King Cobra Vanguard	5,000 psi (350 bar)	8,500 psi	25 lpm	Vanguard 27 HP electric start	8" (200mm)	Premium RAL2535	055	140 kg
Python Vanguard	4,300 psi (300 bar)	6,785 psi	31 lpm	Vanguard 31 HP electric start	9" (230mm)	Premium RAS4482	070	150 kg

Stock codes & pricing

	Unit Dimensions (Lxwxh) mm			
King Cobra Vanguard	ABBCOBRKINGVAN	Gal trolley frame	1020 x 600 x 1330	\$10,240
	ABBSSCOBRKVAN (due late 2019)	Stainless Steel Frame	1020 x 600 x 1330	\$10,732
Python Vanguard	ABSSPYTHON	Stainless Steel Frame	1020 x 600 x 1330	\$11,960

Accessories supplied with machine

King Cobra			Python ... BIG FLOW, BIG HOSE		
Hose (60M)	AHOSE RF8-60M	3/4" sewer hose	AHOSE R8 3/8 60M	3/8" sewer hose	
Gun	CGPDG5010	5,000 psi pro gun	CGPDG5010	5,000 psi pro gun	
Lance	C3905.15	900mm single lance	C3905.15	900mm single lance	
Nozzle	AD NOZZLE BOX	Full 7 piece jetters nozzle box	AD NOZZLE BOX AD BT6R1F10 AD SD6R1F10	Full 7 piece nozzle box Bandit 3/8" Nozzle Screwdriver 3/8" nozzle	
Safety plate	AD MSP	Covers drain entrance	AD MSP	Covers drain entrance	
Hose restraint	AD HRSS8	Suits 1/4" hose	AD HRSS10	Suits 3/8" hose	

Pump service kits ... p87 - 88

Optional accessories FASTER, SMARTER, SAFER

Viper Mini Reel ... REMOTE CONTROL

Leave your jetter in the ute & extend your reach to 120m (60m on jetter & 60m on mini reel)

- Stainless steel stand/handle
- Integrated on/off valve that allows remote control of jetter
- 60m of Redflex 3/16" sewer hose
- Three nozzle holders
- Pressure gauge



AMINIREEL/WHOSE (suits King Cobra) \$1,888

AMINIREELWH1/4" (suits Python) \$1,993

Aussie Super Worm Hose (15 metres)

3/4", 5,000 psi rated, super flexible sewer hose, ideal for small drains and tight bends.

Complete with compressor nozzle & quick fit tail.

(1/8 BSP M ends)



AHOSE R8 1/8 15M

\$372

SECURE YOUR JETTER ... COBRA LOC

Heavy duty galvanised steel
Easy bolt down to vehicle
Secures Cobra jetter in transit
Eliminates frame stress
Facilitates quick release for jetter maintenance
Pad lockable



ACRADLECOBRA

\$460



FOOT VALVE ... MORE CONTROL

350 bar foot valve adds a second level of operator control, in addition to gun trigger (complies with new safety standards for Class B machines)

AST350-2605 (foot valve)

AD MFVPH (whip hose kit)

\$577

\$174



LOW PRESSURE REEL WITH SUPPLY HOSE

Top quality low pressure steel reel with 30m of 3/4" supply hose



A4418-LP ASSY

\$838



Click or scan QR code for Aussie Jetter handover video

COBRA TRAILER JETTS ... READY, SET, JET (CLASS A & B OPTIONS)



Trailer Jett shown with optional gal roof

Professional, self contained, trailer or skid mounted high pressure water jetting systems, ideal for cleaning drains up to 9 inches. Can also double as a high pressure, high flow water blaster.

- ♦ 'Big Berty' heavy duty triplex pump
- ♦ Industrial Honda or Vanguard twin cylinder engine with Emergency stop fitted
- ♦ 200 litre Rapid Spray poly tank, UV resistant
- ♦ Low pressure supply hose reel with 30m of 3/4" low pressure hose
- ♦ 60m of high quality 5,000psi rated jetting hose, fitted to steel hose reel for jetting straight off trailer
- ♦ Full 7 piece nozzle kit including Aussie Turbo Root Mulcher nozzle
- ♦ Aussie Viper Mini Reel with 60m of 3/16" Redflex sewer hose
- ♦ FREE hose restraint & safety plate
- ♦ FREE Safety eyewear

Call for details of diesel powered options.

Trailer specs ...

Heavy duty Australian made hot dipped galvanised single axle trailer ...

- ♦ New tyres & wheels (spare included)
- ♦ Heavy duty jockey wheel,
- ♦ VIN number & blue slip ready for registration
- ♦ Heavy duty lockable toolbox
- ♦ Optional gal roof for weather protection (+\$1,250^{+GST})



Click or scan QR code for Aussie Jetter handover video

Specifications

	Safety Class	Pressure	EWP with turbo	Flow	Engine	Clears drains to	Pump	Nozzle size
King Cobra A	A	5,000 psi (350 bar)	8,500 psi	16 lpm	Honda GX630 electric start	6" (150mm)	KTL1635	035
King Cobra	B	5,000 psi (350 bar)	8,500 psi	20 lpm	Honda GX690 electric start	7" (180mm)	KTL2035	045
King Cobra Vanguard	B	5,000 psi (350 bar)	8,500 psi	25 lpm	Vanguard 27 HP electric start	8" (200mm)	Premium RAL2535	055
Python Vanguard	B	4,300 psi (300 bar)	6,785 psi	31 lpm	Vanguard 31 HP electric start	9" (230mm)	Premium RAS4482	070

Pricing

Trailer mount				Skid Mount		
		Dimensions			Dimensions	
King Cobra A	ABBCOBRACING-A-T	2.6m x 1.4m	\$17,628	ABBCOBRACING-A-S	2.2m x 1.25m	\$15,628
King Cobra	ABBCOBRACINGTR	2.6m x 1.4m	\$18,862	ABBCOBRACINGSKM	2.2m x 1.25m	\$16,722
King Cobra Vanguard	ABBCOBRACINGVTR	2.6m x 1.4m	\$19,700	ABBCOBRACINGVSM	2.2m x 1.25m	\$17,420
Python Vanguard	ABBPYTHONTR	2.6m x 1.4m	\$25,466	ABBPYTHONSM	2.2m x 1.25m	\$23,155

Accessories supplied with machine

King Cobra			Python ... BIG FLOW, BIG HOSE		
Hose (60M)	AHOSE RF8-60M	1/2" sewer hose	AHOSER8 3/8 60M	3/8" sewer hose	
Gun	CGPDG5010	5,000 psi pro gun	CGPDG5010	5,000 psi pro gun	
Lance	C3905.15	900mm single lance	C3905.15	900mm single lance	
Mini Reel	AMINIREEL/WHOSE	60M 3/16" sewer hose on a Remote Mini Reel	AMINIREEL/WHOSE	60M 1/4" sewer hose on a Remote Mini Reel	
Nozzle	AD NOZZLE BOX	Full 7 piece jetters nozzle box	AD NOZZLE BOX AD BT6R1F10 AD SD6R1F10	Full 7 piece nozzle box Bandit 3/8" Nozzle Screwdriver 3/8" nozzle	
Safety plate	AD MSP	Covers drain entrance	AD MSP	Covers drain entrance	
Hose restraint (Class B only)	AD HRSS8	Suits 1/4" hose	AD HRSS10	Suits 3/8" hose	



HOT WATER JETTERS ... CLEAR GREASE LINES WITH EASE!

- ♦ **Heavy duty** triplex pump with brass pump head
- ♦ **Adjustable temperature** up to 130°C, steam melts grease without using chemicals.
- ♦ **Spiralast coil** with lifetime warranty
- ♦ Water tight electrical box with battery
- ♦ Robust "Pro-ject" steel frame with built-in lifting eyes for transportation
- ♦ Stainless steel panels and boiler cover.
- ♦ Full 7 piece nozzle kit (Mustang) including Aussie Turbo Root Mulcher nozzle
- ♦ Aussie Viper Mini Reel with 60m of 3/16" Redflex sewer hose
- ♦ Skid mount option with 700 litre water tank & hose reels



HSC40005HAF



Specifications

	Safety Class	Pressure	EWP with turbo	Flow	Max Temp	Engine	Clears drains to	Pump	Weight
HSS40004VG	A	4,000 psi (275 bar)	6,485psi	15 lpm	130°C	Vanguard 18HP electric start	4" (100mm)	General Pump EZ4040G	204 kg
HSC40005HAF	A	4,000 psi (275 bar)	7,100 psi	20 lpm	130°C	Honda GX630 23 HP electric start	6" (150mm)	Bertolini TTK2130	306 kg
HSCX40005DBF	A	4,000 psi (275 bar)	6,485 psi	19 lpm	130°C	Kubota Diesel 17HP electric start	6" (150mm)	Bertolini TTL2028	294 kg

Stock codes & prices

		Unit Dimensions (Lxwxh) m	
HSS40004VG	HSS40004VGDJ	1.2 x 0.6 x 1.0	\$14,430
HSC40005HAF	HSC40005HAFDJ	1.3 x 0.9 x 1.0	\$22,354
HSCX40005DBF	HSCX40005DBFDJ	21.3 x 0.9 x 1.0	\$25,010

Accessories supplied with machine

Hose	AHW06M22X2X10	10m R2 3/8"
Gun	CGPDG5010	5,000 psi pro gun
Lance	C3905.15	900mm single lance
Mini Reel	AMINIREEL/WHOSE	60M 3/16" sewer hose on a Remote Mini Reel
Nozzle	AD NOZZLE BOX	Full 7 piece jetters nozzle box



Includes Viper Mini Reel

BUDGET MINI JETTERS ... SUPER CONVENIENT

- ♦ **2,175 psi** max pump pressure
- ♦ **3,400 psi** effective working pressure with Aussie Turbo Master turbo lance
- ♦ **Compact** design
- ♦ **Heavy duty 4 pole**, slow speed motor
- ♦ **Brass** head triplex pump
- ♦ **Pro gun** & Vario lance
- ♦ **Normal 10 amp** plug, 240 volt
- ♦ **FREE turbo lance** ... maximise your effective working pressure for fast results
- ♦ Includes 15m Aussie Super Worm flexible sewer hose & drain cleaning nozzle
- ♦ Optional heavy duty trolley kit ...
AGP2100436 trolley \$208
F43146 mounting kit \$16



Specifications

	Safety Class	Pump Pressure	EWP with turbo	Flow	Motor	Clears drains to	Pump	Weight
Black Box with Drain Cleaning kit	A	1,800 psi (124 bar)	3,400 psi	8 lpm	240v 2.6kW 4 pole	Small drains	Triplex	30 kg

Stock codes & pricing

	Stock codes to use	Unit Dimensions (Lxwxh) mm	
Black Box with 15m Super Worm jetting hose (& required couplings)	FKB8.15 AHOSER8_15M C1500.06 AD QR8BR2	390 x 240 x 230	\$1,457

Accessories supplied with machine

Hose	AHW06M22X2X8	8M R2 hose
Sewer hose	AHOSER8 1/8 15M	15M R8 sewer hose with nozzle
Gun	M4021108007	AL13 pro gun
Lance	C4723.45.115	Vario lance
Turbo	M4042100004	Turbo lance

Pump service kits ... p34



JETTING ESSENTIALS ... ADD THEM TO YOUR LIST!

SECURE YOUR JETTER ... Aussie Cobra Loc

Heavy duty galvanised steel

- Easy bolt down to vehicle
- Secures Cobra jetter in transit
- Eliminates frame stress
- Facilitates quick release for jetter maintenance
- Pad lockable



ACRADLECOBRA
\$460



DOUBLE STACKER HOSE REEL KITS Simply to ute mount



Heavy duty powder coated steel double stacker hose reel

1. Low pressure steel reel with 30m of 3/4" supply hose
 2. 5,000 psi rated reel with 60m of sewer hose.
- (requires joining hoses & couplings)

AD ARS-DSC \$2,490

Dual Stacker without hose

AD ARS-DC \$1,425

Low pressure steel reel with 30m of 3/4" supply hose
A4418-LP ASSY \$838

Bare hose reel with 5,000 psi swivel (no hose)
A4418-REEL \$629

FOOT VALVE Essential for Class B safety

350 BAR foot valve adds a second level of operator control, in addition to gun trigger



AST350-2605	(foot valve)	\$577
AD MFVPH	(whip hose kit)	\$174
AD HT12-M	(QC plug)	\$62
C20024550	(SS QC)	\$62

AUSSIE SAFETY EYEWEAR

Aussie tinted safety glasses (ANSI Z87.1) equivalent to AS/NZS 1337



AP-SAFETYGLASSES \$10

SAFETY PLATE

Designed to make jetting safer & easier. Prevents operator injuries caused by jetting nozzle accidentally returning out of the drain.



AD MSP \$208

AUSSIE COBRA CLASS B SAFETY PACK

- Safety plate
- 500 bar safety gloves
- Foot valve with whip hose
- 500 bar hose shroud
- Hose restraint



ACOBRA SAFEKIT2 \$1,282



500 BAR SAFETY GEAR (more p80)

Aussie Jet Stop boots
ATST5652025xx \$485
(xx = size 42-48)

Safety gloves
ATSTP5600025xxS \$199
(xx = size 8 or 11)

Hose Shroud
ATST56600455920 \$233



AUSSIE VIPER MINI REEL ... Remote control of jetter



Leave your jetter in the ute & extend your reach to 120m (60m on jetter & 60m on mini reel)

- Stainless steel stand/handle
- Integrated on/off valve that allows remote control of jetter
- 60m of Redflex 3/16" sewer hose or 1/4" sewer hose
- 3 nozzle holders
- Pressure gauge
-



AMINIREEL/WHOSE (Cobra & King Cobra) \$1,888
AMINIREELWH1/4" (Python) \$1,993

Replacement parts

Swivel	AD MRSB	\$156
Repair kit (circlip & o-rings)	AD MNRRK	\$30
3/8" Ball valve (with handle)	MTM0089502	\$59
Ball valve extended handle only	AD BVH	\$44
Locking pin & spring	AD MNR PL	\$28

AUSSIE HOT LINK Converts a jetter into a hot jetter



- Suits any cold water pressure cleaner to 4,000 psi with flows to 20 lpm
- 12 volt diesel fired burner
- Built-in diesel fuel tank (11 litres).
- Flow switch control
- Requires 14 amp charge circuit
- Integrated burst disc and safety relief valve
- 2.7 metres of 5,000 psi hose
- Stainless steel frame with stainless steel boiler housing and powder coated steel chassis
- Requires a 12 volt power source

HCPHL5DC \$4,343

DRAIN CLEANING JETTER NOZZLE BOX Clear a full range of chokes

- Predator Penetrator Nozzle Complete
- Negotiator Invader Nozzle Complete
- Compressor Invader Nozzle with Adapter,
- Turbo Root Mulching Nozzle reverse spinning nozzle
- Nozzle Tip Cleaner
- Spare 1/4" coupler
- 3/16" allen key



GENUINE MUSTANG NOZZLES ...
Australian Made

AD NOZZLE BOX \$903



Want to convert a high pressure cleaner into a jetter? See our Drain Cleaning Kit p73

CLEAR IT FASTER

PREDATOR PENETRATOR

3 rear jets & 1 forward jet
It's used for general drain cleaning. The long pointed nose penetrates deep into a choke, blasting out the debris. (5,000 psi rated)
Includes cowl & tail, use with 1/4" coupler
AD P3R1FC **\$173**



NEGOTIATOR INVADER

6 rear jets & 1 forward jet It's used for tight bends and traps. It is a good multi-purpose nozzle. (5,000 psi rated)
Includes cowl & tail, use with 1/4" coupler
AD N6R1FC **\$167**



COMPRESSOR INVADER

6 rear jets & 1 forward jet
Small nozzle that assists with blockages in smaller pipes. (5,000 psi rated)
Includes cowl & tail, use with 1/4" coupler
AD C6R1FC **\$147**



BEAVER COMPLETE

2 forward jets & 6 rear jets The 2 forward jets bore deep into the choke. Ideal for dry paper chokes. (5,000 psi rated)
Includes cowl & tail, use with 1/4" coupler
AD BV6R2FC **\$187**



ROOT RAT

1 front jet & 6 rear jets
(3 behind the tip of the nozzle at 45° and 3 at the rear of the nozzle at 30°) Quickly penetrates chokes. (5,000 psi rated)
Includes cowl & tail, use with 1/4" coupler
AD RR6R1FC **\$189**



BULLET

1 front jet & 6 rear jets
It's used for tight root blockages. Although it is very effective, only use on difficult chokes as it has a habit of leaving the drain. (5,000 psi rated)
Includes cowl & tail, use with 1/4" coupler
AD B6R1FC **\$174**



BANDIT (3/8")

1 front jet & 6 rear jets
Designed to enter a blockage quickly and with max thrust. Suits Python jetter.
AD BT6R1F10 **\$138**



SCREWDRIVER (3/8")

1 front jet & 6 rear jets
Designed to get through the toughest root blockages. Suits Python jetter.
AD SD6R1F10 **\$140**



EXTENSION BARS (for larger drains)

Designed to extend the length of a the nozzle to prevent them turning around in a pipe.



100mm	AD EXT100	\$160
150mm	AD EXT150	\$160
250mm	AD EXT250	\$180
350mm	AD EXT350	\$180

TURBO ROOT MULCHER (drains to 6")

Rotating rear jet
Used after a penetrator style nozzle has broken through the blockage. Quickly strips tree roots, grease & debris from the drain.



AD RR8TCF **\$352**

Replacement parts

1. Brass turbo	CTN255-055H	\$152
2. End bend	AD SS8TM	\$193
3. Male plug	AD HT8MSF	\$32

Use with extension bars for larger drains.

DOUBLE TURBO ROOT MULCHER (for larger drains to 24")

The Double Turbo Root Mulcher nozzle has the power of 2 turbines so large pipes can be cleaned. This gives a standard jetter the power effectiveness of a larger machine without the extra cost.



AD RRDB **\$525**

Replacement parts

1. Brass turbo	CTN255-055H	\$152
2. End bend	AD RRDBBASE	\$297
3. Male tail	AD HT12M	\$31

Use with extension bars for larger drains.

COUPLERS, TAILS, CONES & ACCESSORIES

Couplers	1/4" brass	AD QR8BR	\$41
	1/4" ss	C200245500	\$62
Tail	1/8" female	AD HT4F	\$28
	1/8" male	AD HT4M	\$28
	1/4" female	AD HT8F	\$28
	1/4" male	AD HT8M	\$28
Cone	1/8" plastic	AD PC4	\$20
	1/4" plastic	AD PC8	\$23
Tip cleaner		AD TC	\$20



AUSSIE REDFLEX SEWER HOSE

The super strong thermoplastic coating means the hose is stiffer but harder wearing. (5,000 psi 1/4 BSP M ends)

- ◆ 1/4" for general drain clearing (60m)
AHOSE RF8-60M **\$775**
- ◆ 3/16" for gullies & tight corners (60m)
AHOSE RF6-60M **\$709**
- ◆ 3/8" for high flow jetters (60m) (3/8" M ends)
AHOSE8 3/8 60M **\$943**



AUSSIE SUPER WORM HOSE (15M)

1/2", 5,000 psi rated, super flexible sewer hose, ideal for small drains and tight bends.

Complete with compressor nozzle & quick fit tail.
(1/8 BSP M ends)



AHOSE8 1/8 15M **\$372**

NEW HOSE RESTRAINT



Stainless steel **hose restraint** sock with carabiner & bracket. Connects between hose and gun or mini reel couplings. Use to restrain the hose in the event of a coupling failure.
Required with Class B machines under AS/NZS4233.1

AD HRSS10 (3/8" thermoplastic hose)	\$120
AD HRSS8 (1/4" thermoplastic hose)	\$95
AHRANCHORPLATE	\$7
(attaches restraint to gun/lance or mini reel)	

POWERFUL | PORTABLE | PROFESSIONAL

NO FUEL, NO FUSS ... JUST PLUG & GO



BLACK BOX

- **2,175 psi** max pump pressure
- **3,400 psi** effective working pressure with Aussie Turbo Master turbo lance
- **Compact** design
- **Heavy duty 4 pole**, slow speed motor
- **Brass** head triplex pump
- **Pro gun** & Vario lance
- **Normal 10 amp** plug, 240 volt
- **FREE turbo lance** ... maximise effective working pressure for fast results
- **8m** rubber wire braid professional HP hose
- **Thermal dump** to protect pump from extended by-pass running
- **Detergent injection** (not for use with 15m hose)
- Optional heavy duty trolley (supplied flat pack) and hose reel

Specifications

	Pump Pressure	Max rated pressure	EWP with turbo	Flow	Motor	Pump	Weight	Unit Dimensions (Lxwxh) mm
Black Box	1,800 psi (124 bar)	2,175 (140 bar)	3,400 psi	8 lpm	240v 2.6kW 4 pole	Triplex	30 kg	390 x 240 x 230

Stock codes & pricing

Black Box	FKB8.15	\$1,035
Black Box with Smart Cart	FKB8.15TR	\$1,248
Black Box with Smart Cart & 15m hose reel	FKB8.15TRHR	\$1,771

Accessories supplied with machine

Hose	AHW06M22X2X8	8M R2 hose
Gun	M4021108007	AL13 pro gun
Lance	C4723.45.115	Vario lance
Turbo	M4042100004	Turbo lance

Optional accessories FASTER, SMARTER, SAFER

Aussie Black Box with Smart Cart

GO MOBILE ... EASY FIT TROLLEY
Strong & robust trolley, 10" flat free tyres, accessories holder, steel frame . (assembled required)

Black Box with trolley
FKB8.15TR **\$1,248**

Trolley only AGP2100436 **\$198**
BB mounting kit F43146 **\$15**

Black Box with Smart Cart & Reel

Aussie Black box fully optioned with trolley and 15m hose reel. Supplied with all fittings required .(assembly required)

Black Box with trolley & reel
FKB8.15TRHR **\$1,771**

15" flat surface cleaner ... SMART

p 74

Clean flat surfaces three times faster, leaving a streak free finish. Steel deck.

FNA80166 **\$208**
(700mm lance to suit
FNA7103261 \$68)

Drain jetting, FAST & CONVENIENT

p 31

Clear drains fast with a super flexible 1/8" 15m sewer hose. Includes jetting nozzle. Couplings required (see below)

AHOSER8 1/8 15M **\$372**
AD QR8BR2 (Quick coupler) **\$41**
C1500.06 (M22 coupling) **\$9**

NEW Foamer ... SPRAY FOAM FAST

p 77

LS3 foamer ...
Spray detergents, degreasers, disinfectants without chemicals going through the pump

MPA25152612 **\$137**
Requires coupling to fit to gun
C1500.06 \$9

Replacement Pump kits

FAR1864	Valve kit	\$68
FAR1865	Oil seal kit	\$42
FAR1866	Water seal kit	\$105
FAR2040	O-ring kit	\$17.50
FAR1279225	Unloader valve	\$245

SINGLE PHASE ... BUILT TOUGH

Fast | Effective | Simple to use



MONSOON 140

- ♦ 'Big Berty' heavy duty triplex pump
- ♦ Heavy duty on-off switch with motor protection. Includes circuit breaker with thermal trip & short circuit protection in IP 65 enclosure with padlocking control.
- ♦ Heavy duty 4 pole, single phase slow speed motor with 15 amp plug
- ♦ Robust stainless steel frame & anti vib mounts
- ♦ Steel wheels with flat free tyres
- ♦ FREE ASP (Aussie safety protection kit) ... Protects pump from pressure spikes and excess by-pass running
- ♦ Detergent injection
- ♦ Pro accessories
- ♦ Optional Total Stop



No RTO certification required for operators

Specifications

	Pump Pressure	EWP with turbo	Flow	Motor	Pump	Nozzle size	Weight	Freight Dimensions (Lxwxh) mm
Monsoon Scud 140	2,000 psi (140 bar)	3,400 psi	9 lpm	240v 2.2kW	WBL917	035	52 kg	680x580x550

Stock codes & pricing

Monsoon Scud 140	ABMONSS140	\$2,358
------------------	------------	----------------

Accessories supplied with machine

Hose	AHW06M22X2X8	8M R2 hose
Gun	M4021108007	AL13 pro gun
Lance	C4723.45.115	Vario lance

Pump service kits ... p84 - 85

Optional accessories FASTER, SMARTER, SAFER

Turbo Lance ... 60% MORE BITE p 59

Increase the effective working pressure (EWP) of your blaster without loading the pump!



CTN255-035 \$145

4,000 psi Hose Reel Kit .. EASY FIT p 72

Safer & smarter working, includes reel, double wire braid hose, whip hose & mounting plate

AD30001 (15m hose) \$523
Mounting bar to suit frame
AHRBARSSMONSML \$147



Aussie Spinner ... FLAT SURFACES p 74

SLASH CLEANING TIMES BY 75%
20" flat surface cleaner
Clean flat surfaces four times faster, leaving a streak free finish suits AB40 (standard nozzles included)

AGPDFSC20 (20") \$1,154



Drain jetting, FAST & CONVENIENT p 31

Clear drains fast with a super flexible 1/8" 15m sewer hose. Includes jetting nozzle. Couplings required (see below)



AHOSER8 1/8 15M \$372
AD QR8BR2 (Quick coupler) \$41
C1500.06 (M22 coupling) \$9

Tele-wand ... REACH FURTHER p 76

Ideal for reaching eaves & washing windows, extends to 5.5m, includes FREE harness. Quik Tip nozzle sold separately.



AGPDLTG18 \$399
Quik Tip nozzle C915035Q \$18

NEW Foamer ... SPRAY FOAM FAST p 77

LS3 foamer ...
Spray detergents, degreasers, disinfectants without chemicals going through the pump

MPA25152612 \$137
Requires coupling to fit to gun
C1500.06 \$9



3,000 - 4,300 PSI ELECTRIC HEAVY DUTY | RELIABLE | CLASS A

3,000 PSI
\$3,388
NEW
STAINLESS
STEEL FRAME



BERTOLINI
pumps
4 year warranty

**CLASS A
BLASTER**
ES/MCS 4383.1

No RTO certification
required for operators

MONSOON SCUD SERIES

- ♦ 'Big Berty' heavy duty triplex pump
- ♦ Heavy duty 4 pole IP55 rated slow speed motor
- ♦ Heavy duty on-off switch with motor protection. Includes circuit breaker with thermal trip & short circuit protection in IP 65 enclosure with padlocking control.
- ♦ **NEW** stainless steel frame & anti vib mounts
- ♦ Heavy duty on-off switch with overload protection
- ♦ **FREE ASP** (Aussie safety protection kit) .. Protects pump from pressure spikes and excess by-pass running
- ♦ **Steel wheels** with flat free tyres
- ♦ Detergent injection
- ♦ Easy fit 30 m hose reel option
- ♦ Pro accessories
- ♦ 3 phase plug not supplied
- ♦ Optional Total Stop

Specifications

	Pump Pressure	EWP with turbo	Flow	Motor	Pump	Nozzle size	Weight	Freight Dim (Lxwxh) mm
Monsoon Scud 200	3,000 psi (200 bar)	4,785 psi	15 lpm	415v 5.5kW 4 pole	TTL1520	045	70 kg	700x580x550
Monsoon Scud 300	3,000 psi (200 bar)	4,785 psi	21 lpm	415v 7.5kW 4 pole	TTL2120	065	90 kg	1100x800x750
Monsoon Scud 400	4,300 psi (300 bar)	6,785 psi	13 lpm	415v 7.5kW 4 pole	TTL1330	035	90 kg	1100x800x750
Monsoon Scud 400 Maxi A	4,000 psi (275 bar)	6,485 psi	20 lpm	415v 11kW 4 pole	TTL2028	050	120 kg	1100x800x750

Stock codes & pricing

Monsoon Scud 200	ABMONSS200	\$3,388
Monsoon Scud 300	ABMONSS300	\$4,040
Monsoon Scud 400	ABMONSS400	\$4,683
Monsoon Scud 400 Maxi A	ABMONSC400M-A	\$6,326

Accessories supplied with machine

Hose	AHW06M22X2X10	10m R2 3/8" with couplings
Gun	M4022209003	AL55 4,500 psi Pro Gun
Lance	C3924.01	700mm Stainless Steel Dual Lance
Nozzle	C915 __ M C915500MSS	2 x Laser Cut (15° & detergent)

Pump service kits ... p86 - 87

Optional accessories FASTER, SMARTER, SAFER

Turbo Lance 60% MORE BITE

p 59

Increase the effective working pressure (EWP) of your blaster without loading the pump!



CTN255--	(Mon 200 & 300)	\$198
CTN310--	(Mon 400 & Mon 400 M)	\$242

(insert nozzle size)

Tele-wand ... REACH further

p 76

Ideal for reaching eaves & washing windows, extends to 5.5m, includes FREE harness. Quik Tip nozzle sold separately.



AGPDLTG18	\$399
AGPDCLTG18A Heavy duty	\$464
QT nozzle C915 __ _Q	\$18

(insert nozzle size)

CLEAN FLAT SURFACES FAST

p 74

SLASH CLEANING TIMES BY 75%

Clean flat surfaces four times faster, leaving a streak free finish. Standard nozzles included.

AGPDFSC20	20" Spinner	\$1,154
AGPDFSCS22Z	22" Cyclone	\$1,449



Grit Blast Kit ... SURFACE PREP

p 56

Remove paint & rust fast

M202903460	(Mon 200 & 300)	\$215
(head, lance, nozzle, probe & hose)		
MTM160172	(Mon 400)	\$332
(head, probe & hose, NB nozzle & lance required)		



Extra length hose ... CONVENIENT

p 70

Cleaning large plant?...

reach further with these extra length **Aussie Blue-Pro** hoses, 5,800 psi rated, R2 wire braid hose, 3/8 female ends (M22 & M24 couplings sold separately)

AHW06FB6FB6X20 (20m)	\$305
AHW06FB6FB6X30 (30m)	\$462
AHW06FB6FB6X50 (50m)	\$714
MPA26065050 (M22 QC)	\$36



4,000 psi Hose Reel Kit .. EASY FIT

p 72

Safer & smarter working, includes reel, 30m double wire braid hose, whip hose & mounting plate

ADHR40100D	(hose reel kit)	\$782
mounting bar		
AHRPLATEMONLRG		\$129



Drain Clearing Kit, SAFE & SIMPLE

p 73

Includes **Aussie Viper Mini Reel**

with 60 metres of 3/16" sewer hose. Full **Aussie Jetters Tool Box**, including quick coupler to fit to end of blaster high pressure hose. **FREE** safety plate.



ADRAINKIT	\$3,090
-----------	----------------

5,000 PSI CLASS A ELECTRIC 4 POLE | HEAVY DUTY | POWERFUL



HURRICANE

- ♦ **'Big Berty'** heavy duty pumps designed for long, continuous operation at extremely high pressures.
- ♦ **Heavy duty** on-off switch with motor protection. Includes circuit breaker with thermal trip & short circuit protection in IP 65 enclosure with padlocking control.
- ♦ **Heavy duty, 4 pole, three phase** IP55 rated slow speed motor
- ♦ **NEW** Heavy duty stainless steel frame with anti-vibration dampeners, big flat free tyres & steel wheels.
- ♦ **FREE ASP** (Aussie Safety Protection) kit ... Protects pump from pressure spikes and excess by-pass running
- ♦ Easy fit hose reel option
- ♦ Pro accessories
- ♦ 3 phase plug not supplied
- ♦ Optional Total Stop



No RTO certification required for operators



COMING SOON

Specifications

	Pump Pressure	EWP with turbo	Flow	415v Motor	Pump	Nozzle size	Weight	Freight Dim (Lxwxh) mm
Hurricane A	5,000 psi (350 bar)	8,500 psi	16 lpm	12.5kW	KTL1635	035	145 kg	1100x800x450

Stock code & pricing

Hurricane A	ABHURRICANESS	\$7,998
--------------------	---------------	----------------

Accessories supplied with machine

Hose	AHW06FB6FB6X10	10m R2 3/8"
Gun	MPA30450010	RL 56 5,000 psi pro gun
Lance	MPA40025800	800mm single lance
Nozzle	C915035M	Laser cut nozzle

Pump service kits ... p86 - 87

Optional accessories FASTER, SMARTER, SAFER

Turbo Lance ... 60% MORE BITE p 59

Turbo lance/gun kit... Increase the effective working pressure of your blaster!



CTN400-035GLK \$398

Grit Blast Kit ... SURFACE PREP p 76

Remove paint & rust fast (head, probe & hose, NB nozzle & lance required)



MTM160172 \$332

CLEAN FLAT SURFACES EXTRA FAST p 75

SLASH CLEANING TIMES

Aussie 28" stainless steel 5,000 psi flat surface cleaner. Clean large areas with less water, less effort with a streak free finish.

HANT28 \$2,413
HANT4C (Multi-twister) \$3,015



Extra length hose ... CONVENIENT p 70

Cleaning large plant?... reach further with these extra length **Aussie Blue-Pro** hoses, 5,800 psi rated, R2 wire braid hose, 3/8 female ends (M24 couplings sold separately)

AHW06FB6FB6X20 (20m) \$305
AHW06FB6FB6X30 (30m) \$462
AHW06FB6FB6X50 (50m) \$714
MPA26065050 (M22 QC) \$36



5,000 psi Stainless Steel Hose Reel p73

5,000 psi rated, takes up to 45m hose, universal foot mount.

HAR150 (ss reel only) \$611
AHW06FB6FB6X2 (2m whip hose) \$41
MPA13.5051.51 (3/8" nipple) \$13
MPA26065050 (M24 QC) \$37
mounting bar
AHRPLATEMONLRG \$129



Drain Clearing Kit, SAFE & SIMPLE p 73

Includes **Aussie Viper Mini Reel** with 60 metres of 3/16" sewer hose. Full **Aussie Jetters Tool Box**, including quick coupler to fit to end of blaster high pressure hose. **FREE** safety plate.

ADRAINKIT \$3,090



7,300 PSI RAPTOR

UNLEASH THE POWER!




7,300 PSI
from
\$9,845
NEW
STAINLESS
STEEL FRAME

FREE
Aussie Safe Operator
500 BAR Apron with
every Raptor



Scan QR code to
see Raptor demo



- ♦ **'Big Berty'** heavy duty pumps designed for long, continuous operation at extremely high pressures (* Not Raptor 12).
- ♦ **Heavy duty on-off switch** with motor protection. Includes circuit breaker with thermal trip & short circuit protection in IP 65 enclosure with padlocking control.
- ♦ **Heavy duty stainless steel frame** with anti-vibration dampeners, 13" flat free tyres & steel wheels.
- ♦ **Heavy duty 4 pole three phase IP55 rated slow speed motor**
- ♦ **Double flange motor drive** (* Not Raptor 12).
- ♦ **FREE ASP** (Aussie Safety Protection) kit ... Protects pump from pressure spikes and excess by-pass running
- ♦ Emergency stop
- ♦ **FREE** hose restraint valued at \$120
- ♦ 10 metres of 500 bar hose
- ♦ PA gun and 1050mm lance



Specifications

	Pump Pressure	EWP with turbo	Flow	415v Motor	Pump	Nozzle size	Weight	Freight Dim (Lxwxh) mm
Raptor 12	7,300 psi (500 bar)	12,000 psi	12 lpm	12.5kW	Udor GHC12/50	020	130 kg	1100x800x1000
Raptor 16	7,300 psi (500 bar)	12,000 psi	16 lpm	18.5kW	Bertolini RA1650	030	185 kg	1100x800x1000
Raptor 21	7,300 psi (500 bar)	12,000 psi	21 lpm	21kW	Bertolini RA2150	035	220 kg	1100x800x1000

Stock codes & prices

Raptor 12	ABRAPTOR/12EMOT	\$9,845
Raptor 16	ABRAPTOR-16MOT	\$14,998
Raptor 21	ABRAPTOR/21EMOT	\$19,840



Aussie Pumps
SAFE OPERATOR

PPE to 500 bar ... p 80



Accessories supplied with machine

Hose	A3641443109	10M 3/8" 500 bar
Gun/lance	MPA30540000	RL57 500 bar pro gun & 1050mm lance
Nozzle	See chart	Ceramic tip 500 bar nozzle 15°

Pump service kits ... p87-88

Optional 500 BAR accessories FASTER, SMARTER, SAFER

Turbo Master 500 ... MORE BITE

p 79

Increase the effective working pressure (EWP) of your blaster without loading the pump!

500 bar (7,300 psi) includes turbo head, gun, 800mm lance, nozzle & quick coupling nipple



CTN500-___ GLK **\$2,077**
(insert nozzle size)

Foot Valve ... MORE CONTROL

p 79

Stainless steel foot valve adds a second level of operator control, in addition to gun trigger, includes 3m whip hose
AST500-M24 **\$902**



Grit Blast Kit ... SURFACE PREP

p 79

TPS 450, 500 bar (7,300 psi) c/w probe, plastic hose, lance, gun, nozzle & quick coupling nipple



TPS450/___ GLK
(insert nozzle size) **\$1,443**

500 bar Hose Reels & Extra Length Hose

p 73

500 bar reel, (7,300 psi) rated, takes up to 30m hose, universal foot mount. Does not fit onto frame, wall mount only.
HAR700 **\$1,344**



3/8" R2 HP hose, 3/8M BSP ends, 150°C rated, for quick couplings refer p 65

A3641443209	(20m)	\$838
A3641443309	(30m)	\$1,088

Ceramic Nozzles ... LAST LONGER

p 60

Aussie White Tip 500 bar 0° & 15°, nozzle, ceramic insert, inlet 1/4" NPT M ... **\$131**



Size	0° (pencil jet)	15° (fan)
025	M0124006100	M0124006110
030	M0124006200	M0124006210
035	M0124003600	M0124006310





ELECTRIC DRIVE

P38-40

1,500 psi - 4,000 psi single & three phase

Cleaning contractors, farmers, workshops, vehicle detailing, transport depots, machinery wash-down, council workshops



AUSSIE SILENCED STEAMER (engine drive)

P41

3,000 psi MD200 series

Council workshops, cleaning contractors, chemical free weed control



PORTABLE ENGINE DRIVE

P42

4,000 psi Hot Link & Heatwave

Cleaning contractors, schools, hospitals, hire companies, farmers



INDUSTRIAL ENGINE DRIVE

P43-45

4,000 psi - 5,000 psi Hydrotek series

Contract cleaning, shipyards, large machinery wash-down, graffiti removal, amenities cleaning, council workshops



HYDRO-HUSH SILENCED STEAMER

P46

4,000 psi, 75 dBA, 12v & 110v

Council workshops, cleaning contractors, car-parks, nightwork street scapes, mine sites



SKID & TRAILER MOUNTED HYDROTEKS

P47-48

4,000 psi - 5,000 psi Hydrotek series

Contract cleaning, shipyards, large machinery wash-down, graffiti removal, amenities cleaning, council workshops



MINE SPEC HYDROTEKS

P49-50

4,000 psi - 5,000 psi Hydrotek series

Big machinery washdown, shipyards & mine sites



CLEAN & CAPTURE ... HYDRO-LOOP

P51-54

EPA compliant ... no wastewater enters drain
Fast, environmentally friendly, clean & green.

Contract cleaning, shipyards, large machinery wash-down, graffiti removal, amenities cleaning, council workshops



NEW AUSSIE SIZZLER COMPACT | SIMPLE TO USE | BUILT TOUGH



Aussie Sizzler
(shown with optional protective cage)

SAVE TIME & CLEAN CHEMICAL FREE, WITH AUSSIE'S NEW COMPACT, HOT WATER BLASTER

- ♦ Heavy duty, high efficiency triplex pump with brass head & independent brass unloader
- ♦ Adjustable temperature to 80°C
- ♦ 4 pole slow speed, air cooled motor with thermal cut-out (10 amp plug fitted)
- ♦ Stainless steel cover for protection
- ♦ Double loop mild steel coil
- ♦ Low maintenance stainless steel boiler, high efficiency with low diesel consumption (3.2 kg/h at full temp)
- ♦ Cover lifts off for easy access to internals for maintenance and service.
- ♦ Steel chassis with four large wheels for manoeuvrability
- ♦ New accessories storage holder
- ♦ 18 litre diesel tank (high density polyethylene)

- ♦ Multifunction safety control ...
 - ♦ Delayed Total Stop ... stops machine 30 seconds after the gun trigger closes ... SAVES FUEL
 - ♦ Micro-leak detection ... Stops the machine in case of leaks in hydraulic circuit
 - ♦ Nozzle clogged control ... Stops the machine if the nozzle in the end of the lance is blocked
 - ♦ Flooding prevention system
 - ♦ Intelligent Auto Switch Off ... Switches off machine after 20 minutes of non use.
 - ♦ Dry running Protection ... stops the machine when no water is supplied.
 - ♦ Ignition boiler delay ... Ensures low fume emissions when boiler starts up.
- ♦ Optional stainless steel protective roll frame & lifting bar (as shown in image)

Specifications

	Pressure	EWP with turbo	Flow	Max Temp	Motor	Pump	Nozzle size	Weight	Unit dimensions (Lxwxh) mm
Aussie Sizzler	1,800 psi (130 bar)	3,100 psi	10 lpm	80°C	240v, 2.7kW, 4 pole	Interpump	035	100 kg	820 x 630 x 870

Stock codes & prices

Aussie Sizzler	FS-D1310P4M	\$4,420
SS Protective frame	AFRAMES/SIZZLER	\$595

Accessories supplied with machine

Hose	AHW06M22X2X8	8m R2 3/8
Gun	M4022209003	AL55 4,500 psi Pro Gun
Lance	C3905.14	700mm single lance
Nozzle	C915035M	Laser Cut (15°)

Optional accessories FASTER, SMARTER, SAFER

Turbo Lance 60% MORE BITE

p 59

Increase the effective working pressure (EWP) of your blaster without loading the pump!



CTN255-035

\$198

CLEAN FLAT SURFACES FAST

p 74

SLASH CLEANING TIMES BY 75%

Clean flat surfaces four times faster, leaving a streak free finish. Standard nozzles included.

AGPDFSCS22Z \$1,449
(22" Cyclone, stainless steel)



5,000 psi Stainless Steel Hose Reel

p 73

Store extra length hoses, suited for hot water hose up to 5,000 psi, must be wall mounted.



HAR150 (holds up to 45m) \$611
HAR151 (holds up to 75m) \$770
AHW06FB6FB6X2 (2m whip hose) \$41
MPA13.5051.51 (3/8" nipple) \$13
MPA26065050 (M24 QC) \$37



Fits through standard doorway even with protective frame

1,500 PSI & 3,000 PSI ... DESIGNED TOUGH FOR AUSSIE CONDITIONS



SUPER INDY SERIES

- ♦ **Slow speed**, 4 pole, IP56 motor (1400 rpm) for reliable long life performance
- ♦ **Heavy duty slow speed triplex pump** with brass head & ceramic pistons
- ♦ **Mild steel heavy duty coil** with **2 year coil warranty**
- ♦ **Stainless steel coil** option with 3 year coil warranty
- ♦ **18 litre diesel** fuel tank
- ♦ High pressure detergent injection
- ♦ Stainless steel cover, 250mm wheels & heavy duty steel chassis with bumper
- ♦ **Flexible coupling** between motor and pump for a smoother, cooler drive
- ♦ **Low water cut-out** warning light control, prevents damage to machine
- ♦ **Low fuel sensor** & warning light
- ♦ **Timed Total Stop**—auto shut down
- ♦ **Safety thermostat** to protect pump
- ♦ **Micro-leak detection** with warning light
- ♦ **15 amp plug** fitted on single phase unit. No plug supplied on three phase unit
- ♦ **Class A** ... no operator certification required

Specifications

Super Indy Mk 3	Pressure	EWP with turbo	Flow	Max Temp	4 pole Motor	Pump	Nozzle size	Weight	Freight Dim (LxWxH)
Single phase	1,500 psi (100 bar)	2,600 psi	12 lpm	120°C	240v 2.2kW 15 amp plug	Interpump EL1413	055	120kg	1070 x 740 x 920 mm
Three phase	3,000 psi (200 bar)	4,785 psi	16 lpm	120°C	415v 5.5kW	Interpump WS151DX	045	190kg	1070 x 740 x 920 mm

Coil options

	Mild steel coil		Stainless steel coil	
Super Indy Mk 3 Single phase	FS/INDD51012MV3	\$5,383	FS/INDDX1012MV3	\$6,249
Super Indy Mk 3 Three phase	FS/INDD52016TV3	\$6,313	FS/IND3DX2016T	\$6,839

Replacement accessories

Hose	AHW06M22X2X8	8m R2 3/8
Gun	M4022209003	AL55 4,500 psi Pro Gun
Lance	C3905.14	700mm single lance
Nozzle	C915 __ _M	Laser Cut (15°)



Optional accessories FASTER, SMARTER, SAFER

Turbo Kit 60% MORE BITE

p 59

Increase the effective working pressure (EWP) of your blaster without loading the pump!



CTN255-__ _ (insert nozzle size) \$198

CLEAN FLAT SURFACES FAST

p 75

SLASH CLEANING TIMES BY 75%

Stainless steel flat surface cleaners

Clean four times faster, leaving a streak free finish. Standard nozzles included

AGPDFSC22Z

(22" Cyclone, 80°C max) **\$1,449**

HANT28

(28" Twister, 120°C max) **\$2,413**



Extra length hose ... CONVENIENT

p 70

Cleaning large plant?...

reach further with these extra length

Aussie Blue-Pro hoses, 5,800 psi rated, R2 wire braid hose, 3/8 female ends (M22 couplings sold separately)



AHW06FB6FB6X10 (10m) **\$183**

AHW06FB6FB6X20 (20m) **\$305**

AHW06FB6FB6X30 (30m) **\$462**

AHW06FB6FB6X50 (50m) **\$714**

5,000 psi Stainless Steel Hose Reel

p 73

Store extra length hoses, suited for hot water hose up to 5,000 psi, must be wall mounted.



HAR150 (holds up to 45m) **\$611**

HAR151 (holds up to 75m) **\$769**

AHW06FB6FB6X2 (2m whip hose) **\$41**

MPA13.5051.51 (3/8" nipple) **\$13**

MPA26065050 (M24 QC) **\$37**

Wet/Dry Vacs ... SUPER SUCKERS

p 99

Pick up waste water or use for vehicle detailing

VF13 10 litres **\$398**

VC44 30 litres **\$466**

VC72 75 litres **\$863**



3,000 PSI & 4,000 PSI ... SUPER HEAVY DUTY SERIES



ADMIRAL SERIES

- ♦ Slow speed, 4 pole, IP56 motor (1400 rpm) for reliable long life performance
- ♦ Heavy duty slow speed triplex pump with brass head & ceramic pistons
- ♦ **Mild steel heavy duty coil** with 2 year coil warranty
- ♦ **Stainless steel coil option** with 3 year coil warranty
- ♦ 18 litre diesel fuel tank
- ♦ High pressure detergent injection
- ♦ Stainless steel cover, 250mm wheels & heavy duty steel chassis with bumper
- ♦ Flexible coupling between motor and pump for a smoother, cooler drive.
- ♦ Low water cut-out warning light control, prevents damage to machine
- ♦ Low fuel sensor & warning light
- ♦ Timed Total Stop—auto shut down
- ♦ Safety thermostat to protect pump
- ♦ Micro-leak detection with warning light
- ♦ No plug supplied
- ♦ Class A ... no operator certification required

Specifications

	Pressure	EWP with turbo	Flow	Max Temp	4 pole Motor	Pump	Nozzle size	Weight	Freight Dim (l x w x h)
Admiral Mk 3	3,000 psi (200 bar)	4,785 psi	19 lpm	130°C	415v 6.6kW	Interpump WS102SX	065	220kg	1070 x 740 x 920 mm
Admiral 4000	4,000 psi (275 bar)	6,485 psi	15 lpm	130°C	415v 6.6kW	Interpump WS251	040	190kg	1070 x 740 x 920 mm

Coil options

	Mild steel coil	Stainless steel coil
Admiral Mk 3	FHD191 ADMIRAL IDAC40566 \$7,211	FHD190ADMIRALSS IDAC88458 \$8,282
Admiral 4000	FHD275ADMIRAL IDAC40648 \$8,400	

Accessories supplied with machine

Hose	AHW06M22X28	8m R2 3/8
Gun	M4022209003	AL55 4,500 psi Pro Gun
Lance	C3905.14	700mm single lance
Nozzle	C915 __ _M	Laser Cut (15°)



Optional accessories FASTER, SMARTER, SAFER

Turbo Kit ... 60% MORE BITE

p 59

Increase the effective working pressure (EWP) of your blaster without loading the pump!



CTN310-__ (insert nozzle size) \$242

CLEAN FLAT SURFACES FAST

p 75

SLASH CLEANING TIMES BY 75%

Stainless steel flat surface cleaners

Clean four times faster, leaving a streak free finish. Standard nozzles included

AGPDFSC22Z \$1,449

(22" Cyclone 80°C max)

HANT28 \$2,413

(28" Twister 120°C max)



Extra length hose ... CONVENIENT

p 70

Cleaning large plant?...

reach further with these extra length

Aussie Blue-Pro hoses, 5,800 psi rated, R2 wire braid hose, 3/8 female ends (M22 couplings sold separately)



AHW06FB6FB6X10 (10m)	\$183
AHW06FB6FB6X20 (20m)	\$305
AHW06FB6FB6X30 (30m)	\$462
AHW06FB6FB6X50 (50m)	\$714

5,000 psi Stainless Steel Hose Reel

p 73

Store extra length hoses, suited for hot water hose up to 5,000 psi, must be wall mounted.

HAR150 (holds up to 45m) \$611

HAR151 (holds up to 75m) \$769

AHW06FB6FB6X2 (2m whip hose) \$41

MPA13.5051.51 (3/8" nipple) \$13

MPA26065050 (M24 QC) \$37



Wet/Dry Vacs ... SUPER SUCKERS

p 99

Pick up waste water or use for vehicle detailing

VF13 10 litres \$398

VC44 30 litres \$466

VC72 75 litres \$863




Drain Clearing Kit, SAFE & SIMPLE

p 73

Includes **Aussie Viper Mini Reel** with 60 metres of 3/16" sewer hose. Full **Aussie Jetties Tool Box**, including quick coupler to fit to end of blaster high pressure hose. **FREE** safety plate.

ADRAINKIT \$3,090



3,000 PSI SUPER SILENT STEALTH SILENCED | DIESEL DRIVE



MD200

This diesel powered steam cleaner has been designed to minimise noise pollution, using sound insulated panels to cover the engine, pump and burner.

When truck or trailer mounted and plumbed to a external water tank, this unit becomes a self contained steam cleaner.

- ♦ **High pressure triplex pump** with three ceramic pistons and forged brass head.
- ♦ **Kohler (Ruggerini) RD 210** two-cylinder diesel motor with electric starter, low fuel, low oil and low battery shutdown. Remote throttle control directly from the water gun.
- ♦ **Economical diesel burner**, fuel consumption 8 l/h
- ♦ **In-built generator** to power electronic equipment.
- ♦ **Steel boiler** with double turn steel heating coil with built in pressure & steam phase regulation.
- ♦ **Built-in detergent tank.**
- ♦ **Built-in diesel fuel tank.** (54 L)
- ♦ **Built-in descaler tank.** (2 L)
- ♦ **Water tank** with float control & inlet water filter. (7 L)
- ♦ **Steel frame** designed to absorb and eliminate vibrations.
- ♦ **Fixed chassis** mounted on skids for easy attachment to truck bed or trailer.
- ♦ **Maximum sound proofing** obtained through almost total enclosure of the machine, enabling insulation of internal components. Double exhaust with silencer. (Certified sound power level at 97 dB(A))

Specifications

	Pressure	EWP with turbo	Flow	Max Temp	Engine	Pump	Nozzle size	Weight	Freight Dim (LxWxH)
MD200	3,000 psi (200 bar)	4,785 psi	15 lpm	150°C	Kohler RD210 20HP	Interpump TS2011 SX LT	045	461kg	1.4 8x 0.86 x 1.35m

Stock code & pricing

MD200	FV200MDSIL	\$38,972
--------------	------------	-----------------

Accessories supplied with machine

Hose	AHW06M22X2X8	8m R2 3/8
Gun	M4022209003	AL55 4,500 psi Pro Gun
Lance	C3905.14	700mm single lance
Nozzle	C915 __ _M	Laser Cut (15°)



Optional accessories FASTER, SMARTER, SAFER

Turbo Lance Kit 60% MORE BITE p 59

Increase the effective working pressure (EWP) of your blaster without loading the pump!



CTN255-045 \$198

CLEAN FLAT SURFACES FAST p 75

SLASH CLEANING TIMES BY 75%
Stainless steel flat surface cleaners
Clean four times faster, leaving a streak free finish. Standard nozzles included



AGPDFSC22Z \$1,449

(22" Cyclone 80°C max)

HANT28 \$2,413

(28" Twister 120°C max)

Tele-wand ... REACH FURTHER p 76

Ideal for reaching eaves & washing windows, extends to 5.5m, includes FREE harness. Quik Tip nozzle sold separately.



AGPDLTG18 \$399

AGPDLTG18A Heavy duty \$464

QT nozzle C915 __ _Q \$18

(insert nozzle size)

Extra length hose ... CONVENIENT p 70

Cleaning large plant?... reach further with these extra length **Aussie Blue-Pro hoses**, 5,800 psi rated, R2 wire braid hose, 3/8 female ends (M22 couplings sold separately)



AHW06FB6FB6X10 (10m) \$183

AHW06FB6FB6X20 (20m) \$305

AHW06FB6FB6X30 (30m) \$462

AHW06FB6FB6X50 (50m) \$714

5,000 psi Stainless Steel Hose Reel p 73

Store extra length hoses, suited for hot water hose up to 5,000 psi, must be wall mounted.



HAR150 (holds up to 45m) \$611

HAR151 (holds up to 75m) \$769

AHW06FB6FB6X2 (2m whip hose) \$41

MPA13.5051.51 (3/8" nipple) \$13

MPA26065050 (M24 QC) \$37

Drain Clearing Kit, SAFE & SIMPLE p 73

Includes **Aussie Viper Mini Reel** with 60 metres of 3/16" sewer hose. Full **Aussie Jetters Tool Box**, including quick coupler to fit to end of blaster high pressure hose. **FREE** safety plate.



ADRAINKIT \$3,090

4,000 PSI HEATWAVE HONDA MOBILE STEAM CLEANER

130°C
\$9,724



- ♦ Compact, portable hot water pressure washer, just connect to the tap.
- ♦ 12 volt, diesel fired burner
- ♦ Honda GX390 petrol engine
- ♦ Spiralast coil with lifetime warranty
- ♦ Flat free tyres on steel wheels
- ♦ Stainless steel frame with integrated handle
- ♦ Direct drive industrial triplex pump
- ♦ Integrated burst disc and safety relief valve
- ♦ Hose & pro accessories

Specifications

	Safety Class	Pressure	Flow	Max Temp	Honda Engine	Pump	Weight	Dimensions (LxWxH) m
Aussie Heatwave	A	4,000 psi (275 bar)	13 lpm	130°C	GX390 e/start	AR triplex (3200 rpm)	165 kg	1.2x0.7x0.9

Stock codes & pricing

Aussie Heatwave	HSM40004HH	\$9,724
-----------------	------------	---------

Accessories supplied with machine

Hose	AHW06M22X2X15	15m R2 3/8"
Gun	CGPDG5010	5,000 psi pro gun
Lance	C3924.01	700mm dual lance
Nozzle	C915__Q	Quick tip nozzle

5

HOT LINK ... 12V DIESEL FIRED BURNER CONVERTS A COLD WATER BLASTER INTO A HOT WATER UNIT

- ♦ Suits any cold water pressure cleaner to 4,000 psi with flows to 20 lpm
- ♦ 12 volt diesel fired burner
- ♦ Built-in diesel fuel tank (11 litres).
- ♦ Flow switch control
- ♦ Requires 14 amp charge circuit
- ♦ Integrated burst disc and safety relief valve
- ♦ 2.7 metres of 5,000 psi hose
- ♦ Stainless steel frame with stainless steel boiler housing and powder coated steel chassis
- ♦ Requires a 12 volt power source

99°C
\$4,343



Specifications

	s/code	Safety Class	Max Pump Pressure	Max Flow	Max Temp	Weight	Dimensions (LxWxH) m	
Hot Link	HCPHL5DC	A	4,000 psi (275 bar)	20 lpm	99°C	127 kg	0.91 x 0.43 x 0.83	\$4,343

Optional accessories FASTER, SMARTER, SAFER

Turbo Kit 60% MORE BITE

p 59

Turbo lance/gun kit.... Increase the effective working pressure of your blaster!



CTN310-030GLK

\$310

CLEAN FLAT SURFACES FAST

p 75

SLASH CLEANING TIMES BY 75%
Stainless steel flat surface cleaners
Clean four times faster, leaving a streak free finish. Standard nozzles included



AGPDFSC22Z \$1,449

(22" Cyclone 80°C max)

HANT28 \$2,413

(28" Twister 120°C max)

Extra length hose ... CONVENIENT

p 70

Cleaning large plant?... reach further with these extra length Aussie Blue-Pro hoses, 5,800 psi rated, R2 wire braid hose, 3/8 female ends (M22 couplings sold separately)



AHW06FB6FB6X10 (10m) \$183

AHW06FB6FB6X20 (20m) \$305

AHW06FB6FB6X30 (30m) \$462

AHW06FB6FB6X50 (50m) \$714

5,000 psi Stainless Steel Hose Reel

p 73

Store extra length hoses, suited for hot water hose up to 5,000 psi, must be wall mounted.



HAR150 (holds up to 45m) \$611

HAR151 (holds up to 75m) \$769

AHW06FB6FB6X2 (2m whip hose) \$41

MPA13.5051.51 (3/8" nipple) \$13

MPA26065050 (M24 QC) \$37

Drain Clearing Kit, SAFE & SIMPLE

p 73

Includes Aussie Viper Mini Reel with 60 metres of 3/16" sewer hose. Full Aussie Jetters Tool Box, including quick coupler to fit to end of blaster high pressure hose. FREE safety plate.



ADRAINKIT \$3,090

Grit Blast Kit ... SURFACE PREP

p 79

Remove paint & rust fast



FLCPR53825

\$208



AUSSIE HYDROTEK

BRILLIANT DESIGN ...
TOUGH ON GRIME

NEW HYDRO-HUSH EASY ON THE EARS



PAGE 46

The **Aussie Hydroteks** are compact, high pressure, mobile steam cleaners with serious cleaning power. They are designed to perform heavy duty cleaning without needing any outside electrical power.

An invaluable tool for councils, property management companies, service companies, mechanics or anyone requiring a mobile cleaning solution for dirt, grease and grime.

Key features

- Industrial petrol/diesel engines
- Heavy duty triplex pump
- Rugged 'Pro-Tect-It' frame with stainless steel panels for corrosion resistance
- 12v or 110v low voltage diesel fired burner system
- Available skid mounted, trailer mounted
- Clean & capture system option
- Mine spec versions ... super tough



Aussie Hydrotek JAWS ... p48 & 50



Aussie Hydro-Loop Clean & Capture ... p51



AUSSIE HYDROTEK ... PETROL BRILLIANT DESIGN, TOUGH ON GRIME



- ♦ **Heavy duty** triplex pump with brass pump head
- ♦ **Adjustable temperature** up to 130°C, steam melts grease without using chemicals.
- ♦ **Water tight electrical box** with battery.
- ♦ **Robust "Pro-tek"** steel frame with built-in lifting eyes for transportation.
- ♦ **Stainless steel panels** and boiler cover.
- ♦ **"Two gun operation"** available on AF versions (reduces flow to 10 lpm per gun)

Specifications

	Safety Class	Pressure	EWI with turbo	Flow	Max Temp	Engine	Pump	Nozzle size	Loop option
COMMERCIAL SERIES ... up to 20 hrs per week, 12v low voltage burner									
HSS40004VG	A	4,000 psi (275 bar)	6,485 psi	15 lpm	130°C	Vanguard 18HP	GP EZ4040G	040 (15°, 40°) 035 (25° steam)	No
INDUSTRIAL SERIES ... over 20 hrs per week, 110v burner with on-board generator									
HSC40005HAF#	A	4,000 psi (275 bar)	6,485 psi	20 lpm	130°C	Honda GX630	Bertolini	025,035,045, 050 (all 15°)	Yes

Stock codes & pricing

		Weight & Dimensions (LxWxH) m		
HSS40004VG	HSS40004VG	204 kg	1.2x0.6x1.0	\$12,180
HSC40005HAF#	HSC40005HAF	306 kg	1.3x0.9x1.0	\$18,524

Accessories supplied with machine

Hose	AHW06M22X2X15	15m R2 3/8"
Gun	CGPDG5010	5,000 psi pro gun
Lance	C3905.16 + CD10073	1200mm single lance
Nozzle	C915__Q	Quick tip nozzle

Optional accessories FASTER, SMARTER, SAFER

Turbo Kit 60% MORE BITE

p 59

Turbo lance/gun kit... Increase the effective working pressure of your blaster!



CTN310-__GLK (insert nozzle size) **\$310**

CLEAN FLAT SURFACES FAST

p 75

SLASH CLEANING TIMES BY 75%

Stainless steel flat surface cleaners

Clean four times faster, leaving a streak free finish. Standard nozzles included



AGPDFSC22Z **\$1,449**

(22" Cyclone 80°C max)

HANT28 **\$2,413**

(28" Twister 120°C max)

Extra length hose ... CONVENIENT

p 70

Cleaning large plant?...

reach further with these extra length

Aussie Blue-Pro hoses, 5,800 psi rated, R2 wire braid hose, 3/8 female ends (M22 couplings sold separately)



AHW06FB6FB6X10 (10m) **\$183**

AHW06FB6FB6X20 (20m) **\$305**

AHW06FB6FB6X30 (30m) **\$462**

AHW06FB6FB6X50 (50m) **\$714**

5,000 psi Stainless Steel Hose Reel

p 73

Store extra length hoses, suited for hot water hose up to 5,000 psi, must be wall mounted.



HAR150 (holds up to 45m) **\$611**

HAR151 (holds up to 75m) **\$769**

AHW06FB6FB6X2 (2m whip hose) **\$41**

MPA13.5051.51 (3/8" nipple) **\$13**

MPA26065050 (M24 QC) **\$37**

Drain Clearing Kit, SAFE & SIMPLE

p 73

Includes **Aussie Viper Mini Reel**

with 60 metres of 3/16" sewer

hose. Full **Aussie Jetters Tool Box**,

including quick coupler to fit to

end of blaster high pressure hose.

FREE safety plate.



ADRAINKIT **\$3,090**



AUSSIE HYDROTEK ... DIESEL BRILLIANT DESIGN, TOUGH ON GRIME



HSCX50005DG

5 year coil warranty on
5,000 psi machines

- ♦ **Heavy duty** triplex pump with brass pump head
- ♦ **Adjustable temperature** up to 130°C, steam melts grease without using chemicals
- ♦ **Water tight electrical box** with battery
- ♦ **Robust "Pro-tek"** steel frame with built-in lifting eyes for transportation
- ♦ **Stainless steel panels** and boiler cover
- ♦ **Two gun operation** available on AF versions (reduces flow to 10 lpm per gun)



Specifications



see p 47- 48

	Safety Class	Pressure	EWP with turbo	Flow lpm	Burner voltage	Engine	Pump	Nozzle size	Loop option
HSCX40005DB12	A	4,000 psi (275 bar)	6,485 psi	20	12v	Kubota 17HP	Interpump TSF 1819	050 (Q type, 15°,25°,40°)	No
HSCX40005DG	A	4,000 psi (275 bar)	6,485 psi	20	110v	Kubota 17HP	Interpump TSF 1819	050 (Q type, 15°,25°,40°)	Yes
HSCX50005DG	B	5,000 psi (350 bar)	8,500 psi	18	110v	Kubota 17HP	Interpump TSF 1821	040 (M, 15°,25°,40°)	Yes

Stock codes & pricing

		Weight & Dimensions (LxWxH) m		
HSCX40005DB12	HSCX40005DB12	310 kg	1.3 x 0.82 x 1.2	\$26,790
HSCX40005DG	HSCX40005DG	310 kg	1.3 x 0.82 x 1.2	\$27,942
HSCX50005DG*	HSCX50005DG	395 kg	1.3 x 0.9 x 1.0	\$29,830

*



Class B machines supplied with emergency stop & FREE hose restraint

Accessories supplied with machine

Hose	AHW06M22X2X15	15m R2 3/8"
Gun	CGPDG5010	5,000 psi pro gun
Lance	C3905.16 + CD10073	1200mm single lance



PPE to 500 bar ... p 80

Optional accessories FASTER, SMARTER, SAFER

Turbo Kit 60% MORE BITE

p 59

Turbo lance/gun kit.... Increase the effective working pressure of your blaster!



CTN310-__GLK	(up to 4,000 psi)	\$310
CTN400-__GLK	(up to 5,000 psi)	\$398

(insert nozzle size)

CLEAN FLAT SURFACES FAST

p 75

SLASH CLEANING TIMES BY 75%

Stainless steel flat surface cleaners

Clean four times faster, leaving a streak free finish. Standard nozzles included



AGPDFSC22Z \$1,449

(22" Cyclone 80°C max)

HANT28 \$2,413

(28" Twister 120°C max)

Extra length hose ... CONVENIENT

p 70

Cleaning large plant?...

reach further with these extra length

Aussie Blue-Pro hoses, 5,800 psi rated, R2 wire braid hose, 3/8 female ends (M22 & M24 couplings sold separately)



AHW06FB6FB6X10 (10m)	\$183
AHW06FB6FB6X20 (20m)	\$305
AHW06FB6FB6X30 (30m)	\$462
AHW06FB6FB6X50 (50m)	\$714

5,000 psi Stainless Steel Hose Reel

p 73

Store extra length hoses, suited for hot water hose up to 5,000 psi, must be wall mounted.



HAR150 (holds up to 45m)	\$611
HAR151 (holds up to 75m)	\$769
AHW06FB6FB6X2 (2m whip hose)	\$41
MPA13.5051.51 (3/8" nipple)	\$13
MPA26065050 (M24 QC)	\$37

Drain Clearing Kit, SAFE & SIMPLE

p 73

Includes **Aussie Viper Mini Reel**

with 60 metres of 3/16" sewer hose. Full **Aussie Jetters Tool Box**, including quick coupler to fit to end of blaster high pressure hose. **FREE** safety plate.



ADRAINKIT \$3,090



NEW AUSSIE HYDRO-TEK HYDRO-HUSH

Cleaning while the city sleeps

75dBA



- ◆ **Kubota diesel engine** with low oil/Hi temp cut out, silenced muffler with spark arrester & emergency stop
- ◆ Noise readings **75dBA** at 7m
- ◆ **4,000 psi heavy duty pump**
- ◆ **12v & 110v diesel fired burner systems**
- ◆ **Noise shielding**, insulated panels
- ◆ **Extra large built-in diesel fuel tank** for extended running (136L)
- ◆ **Water tight electrical box** with battery
- ◆ **Robust "Pro-protect" stainless steel frame** with built-in lifting eyes for transportation.
- ◆ **Lifetime warranty** on coil
- ◆ **Stainless steel panels & boiler cover**

Trailer Spec ...

Heavy duty Australian made flat bed trailer (Single axle on HSS units & tandem axle on HSC units)

- ◆ **Hot dipped galvanised finish**
- ◆ **New wheels & tyres & wheels**
- ◆ **Fitted with brakes**
- ◆ **Heavy duty tool box** for storage of wash down accessories ... HSC units only.
- ◆ Trailer provided with on road NSW **blue slip** ready for registration.

Specifications

	Safety Class	Pressure	EWP with turbo	Flow	Max °C	Burner voltage	Engine	Pump	Nozzle size	Loop option
HSCX40005D12-HUSH	A	4,000 psi (275 bar)	6,485 psi	20 lpm	121	12v	Kubota 20HP	Interpump TSF 1819	050 (Q type, 15",25",40")	No
HSCX40005D-HUSH	A	4,000 psi (275 bar)	6,485 psi	20 lpm	121	110v	Kubota 20HP	Interpump TSF 1819	050 (Q type, 15",25",40")	Yes

Stock codes & pricing

Hydrotek Unit only				Skid mount version (Hydrotek + 1,000L tank & double stacker hose reels)			Trailer mount version (Hydrotek + 1,000L tank & double stacker hose reels)		
		Dim (LxWxH) m			Dim (LxWxH) m			Dim (LxWxH) m	
HSCX40005D12-HUSH	HSCX40005DB12SI	1.3 x 0.82 x 1.2	\$37,999	HSCX40005DSM	2.03 x 1.3 x 1.2	\$47,655	HSCX40005DAW	3.8 x 2.3 x 1.7	\$54,780
HSCX40005D-HUSH	HSCX40005DBSI	1.3 x 0.82 x 1.2	\$39,980	HSCX40005D12SM	2.03 x 1.3 x 1.2	\$49,064	HSCX40005D12AW	3.8 x 2.3 x 1.7	\$58,970

Accessories supplied with machine

Hose	AHW06M22X2X15	15m R2 3/8"
Gun	CGPDG5010	5,000 psi pro gun
Lance	C3905.16 + CD10073	1200mm single lance

Optional accessories FASTER, SMARTER, SAFER

Turbo Lance Kit 60% MORE BITE p 59

Turbo lance/gun kit.... Increase the effective working pressure of your blaster!



CTN310-__GLK (insert nozzle size) \$310

CLEAN FLAT SURFACES EXTRA FAST p 75

SLASH CLEANING TIMES BY 75%
Stainless steel flat surface cleaners
Clean four times faster, leaving a streak free finish. Standard nozzles included



AGPDFSC22Z \$1,449

(22" Cyclone 80°C max)

HANT28 \$2,413

(28" Twister 120°C max)

Drain Cleaning Kit, SAFE & SIMPLE p 73

Includes **Aussie Viper Mini Reel** with 60 metres of 3/16" sewer hose. Full **Aussie Jetters Tool Box**, including quick coupler to fit to end of blaster high pressure hose. **FREE** safety plate.



ADRAINKIT

\$3,090



SKID MOUNT VERSION



TRAILER MOUNT VERSION

HYDRO-TEK MOBI STEAM BLASTERS

The **HSC series** are high pressure, industrial, mobile steam cleaners with serious cleaning power. They are self contained so no external power or water source is required.



HSC40005HAF skid mount

A skid mounted mobile steam cleaner with it's own water supply that is ideal for on site cleaning for plant and equipment!

- ♦ **Aussie Hydrotek** self contained steam cleaner
- ♦ **1,000L water tank** with float, drain valve, low level cut out sensor, lid with strainer and level indicator (Additional sizes available.)
- ♦ **Heavy duty skid base** with anti-vibration dampeners and lifting points (cube mounted option available)
- ♦ **Double stacker hose reel** (supplied separately)
 - ♦ **High pressure reel** and base mount with 30 metres of 3/8" R2 high pressure outlet hose and screw quick couplings
 - ♦ **Low pressure reel** and 30 metres 3/4" heavy duty reinforced supply hose
- ♦ **Two gun operation available** on selected models

Specifications

	Safety Class	Pressure	EWP with turbo	Flow	Max Temp	Burner voltage	Engine	Pump	Nozzle size
PETROL POWERED									
HSC40005HAF#	A	4,000 psi (275 bar)	6,485 psi	20 lpm	130°C	110v	Honda GX630	Bertolini	025,035,045, 050 (all 15")
DIESEL POWERED									
HSCX40005DB12	A	4,000 psi (275 bar)	6,485 psi	20 lpm	130°C	12v	Kubota 17HP	Interpump TSF 1819	050 (Q type, 15",25",40")
HSCX40005DG	A	4,000 psi (275 bar)	6,485 psi	20 lpm	130°C	110v	Kubota 17HP	Interpump TSF 1819	050 (Q type, 15",25",40")

Stock codes & pricing

	Weight & Dimensions (LxWxH) m		
HSC40005HAF#	HSC40005HAFSM	1250 kg	2.03 x 1.3 x 1.2 \$24,830
HSCX40005DB12	HSCX40005DB12SM	1300 kg	2.03 x 1.3 x 1.2 \$28,740
HSCX40005DG	HSCX40005DGSM	1300 kg	2.03 x 1.3 x 1.2 \$32,720



see p 49-50

Accessories supplied with machine

Hose	AHW06M22X2X10	10m R2 3/8"
Gun	CGPDG5010	5,000 psi pro gun
Lance	C3905.16 + CD10073	1200mm single lance

SEE PAGE 46 FOR
HYDRO-HUSH
VERSION ... 75dBA

Optional accessories FASTER, SMARTER, SAFER

Turbo Kit 60% MORE BITE

p 59

Turbo lance/gun kit.... Increase the effective working pressure of your blaster!



CTN310- _ _ _GLK (insert nozzle size) **\$310**

CLEAN FLAT SURFACES FAST

p 75

SLASH CLEANING TIMES BY 75%

Stainless steel flat surface cleaners

Clean four times faster, leaving a streak free finish. Standard nozzles included

AGPDFSC22Z **\$1,449**

(22" Cyclone 80°C max)

HANT28 **\$2,413**

(28" Twister 120°C max)



Drain Cleaning Kit, SAFE & SIMPLE

p 73

Includes Aussie Viper Mini Reel with 60 metres of 3/16" sewer hose. Full Aussie Jetters Tool Box, including quick coupler to fit to end of blaster high pressure hose and safety plate.



ADRAINKIT **\$3,090**





HYDROTEK JAW SYSTEMS ... JUST ADD WATER

MOBILE CLEANING POWER

Heavy duty self contained systems with integrated water tank ... truly independent cleaning for professional cleaning contractors. Ideal for urban graffiti removal or remote cleaning applications

- ♦ **Hydrotek self contained steam cleaner** .. Diesel or petrol powered with diesel fired burner.
- ♦ **Poly impact resistant water tank** with position locking lid & water filter (larger tanks available on request)
- ♦ **20" Aussie Spinner** flat surface cleaner
- ♦ **Heavy duty stainless steel hose reel** with 30 m high pressure hose
- ♦ **Low pressure hose reel** with 30 metres of low pressure supply hose
- ♦ **Hand gun** with stainless steel 700mm dual lance & nozzle kit (except on machines fitted for dual gun operation)
- ♦ ***Two gun operation available on** selected models (reduces flow to 10 lpm per gun)
- ♦ **Tool box options**

Trailer Spec ...

Heavy duty Australian made flat bed trailer (Single axle on HSS units & tandem axle on HSC units)

- ♦ **Hot dipped galvanised finish**
- ♦ **New wheels & tyres & wheels**
- ♦ **Fitted with brakes**
- ♦ **Heavy duty tool box** for storage of wash down accessories ... HSC units only.
- ♦ **Trailer provided with on road NSW blue slip ready for registration.**

Specifications

	Safety Class	Pressure	EWP / turbo	Flow	Max Temp	Burner voltage	Engine	Pump	Nozzle size
PETROL POWERED									
HSC40005HAF#	A	4,000 psi (275 bar)	6,485 psi	20 lpm	130°C	110v	Honda GX630	Bertolini	025,035,045, 050 (all 15°)
DIESEL POWERED									
HSCX40005DB12	A	4,000 psi (275 bar)	6,485 psi	20 lpm	130°C	12v	Kubota 17HP	Interpump TSF 1819	050 (Q type, 15°, 25°, 40°)
HSCX40005DG	A	4,000 psi (275 bar)	6,485 psi	20 lpm	130°C	110v	Kubota 17HP	Interpump TSF 1819	050 (Q type, 15°, 25°, 40°)

Stock codes & pricing

		Dimensions (LxWxH) m	
HSC40005HAF	HSC40005HAFJAW	4 x 2 x 1.8	\$31,780
HSCX40005DB12	HSCX40005DB12JAW	4 x 2 x 1.8	\$35,475
HSCX40005DG	HSCX40005DGJAW	4 x 2 x 1.8	\$42,960

Accessories supplied with machine

Hose	AHW06M22X2X30	30m R2 3/8"
Gun	CGPDG5010	5,000 psi pro gun
Lance	C3905.16 + CD10073	1200mm single lance



see p 49- 50

SEE PAGE 46 FOR
HYDRO-HUSH
VERSION ... 75dBA




Optional hose reel for two gun set -up



Optional accessories FASTER, SMARTER, SAFER

Turbo Lance Kit 60% MORE BITE p 59

Turbo lance/gun kit.... Increase the effective working pressure of your blaster!



CTN310-__ _GLK (insert nozzle size) \$310

CLEAN FLAT SURFACES EXTRA FAST p 75

SLASH CLEANING TIMES BY 75%

Stainless steel flat surface cleaners
Clean four times faster, leaving a streak free finish. Standard nozzles included

AGPDFSC22Z **\$1,449**
(22" Cyclone 80°C max)

HANT28 **\$2,413**
(28" Twister 120°C max)



Drain Cleaning Kit, SAFE & SIMPLE p 73

Includes **Aussie Viper Mini Reel** with 60 metres of 3/16" sewer hose. Full **Aussie Jetters Tool Box**, including quick coupler to fit to end of blaster high pressure hose. **FREE** safety plate.



ADRAINKIT **\$3,090**

HYDROTEK MINE SPEC SERIES

.. mobile steam cleaning



Shown with optional hose reels



Aussie Mine spec includes

- ♦ Emergency stop
- ♦ Fire extinguisher (2 Kg)
- ♦ Lockable battery isolator



The HSCX series "Hammerhead" are diesel powered hot water mobile wash units with serious cleaning power.

They are engineered for performance, durability and corrosion resistance.

- ♦ **Powerful Kubota diesel**, multi cylinder engine
- ♦ **Heavy duty** triplex pump with nickel plated pump head

- ♦ **Stainless steel protection panels & boiler cover**
- ♦ **Diesel powered burner** with variable temperature control
- ♦ **Built-in diesel fuel tank.** (68 L)
- ♦ **Water tight electrical box** with battery
- ♦ 4,000 psi machines ... Lifetime warranty
5,000 psi machines ... 5 year coil warranty

Specifications

	Safety Class	Pressure	EWP with turbo	Flow	Max Temp	Burner voltage	Engine	Pump	Nozzle size
DIESEL POWERED									
HSCX40005D12	A	4,000 psi (275 bar)	6,485 psi	20 lpm	130° C	12v	Kubota 17HP	Interpump TSF 1819	050 (Q type, 15°,25°,40°)
HSC50005D*	B	5,000 psi (350 bar)	8,500 psi	18 lpm	130° C	110v	Kubota 20HP	Interpump TSF 1821	040 (M type, 15°,25°,40°)

Stock codes & pricing

		Weight	Dimensions (LxWxH) m	
HSCX40005D12	HSCX40005D12MS	270 kg	1.3x0.86x1.0	\$29,860
HSC50005D*	HSC50005DMS*	294 kg	1.4x0.86x1.0	\$32,820

Accessories supplied with machine

Hose	AHW06M22X2X10	15m R2 3/8"
Gun	CGPDG5010	5,000 psi pro gun
Lance	C3905.16 + CD10073	1200mm single lance



Class B machines supplied with **emergency stop** & **FREE** hose restraint


Optional accessories

FASTER, SMARTER, SAFER

Turbo Kit 60% MORE BITE

p 59

Turbo lance/gun kit.... Increase the effective working pressure of your blaster!



CTN400-___GLK (insert nozzle size) \$398

CLEAN FLAT SURFACES FAST

p 75

SLASH CLEANING TIMES BY 75%

Stainless steel flat surface cleaners

Clean four times faster, leaving a streak free finish. Standard nozzles included

AGPDFSC22Z \$1,449

(22" Cyclone 80°C max)

HANT28 \$2,413

(28" Twister 120°C max)



Extra length hose ... CONVENIENT

p 70

Cleaning large plant?...

reach further with these extra length

Aussie Blue-Pro hoses, 5,800 psi rated, R2 wire braid hose, 3/8 female ends (M22 & M24 couplings sold separately)

AHW06FB6FB6X10 (10m) \$183

AHW06FB6FB6X20 (20m) \$305

AHW06FB6FB6X30 (30m) \$462

AHW06FB6FB6X50 (50m) \$714



5,000 psi Stainless Steel Hose Reel

p 73

Store extra length hoses, suited for hot water hose up to 5,000 psi, must be wall or trailer mounted.

HAR150 (holds up to 45m) \$611

HAR151 (holds up to 75m) \$769

AHW06FB6FB6X2 (2m whip hose) \$41

MPA13.5051.51 (3/8" nipple) \$13

MPA26065050 (M24 QC) \$37



Drain Clearing Kit, SAFE & SIMPLE

p 73

Includes **Aussie Viper Mini Reel** with 60 metres of 3/16" sewer hose. Full **Aussie Jetters Tool Box**, including quick coupler to fit to end of blaster high pressure hose. **FREE** safety plate.



ADRAINKIT \$3,090

Personal Protective Gear 500 bar

p 80



- ♦ Overalls
- ♦ Jackets
- ♦ Trousers
- ♦ Aprons
- ♦ Gloves
- ♦ Boots





MINE SPEC STEAM CLEANERS

SKID MOUNT



This version shows side mounted reels

TRAILER MOUNT



Super heavy duty site trailer

A skid or trailer mounted Mine Spec series mobile steam cleaner with it's own water supply. Ideal for on site cleaning!

Aussie Mine Spec Skid/Trailer mount details

- ◆ Aussie Hydrotek self contained steam cleaner
- ◆ 1,000L water tank with float, drain valve, low level cut out sensor, lid with strainer and level indicator (Additional sizes available.)
- ◆ Heavy duty skid base or trailer with anti-vibration dampeners and lifting points (cube mounted option available)
- ◆ Double stacker unit (supplied separately) with
 - ◆ High pressure reel and base mount with 30 metres of 3/8" R2 high pressure outlet hose and screw quick couplings
 - ◆ low pressure reel and 30 metres 3/4" heavy duty reinforced supply hose

Aussie Mine Spec trailer specs ...

- Heavy duty tandem axle trailer
- ◆ Hot dipped galvanised finish
- ◆ New 15" 6 stud Land Cruiser pattern wheels
- ◆ New 31.5 mud pattern tyres
- ◆ Extra wide mudguards to suit
- ◆ AL-KO Ring coupling with hand brake plate
- ◆ Supplied with Brakes
- ◆ Heavy Duty tool box for wash down accessories
- ◆ Vin numbered , weighed and blue slipped ready for Registration

Optional Extreme Series trailer ... +\$9,880

4.5 Tonne GVM Australian made tandem axle flat bed trailer will be provided with the following specifications:-

- ◆ Hot dipped galvanised finish
- ◆ Tandem AL-KO 2.5 tonne IRS torsion tube suspended axles fitted with 6 stud hubs & 3,000 kg bearing sets
- ◆ Four 15" white spoke wheels with off road mud pattern tyres & checker plate mudguards
- ◆ Heavy duty landing leg & two stabilizer legs
- ◆ Hitch attach options
- ◆ Checker plate front and rear mount decks
- ◆ Electric brakes standard, other options available

Aussie Mine spec includes

- ◆ Emergency stop
- ◆ Fire extinguisher (2 Kg)
- ◆ Lockable battery isolator



Specifications

	Safety Class	Pressure	EWP with turbo	Flow	Max Temp	Burner voltage	Engine	Pump	Nozzle size
--	--------------	----------	----------------	------	----------	----------------	--------	------	-------------

DIESEL POWERED

HSCX40005D12	A	4,000 psi (275 bar)	6,485 psi	20 lpm	130°C	12v	Kubota 17HP	Interpump TSF 1819	050 (Q type, 15°,25°,40°)
HSC50005D*	B	5,000 psi (350 bar)	8,500 psi	18 lpm	130°C	110v	Kubota 20HP	Interpump TSF 1821	040 (M type, 15°,25°,40°)



Class B machines supplied with **emergency stop & FREE hose restraint**

Stock codes & pricing

Skid mount version (Hydrotek + 1,000L tank & double stacker hose reels)				Trailer mount version (Hydrotek + 1,000L tank & double stacker hose reels)			
		Weight	Dim (LxWxH) m			Dim (LxWxH) m	
HSCX40005D12	HSCX40005D12MSM	420 kg	2.03 x 1.3 x 1.2	\$33,980	HSCX40005D12MTR	4 x 2 x 1.8	#\$44,480
HSC50005D*	HSC50005DMSM	480 kg	2.03 x 1.3 x 1.2	\$38,480	HSC50005DMTR	4 x 2 x 1.8	#\$46,800

Accessories supplied with machine

Hose	AHW06M22X2X30	30m R2 3/8"
Gun	CGPDG5010	5,000 psi pro gun
Lance	C3905.16 + CD10073	1200mm single lance

AUSSIE HYDRO-LOOP

YOUR TURN ... LIVE THE DREAM!



STEAM CLEANERS

5

NEW HYDRO-HUSH LOOP
Clean while the city sleeps

75dBA

EPA COMPLIANT
CLEAN & CAPTURE SYSTEM



HYDRO-LOOP...IT'S CLEAN & GREEN



The **Hydro-Loop system** means fast, efficient cleaning, with a unique 'Clean and Capture' system. You can comply with EPA regulations.

That's right...the site is not contaminated, but left in pristine condition! This is not just a machine ... it's a business opportunity without the ties of a franchise.

You have the support of **Aussie's** marketing machine and the freedom to build your business, your way.

You set your own price, work your own hours and keep all your profits.

Successful **Aussie Hydro-Loop Club** members are motivated, and have the drive to generate work from car parks, shopping centres, service stations and property managers.

What is the Aussie Hydro-Loop?


It's a self contained, trailer mounted, hot-water pressure washer with built in recovery unit, filters and tank. These units combine the cleaning power of high pressure and steam with a vacuum filtration system that collects the waste water, preventing it from entering storm drains.

The wastewater is collected via either the **Hydro Twister** flat surface cleaner or a Scupper placed at a dammed drain point. The water is then filtered through 5 stages and returned to the supply tank for reuse.

System features

- ♦ **Aussie Hydrotek** engine drive industrial steam cleaner
- ♦ **Vacuum filtration system** with two stage motor, and two replaceable cartridge filters
- ♦ **1,000 litre poly impact resistant water tank** (750 litres on Junior)
- ♦ **Double axle trailer** with swivel jockey wheel and spare (registration approval pending). Junior version is mounted on a single axle trailer.
- ♦ **Double stacker hose reels** (US made) ...
 - ♦ One stainless steel reel with 30m of high pressure hose
 - ♦ One hose reel with 30 metres of low pressure garden hose.
- ♦ **Heavy duty 5,000 psi** rated hand gun
- ♦ **Stainless steel 1200mm single lance** with "Snap-On" nozzle kit
- ♦ **24.5" heavy duty Twister Vac** rotary floor cleaner (Option on Junior Loop)
- ♦ **1½" mesh strainer** with bleed valve, 60 micron
- ♦ **1.8m rubber, sand filled boom**, 3m sand dam tubes, sand not included
- ♦ **50mm x 15m spiral vacuum hose** with scupper attachment (galvanised vac hose reel on Maxi)

5



HYDRO-LOOP JUNIOR

Extra mobile, for fast set up & cleaning



Demo online
You Tube

- ♦ **Aussie Hydrotek** engine drive industrial steam cleaner
- ♦ **Vacuum filtration** system with two stage motor, and two replaceable cartridge filters (NEW AZV88)
- ♦ **750 litre** poly impact resistant water tank
- ♦ **Single axle** trailer
- ♦ A stainless steel high pressure hose reel
- ♦ Package includes containment berms, scupper & vacuum hose
- ♦ **Optional 24.5"** heavy duty Twister Vac rotary floor cleaner to clean & recover wastewater

Specifications

	Safety Class	Pressure	EWP with turbo	Flow	Max Temp	Engine
HSC40005HAF#	A	4,000 psi (275 bar)	6,485 psi	20 lpm	130°C	Honda GX630

Stock codes & pricing

	Dimensions (LxWxH) m	
HSC40005HAF#	HSC40005HAFVRJN	3.7 x 2 x 1.8
		\$36,850

HYDRO-LOOP MAXI

Heavy duty systems suited to large jobs



Specifications

	Safety Class	Pressure	EWP with turbo	Flow	Max Temp	Engine	Pump
Petrol version							
HSC40005HAF#	A	4,000 psi (275 bar)	6,485 psi	20 lpm	130°C	Honda GX630	Bertolini TTK 2130
Diesel versions							
HSCX40005DG	A	4,000 psi (275 bar)	6,485 psi	20 lpm	130°C	Kubota 17HP	Interpump TSF 1819
HSCX40005D-HUSH	A	4,000 psi (275 bar)	6,485 psi	20 lpm	130°C	Kubota 20HP	Interpump TSF 1819

Stock codes & pricing

	Dimensions (LxWxH) m		
HSC40005HAF#	HSC40005HAFVR	4 x 2 x 1.8	\$46,488
HSCX40005DG	HSCX40005DGVR	4 x 2 x 1.8	\$61,440
HSCX40005D-HUSH	HSCX40005D-HVR	4 x 2 x 1.8	\$72,103

NEW HYDRO-HUSH LOOP
Clean while the city sleeps



- ♦ **Aussie Hydrotek** engine drive industrial steam cleaner
- ♦ **Vacuum filtration** system with two stage motor, and two replaceable cartridge filters (NEW AZV88 ... more power for longer recovery lengths)
- ♦ **1000 litre** poly impact resistant water tank
- ♦ **Dual axle** heavy duty trailer with tool box
- ♦ **Two stainless steel hose reels**; one with 30m of high pressure hose, and the other with 30 metres of low pressure supply hose
- ♦ **24.5"** heavy duty Twister Vac rotary floor cleaner to clean & recover wastewater
- ♦ More Hydrotek options available ... call Aussie for more details

FOR TRUCK OR TRAILER MOUNTING GET WITH THE EPA REGS!

You can build your own EPA compliant, environmentally friendly clean and capture system.

You'll need a top quality Hydrotek steam cleaner with onboard generator and a vacuum assisted recover/filtration unit. Choose one of our compatible HSC series Hydrotek systems from p 42-43.



Hydro-Loop component checklist...

				Price	tick box if required	
1.	HSC Hydrotek (see p 42-43 ... petrol or diesel)		Fill in required model & price	\$		
2.	Water tank/skid set					
	HT270T	1,000 litre tank with support straps		\$2,400	<input type="checkbox"/>	
3.	Vac recovery system					
	HAZV88	includes filtration system & 15 metres of vac hose		\$9,394	<input type="checkbox"/>	 HAZV88
4.	24.5" ss flat surface cleaner					
	HANTV5	with vac recovery port		\$3,875	<input type="checkbox"/>	 HANTV5
5.	High pressure hose reels & hose					
A.	HAR150 + AHW06K2414X2X30	5,000 psi stainless steel hot water reel with 30m non marking hot water high pressure hose		\$1,344	<input type="checkbox"/>	
or B.	HAR151 + AHW06K2414X2X50	5,000 psi stainless steel hot water reel with 50m non marking hot water high pressure hose		\$1,772	<input type="checkbox"/>	
NB.	FREE whip hose supplied with all orders for complete system, customer to specify length (max 3m)					
6.	Basic plumbing kit					
		including suction filter & couplings, details available on request		\$1,200	<input type="checkbox"/>	
7.	Stand-by filter kit					
	HASF01	additional set of filters ready to swap in as required		\$605	<input type="checkbox"/>	 HAR151
FREE installation guidelines, footprint & recommended trailer spec available, suitable for installation by any competent engineering workshop				Total cost of selected kit	\$	+GST

REPLACEMENT FILTERS & BERMS FOR RECOVERY UNIT

Part Number	Description	
HVFH07	Cartridge, 4.5" x 20", pleated polyester, 20 micron	\$97
HVFH10	Cartridge 4.5" x 20" ,10 micron, pleated carbon	\$168
HVFH25	Cartridge, 4.5" x 20", string wound, 20 micron	\$51
HVFH50	Cartridge 4.5" x 20" ,string wound, 50 micron	\$51
HVB040	Oil skimmer bag	\$142
HVFB41	Duo flow dirt bag	\$86
HVFB05	Bag filter 7 x 32 - 5 micro (fits on tank lid)	\$42
HVFB85	Capture strainer bag, 800 micron (optional - for recovery only mode)	\$19
HASF01	Filter start up pack , completer series of filters	\$589
HMEV15	Vacuum motor 115v AC	\$396
HPS120	Transfer pump 12v	\$683
HDHV20	Vacuum hose 15 metres x 2"	Poa
HZMAT6	Sand berm 10' - sand not included	\$103
HATP75	Vacuum scupper pick up device 12"	Poa
HZMAT7	Deluxe sand berm 6' - sand not included	\$310
HATP40	Hydro vacuum arch, 6' ground pick device	poa



Always be armed with an extra filters for fast change out when on site.



The HVFB41 duo-flow dirt bag works as you debris catcher when recovering and processing. Switch to HVFB85 strainer bag when capture pump only is used.



HZMAT7 Deluxe berm for water retention and recovery using HATP75 (scupper)

HASF01 Start up filter kit contains: **\$589 SAVE 10%**
 2 x HVFH07 Pleated cartridge filter 4.5" x 20", 20 microns
 1 x HVF10 Carbon cartridge filter 4.5" x 20", 10 microns
 1 x HVFB05 One bag filter for water tank - 7 x 32 - 5 microns
 3 x HVFB41 Duo flow dirt bag, 400 micron mesh top, 100 micron bottom mesh bag